



SLOVENSKI STANDARD
oSIST prEN IEC 63584-210:2025
01-september-2025

Protokol odprte polnilne točke 2.1 (hitri postopek)

Open Charge Point Protocol 2.1 (Fast track process)

Ta slovenski standard je istoveten z: prEN IEC 63584-210:2025

ICS:

43.120 Električna cestna vozila Electric road vehicles

oSIST prEN IEC 63584-210:2025

en



104/1114/CDV

COMMITTEE DRAFT FOR VOTE (CDV)

PROJECT NUMBER: IEC 60068-3-6 ED3	
DATE OF CIRCULATION: 2025-06-20	CLOSING DATE FOR VOTING: 2025-08-15
SUPERSEDES DOCUMENTS: 104/1022/CDV, 104/1051B/RVC	

IEC TC 104 : ENVIRONMENTAL CONDITIONS, CLASSIFICATION AND METHODS OF TEST	
SECRETARIAT: Sweden	SECRETARY: Mr Joakim Grafström
OF INTEREST TO THE FOLLOWING COMMITTEES:	HORIZONTAL FUNCTION(S):
ASPECTS CONCERNED:	
<input checked="" type="checkbox"/> SUBMITTED FOR CENELEC PARALLEL VOTING Attention IEC-CENELEC parallel voting The attention of IEC National Committees, members of CENELEC, is drawn to the fact that this Committee Draft for Vote (CDV) is submitted for parallel voting. The CENELEC members are invited to vote through the CENELEC online voting system.	<input type="checkbox"/> NOT SUBMITTED FOR CENELEC PARALLEL VOTING

This document is still under study and subject to change. It should not be used for reference purposes.

Recipients of this document are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Recipients of this document are invited to submit, with their comments, notification of any relevant "In Some Countries" clauses to be included should this proposal proceed. Recipients are reminded that the CDV stage is the final stage for submitting ISC clauses. (SEE [AC/22/2007](#) OR [NEW GUIDANCE DOC](#)).

TITLE:

Environmental testing - Part 3-6: Supporting documentation and guidance - Confirmation of the performance of temperature/ humidity chambers

PROPOSED STABILITY DATE: 2026

NOTE FROM TC/SC OFFICERS:

Copyright © 2025 International Electrotechnical Commission, IEC. All rights reserved. It is permitted to download this electronic file, to make a copy and to print out the content for the sole purpose of preparing National Committee positions. You may not copy or "mirror" the file or printed version of the document, or any part of it, for any other purpose without permission in writing from IEC.

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	7
3 Terms and definitions	7
4 Measuring chamber performance.....	12
4.1 Measurement system (general)	12
4.2 Temperature measurement system	12
4.3 Humidity measurement system	12
4.4 Temperature/humidity chamber test specimens.....	13
4.5 Test area environment	13
4.6 Specified location of temperature sensors and humidity sensor in working space.....	13
4.6.1 Temperature sensors.....	13
4.6.2 Humidity sensor.....	14
5 Data collection and performance parameter calculation procedures	15
5.1 General.....	15
5.2 Temperature and relative humidity stabilization.....	15
5.3 Achieved temperature and relative humidity.....	15
5.4 Temperature and relative humidity fluctuation	16
5.5 Temperature and relative humidity gradient	17
5.6 Temperature and relative humidity variation in space.....	18
5.7 Temperature and relative humidity uniformity.....	18
5.8 Temperature rate of change.....	19
5.9 Standard test sequences for confirming the operating range of a temperature or humidity chamber	19
5.9.1 General	19
5.9.2 Standard test sequence for a temperature chamber	19
5.9.3 Standard test sequence for a temperature/humidity chamber	20
6 Information to be given in the performance test report	21
Bibliography.....	22
Figure 1 – Example of temperature or relative humidity differences	11
Figure 2 – Working space	11
Figure 3 – Location of sensors for temperature/humidity chambers up to 2 000 l.....	14
Figure 4 – Location of additional sensors for temperature/humidity chambers over 2 000 l.....	14
Figure 5 – Example of temperature and relative humidity stabilization and achieved temperature and relative humidity	16
Figure 6 – Example of stabilization and performance measurement period	16
Figure 7 – Example of fluctuation of relative humidity or temperature.....	17
Figure 8 – Example of temperature or relative humidity gradient for chambers.....	17
Figure 9 – Example of temperature or relative humidity variation in space	18
Figure 10 – Example of temperature or relative humidity uniformity	19