

## SLOVENSKI STANDARD oSIST prEN ISO 11140-4:2025

01-september-2025

Sterilizacija izdelkov za zdravstveno nego - Kemijski indikatorji - 4. del: Sistemi indikatorjev tipa 2, ki se uporabljajo namesto Bowie-Dickovega preskusa za ugotavljanje prodiranja pare (ISO/DIS 11140-4:2025)

Sterilization of health care products - Chemical indicators - Part 4: Type 2 indicator systems as an alternative to the Bowie and Dick-type test for the detection of steam penetration (ISO/DIS 11140-4:2025)

Sterilisation von Produkten für die Gesundheitsfürsorge - Chemische Indikatoren - Teil 4: Indikatoren der Klasse 2, die alternativ zum Bowie-Dick-Test für den Nachweis der Dampfdurchdringung verwendet werden (ISO/DIS 11140-4:2025)

Stérilisation des produits de santé - Indicateurs chimiques - Partie 4: Systèmes d'indicateurs de Type 2 comme alternative à l'essai de Bowie et Dick pour la détection de la pénétration de la vapeur (ISO/DIS 11140-4:2025)

Ta slovenski standard je istoveten z: prEN ISO 11140-4

ICS:

11.080.01 Sterilizacija in dezinfekcija na Sterilization and disinfection

splošno in general

oSIST prEN ISO 11140-4:2025 en,fr,de

## iTeh Standards (https://standards.iteh.ai) Document Preview

<u>oSIST prEN ISO 11140-4:2025</u>

https://standards.iteh.ai/catalog/standards/sist/5d6a1032-b5fe-465f-a748-1ebd9af18514/osist-pren-iso-11140-4-2025



### DRAFT International Standard

# Sterilization of health care products — Chemical indicators —

Part 4:

Type 2 indicator systems as an alternative to the Bowie and Dicktype test for the detection of steam penetration

Stérilisation des produits de santé — Indicateurs chimiques —

Partie 4: Systèmes d'indicateurs de Type 2 comme alternative à l'essai de Bowie et Dick pour la détection de la pénétration de la vapeur

ICS: 11.080.20

ISO/DIS 11140-4

ISO/TC 198

Secretariat: ANSI

Voting begins on: **2025-07-30** 

Voting terminates on: 2025-10-22

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENTS AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

### ISO/DIS 11140-4:2025(en)

## iTeh Standards (https://standards.iteh.ai) Document Preview

<u> SIST prEN ISO 11140-4:2025</u>

https://standards.iteh.ai/catalog/standards/sist/5d6a1032-b5fe-465f-a748-1ebd9af18514/osist-pren-iso-11140-4-2026



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

### ISO/DIS 11140-4:2025(en)

Con	tents	Page
Forew	vord	iv
Intro	Introduction	
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	General	3
5	Requirements	3
6	Indicator format	<b>4</b>
7	Performance requirements	5
8	Packaging and labelling	6
Anne	Annex A (normative) Standard test cycles	
Anne	x B (normative) Estimation of visual difference between colour of the substrate and of the changed or unchanged indicator system by determination of relative reflectance density.	14
Anne	x C (normative) Determination of uniform colour change on exposure to saturated steam	18
Anne	x D (normative) Determination of equivalence of the alternative indicator to the Bowie and Dick test	19
Anne	x E (normative) Determination of reproducibility of fail conditions created in a standard test pack by air injection, air leak and retained air systems	21
Anne	x F (normative) Determination of indicator colour change on exposure to dry heat	25
Anne	x G (normative) Determination of shelf life of indicators	26
Anne	x H (normative) Steam exposure apparatus and steam for test purposes	27
Anne	x I (normative) Standard test pack	30
Anne	x J (normative) Air injection system Pren ISO 11140-4:2025	31
Anne	x K (informative) Relationship between chemical indicator components	33
Anne	x ZA (informative) Relationship between this European Standard and the General Safety and Performance Requirements of Regulation (EU) 2017/745 aimed to be covered	34
Biblio	ography	37

#### ISO/DIS 11140-4:2025(en)

### Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see <a href="https://www.iso.org/directives">www.iso.org/directives</a>).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see <a href="https://www.iso.org/patents">www.iso.org/patents</a>).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see <a href="https://www.iso.org/iso/foreword.html">www.iso.org/iso/foreword.html</a>.

This document was prepared by Technical Committee ISO/TC 198, Sterilization of health care products

This third edition cancels and replaces the second edition (ISO 11140-4:2007), which has been technically revised.

The main changes are as follows: Preview

- change of title from class 2 indicator to type 2 indicator to align with ISO 11140-1;
- correct use of the defined terms indicator and indicator system to align with ISO 11140-1;
- updated normative references;
- inserted common <u>Clause 4</u> for ISO/TC 198 documents, replacing Clause 8;
- added Annex M, modified from ISO 11140-1.

A list of all parts in the ISO 11140 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at <a href="https://www.iso.org/members.html">www.iso.org/members.html</a>.