



SLOVENSKI STANDARD
oSIST prEN ISO 25177:2026

01-september-2026

Kakovost tal - Terenski opis tal

Soil quality - Field soil description

Bodenbeschaffenheit - Bodenbeschreibung im Felde

Qualité du sol - Description du sol sur le terrain

Ta slovenski standard je istoveten z: prEN ISO 25177

ICS:

13.080.01	Kakovost tal in pedologija na splošno	Soil quality and pedology in general
-----------	---------------------------------------	--------------------------------------

oSIST prEN ISO 25177:2026

en,fr,de

Sample Document

get full document from standards.iteh.ai



DRAFT International Standard

ISO/DIS 25177

Soil quality — Field soil description

Qualité du sol — Description du sol sur le terrain

ICS: 13.080.01

ISO/TC 190

Secretariat: **DIN**

Voting begins on:
2026-06-30

Voting terminates on:
2026-09-22

Sample Document

get full document from standards.iteh.ai

This document is circulated as received from the committee secretariat.

ISO/CEN PARALLEL PROCESSING

Reference number
ISO/DIS 25177:2026(en)

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENTS AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

© ISO 2026

Sample Document

get full document from standards.iteh.ai



COPYRIGHT PROTECTED DOCUMENT

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO/DIS 25177:2026(en)

Contents

Page

Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 How to use this document	2
4.1 General	2
4.2 Combined use with other description standards	3
4.3 Mandatory or optional observations	3
4.4 Accuracy and units	4
4.5 Encoding	4
5 Description objectives and methods	4
5.1 General	4
5.2 Investigation objectives	4
5.3 Quality assurance and quality control	5
5.4 Description structure	5
6 Description of general references and general information	5
6.1 General	5
6.2 Site/profile numbers	6
6.3 Location	6
6.4 Geographical coordinates	6
6.5 Date and time of observations	6
6.6 Author and organization	6
7 Profile environment	7
7.1 General	7
7.2 Previous precipitation	7
7.3 Land use at plot level (checked by detailed field survey)	7
7.4 Type of cultivation or vegetation or human utilization (at the plot level)	8
7.5 Landform of the site	8
7.6 Slope length	8
7.7 Slope value (gradient)	8
7.8 Slope orientation (aspect)	8
7.9 Nature of natural and anthropogenic soils and materials	9
7.9.1 Natural material	9
7.9.2 Anthropogenic material	9
7.10 Presence and depth to water table	10
7.10.1 General	10
7.10.2 Present depth to water table	10
7.10.3 Minimum depth to water table	10
7.10.4 Maximum depth to water table	11
7.10.5 Nature of the water	11
8 Surface appearance	11
8.1 General	11
8.2 Description of the surface material	11
8.3 Percentage of land surface occupied by rock outcrops or surface exposures of “non-natural” material	11
8.4 Evidence of erosion	12
9 Soil profile description	12
9.1 General	12
9.2 Soil descriptions made or changed after the fieldwork	13
9.3 Soil layer or horizon description method	13

ISO/DIS 25177:2026(en)

9.4	Horizon or layer number	13
9.5	Horizon or layer depth.....	14
9.6	Nature of lower horizon boundary.....	14
9.7	Estimation of moisture status.....	14
9.8	Colour of the horizon or layer matrix.....	15
9.8.1	Colour description method.....	15
9.8.2	Colour description.....	16
9.9	Mottles.....	17
9.9.1	General.....	17
9.9.2	Mottle abundance.....	17
9.9.3	Mottle colour.....	17
9.10	Estimated organic matter content.....	17
9.11	Texture.....	18
9.11.1	Classification system used.....	18
9.11.2	Field determination/ estimation of particle sizes.....	18
9.11.3	Field determination/estimation of the coarseness of a sandy soil.....	18
9.11.4	Sampling for texture analyses.....	21
9.11.5	Description of texture diagram.....	21
9.12	Coarse elements.....	21
9.12.1	General.....	21
9.12.2	Coarse element abundance (in % volume fraction).....	21
9.12.3	Maximum size of the most frequently observed coarse elements.....	22
9.12.4	Nature of the coarse element(s).....	22
9.12.5	Non-natural or unknown coarse elements.....	22
9.13	Carbonates and effervescence.....	22
9.13.1	Intensity of effervescence.....	22
9.13.2	Location of effervescence.....	23
9.14	Main categories of soil structure.....	23
9.15	Compactness.....	24
9.16	Total estimated porosity.....	24
9.17	Roots.....	24
9.17.1	Root abundance.....	24
9.17.2	Size (diameter) of most frequently observed roots.....	25
9.18	Density of worm channels.....	25
9.19	Odour.....	25
9.20	Field detection of mineral oil in soil samples (oil-water reaction pan).....	26
9.20.1	General.....	26
9.20.2	Oil floating on water.....	26
9.20.3	Other oil observations.....	26
10	General designation	27
10.1	General.....	27
10.2	Type of soil profile classification used.....	27
10.3	Soil type with reference to the soil classification system used.....	27
10.4	Type of horizon designation used.....	27
10.5	Sequence of horizons.....	27
11	Reporting.....	28
11.1	General.....	28
11.2	Presentation of field soil descriptions.....	28
11.3	Profile diagram.....	28
11.4	Documented information.....	28
	Annex A (informative) Landform	29
	Annex B (informative) Charts for estimating proportions of mottles, coarse elements, etc.....	30
	Annex C (informative) Soil horizon designation — Example of the WRB [1]	31
	Annex D (informative) Examples of texture diagrams	35
	Annex E (informative) Determination of soil texture in the field	37

ISO/DIS 25177:2026(en)

Annex F (informative) Some types of soil structure	40
Annex G (informative) List of common materials found in soil and on the soil surface	42
Annex H (informative) Soil description observations to record for specific types of soil investigations	44
Annex I (informative) Example field layer description method	48
Bibliography	50

Sample Document

get full document from standards.iteh.ai

ISO/DIS 25177:2026(en)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 190, *Soil quality*.

This second edition cancels and replaces the first edition (ISO 25177:2019), which has been technically revised.

The main changes compared to the previous edition is as follows.

- The fourth edition of the World Reference Base for soil resources (2022) ^[1] has been adapted.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/DIS 25177:2026(en)

Introduction

Traditionally, description of soils and their environment was carried out as parts of soil surveys and soil inventories, the purpose being to describe the pedogenic context of the soil and assess applied aspects, principally agronomic potentials.

Today, many soil observations are made as part of either much broader, or alternatively more focused, environmental studies, and might include analysis for objectives such as:

- identifying human influences on soils, with particular attention being paid to the negative effects of these influences (for example contamination with possible hazardous substances, or deterioration of physical soil properties);
- land protection within the context of sustainable agriculture and forestry;
- assessing the fate of contaminants introduced to the soil;
- assessing the consequences arising from changes in the use of the soil;
- setting up monitoring programs for specific purposes (such as observation of changes of soil properties over time);
- developing spatial databases (used in the context of GIS) aimed at facilitating the geographical representation of soils;
- and for many other purposes.

While the general framework of this document has stayed the same in this updated version, additions include references to the ISO 18400 series (see [Figure 1](#)), observations for soil contamination, and description of artificial material and soil layers.

The description of soils and sites is often accompanied by field and laboratory measurements, and therefore field measurement observations are included in this document.

The original text was based on aspects of the traditional approach to soil description, for example the "Guidelines for soil description" from the FAO (Rome 2006) and the soil type classification from the World Reference Base for soil resources (2006). The "Guidelines for soil description" is nowadays part of WRB and the WRB is managed by a special Working Group of the International Union of Soil Sciences (IUSS). In this document, the 2022 version of WRB [\[1\]](#) is used as a reference.

Soil descriptions and associated soil data are used and re-used for a variety of purposes. For wider utilization of data from soil descriptions, this document can be used in conjunction with other (commonly and publicly available) standards. Some types of soil information, specifically soil contamination data and data on anthropogenic and exogenous material, were not available in earlier versions and have been included here.

Depending on the objective/s of an investigation, specific observations of interest are made and recorded. Even within a particular field of interest, the degree of detail in the soil description in the field varies, depending on the scope of the project.

The quality of field soil descriptions is strongly dependent on the knowledge and especially the experience of the person making and/or recording the observations in the field, since most field observations are estimations (sometimes with the help of reference materials and devices like colour-charts, magnifiers, sieves, or scatter diagrams).

Sample Document

get full document from standards.iteh.ai

Soil quality — Field soil description

1 Scope

This document provides guidance on the description of soil in the field and its environmental context. It is applicable to natural, near-natural, urban and industrial sites. The soil observations and measurements can be made on a project site level, on a plot level, on layer or horizon level and on specific soil constituents.

It also provides guidance on how to describe layers of anthropogenic (artificial) material or layers that were not modified by pedogenic processes in the strict sense and how to describe coarse material of natural or artificial origin.

This document can be used in combination with other publications that provide guidance or requirements regarding specific aspects of soil observations and measurements.

NOTE 1 It might not be possible or necessary to record data under all the headings listed in [Clause 4](#) to [Clause 11](#).

NOTE 2 Overall guidance for presentation of information from soil surveys is given in ISO 15903 [\[2\]](#).

NOTE 3 The guidance provided assumes that sampling is done in accordance with ISO 18400.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3166-1, *Codes for the representation of names of countries and their subdivisions — Part 1: Country code*

ISO 3166-2, *Codes for the representation of names of countries and their subdivisions — Part 2: Country subdivision code*

ISO 11074, *Soil quality — Vocabulary*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11074 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at: <http://www.electropedia.org>

3.1 observation

act of observing a property, with the goal of producing an estimate of the value of the property

Note 1 to entry: Adapted from ISO 19156 [\[3\]](#).

ISO/DIS 25177:2026(en)

3.2

litter layer

loose layer that contains > 90% (by volume, related to the fine earth plus all dead plant residues) recognizable dead plant tissues (e.g. undecomposed leaves) but excluding dead plant material still connected to living plants (e.g. *Sphagnum* mosses)

Note 1 to entry: Soil quality investigations generally describe the full subsurface, with the surface as depth 0 (zero). WRB) [1] defines the top of the mineral soil surface as depth zero and a litter layer should be noted as greater than zero. See also 9.5.

[SOURCE: Adapted from WRB 2022 [1].]

4 How to use this document

4.1 General

This document describes the most commonly used field observations in soil quality investigations. The observations are recorded at different levels:

- general/site (see [Clause 6](#));
- profile/surface point (see [Clause 7](#) and [Clause 8](#));
- horizon/layer (see [Clause 9](#) and [Clause 10](#)).

Pre-defined observations (selection list or picklists) are tabulated with their corresponding codes. Where relevant, explanatory text is given before or after the observation to be recorded [e.g. in this subclause (4.1)]. Some observations to be recorded are so commonly understood that they are simply listed, for example in 6.5.

Where possible values associated with observations are pre-defined (picklists) and these values are defined with percentages (%), it is also permissible to record estimated specific percentage values.

EXAMPLE Recording of a mottle abundance value of 10 % is allowed (see 9.9.2). This can also be recorded as code “3” or as “common”.

This means that a more precise estimate can be recorded (e.g. rather than a range), however it does not mean that the estimates are in fact more accurate, since accuracy may depend on both the requirements of the project and skill of the observer.

For soil descriptions in the field and for digital data exchange, only the codes and values can be recorded. In the full field report, the text of the description can also be provided. The full text descriptions belonging to codes shall be available.

NOTE In the digital exchange of data, this might be in the form of a hint or link to the table.

The context of the information is important for the application of the results. In [Figure 1](#), the process for soil description is provided.

ISO/DIS 25177:2026(en)

ISO 25177 Soil description




Figure 1 — Soil description process

4.2 Combined use with other description standards

This document can be used separately or in combination with standards that provide further guidance or requirements for specific aspects of soil observations and measurements.

Where relevant, this document can be applied with the following references:

- World Reference Base for soil resources (WRB) [1], for example when determining soil types;
- ISO 14688-1 [4] and ISO 14688-2 [5].

If additional codes, descriptions or requirements from these or other complementary references is used, these shall be recorded (see 6.1).

EXAMPLE

- ISO 25177:2027 WRB 2022 [1]
- ISO 25177:2027, ISO 18400-203:2018 [6]

4.3 Mandatory or optional observations

Where observations are mandatory, it is explicitly indicated by underlined text in this document. If not mandatory the observations to record are optional.

ISO/DIS 25177:2026(en)

For a number of common soil investigation types, the mandatory observations are listed in [Annex H](#). If optional observations are described, they shall be recorded according to this document.

NOTE National legislation or project rules can demand that optional observations can be mandatory in some contexts.

4.4 Accuracy and units

Because of the very different objectives for most field observations, no minimum accuracy is stipulated. For some observations, the unit to be used is mandatory. The unit specified is generally the most commonly used one and fit for the purpose for most soil descriptions.

EXAMPLE x- and y- coordinate in metres.

Depending on the accuracy required for an investigation, recording the coordinates in whole metres may be sufficient, however, more accuracy is needed at times (for example, plus or minus 0,01 metres). The unit used in the second case is still metres, although the accuracy may be significantly better than a whole metre.

NOTE The units and number of digits output from a given device do not automatically reflect its accuracy. For example, a GPS measurement with 3 digits after comma or point (depending on the convention used) does not mean that the value is accurate to 1 mm.

4.5 Encoding

Field observations can comprise different types of results. For some observations, the result should be one of the results given in the pre-defined in picklists. For other observations, results should be recorded as estimated or measured values. At least at all main levels (site-, profile-, layer/horizon-) there should be capacity for free text for observations that do not match those in the pre-defined picklists.

Numeric codes in this document are defined with the same number of digits. If there are more than 9 and less than 99, a zero is added to the codes 1 until 9 (i.e. 01, 02, 03, etc.). Numeric codes start in principle with 1, unless the first value class is zero or near-zero. In that case, the numeric codes start with zero (0).

EXAMPLE In [8.4](#), Code 0 = no visible erosion.

If not observed, but a code is needed for an observation, an "X" can be used.

NOTE X does not mean observed with result 0 (zero).

In this document, some descriptions and associated codes are derived from WRB [\[1\]](#) and/or ISO 14688-1 [\[4\]](#). In addition, new observation results have been added, codes from the earlier version of this document might have been changed, and new codes might have been added.

5 Description objectives and methods

5.1 General

If another reference is used in addition, this shall be clearly stated in the text of the written report or in the meta-data of the digital data that is reported.

5.2 Investigation objectives

Soil investigations usually have specific objectives. Other standards adapted to various scopes can be combined with this document.

Main investigation types based on project objectives or approaches include:

- investigation for contamination (e.g. according to ISO 18400-203 [\[7\]](#));
- investigation for nature or near-nature management (e.g. according to ISO 18400-205 [\[8\]](#));

ISO/DIS 25177:2026(en)

- investigation for cultivation management (e.g. according to ISO 18400-205 [\[8\]](#));
- investigation for agricultural management (e.g. according to ISO 18400-205 [\[8\]](#));
- investigation for forestry (e.g. according to ISO 18400-205 [\[8\]](#));
- investigation for archaeology;
- investigation of soil gas (e.g. according to ISO 18400-204 [\[9\]](#));
- biological investigation (e.g. according to ISO 18400-206 [\[10\]](#)).

NOTE 1 See [Figure 1](#) for a schema of how this document can be used in combination with other standards.

NOTE 2 [Annex H](#) provides a list of the most commonly used observations of soil that can be recorded and the importance of separate types of soil investigations.

5.3 Quality assurance and quality control

The desired accuracy and level of detail is dependent on the project scope and project objectives.

Where aspects of soil description are mentioned or given, ISO 18400-106 [\[11\]](#) can be applied.

Alternatively, or in addition, other guidance on QA/QC can be applicable.

For digital exchange of soil related data ISO 28258 [\[12\]](#) can be applied.

Field estimations depend on the knowledge and experience of the observer. To ensure consistent soil observations, it is recommended to regularly undertake field soil descriptions with experienced personnel.

NOTE 1 Education and training of staff is important. Projects can benefit with staff that has experience with similar soil sites, soil layers and scopes.

NOTE 2 Assessing inexperienced personnel's estimates of texture for example can be done by comparing their results with reference analysis and reference samples, and/or having them working with personnel experienced in field soil description.

NOTE 3 A check for logical and internal consistency of field data can give a first impression of data quality.

5.4 Description structure

Soil is described at different levels.

- General level: references of a soil description, e.g. profile numbers, geographical coordinates. See [Clause 5](#).
- Site level: observations of the location or site. The scale of the location or site is determined in the project. A project can have different sites or locations. A site or location usually has more than one plots. See [Clause 6](#).
- Plot level: observations that can be made on profile level: from the borehole or in a trial pit or trench. See [Clause 7](#) and [Clause 8](#).
- Layer/horizon level: observations that can be made on one spot from the surface down to the parent material. See [Clause 9](#).

NOTE The difference between plot and site (location) is explained in ISO 28258 [\[12\]](#).

6 Description of general references and general information

6.1 General

Record the general reference, using the following codes or descriptions: