

SLOVENSKI STANDARD oSIST prEN ISO 6346:2025

01-december-2025

Tovorni zabojnik - Kodiranje, identifikacija in označevanje (ISO/DIS 6346:2025)

Freight containers - Coding, identification and marking (ISO/DIS 6346:2025)

Frachtcontainer - Kodierung, Identifizierung und Kennzeichnung (ISO/DIS 6346:2025)

Conteneurs pour le transport de marchandises - Codage, identification et marquage (ISO/DIS 6346:2025)

(https://standards.iteh.ai)

Ta slovenski standard je istoveten z: **prEN ISO 6346**

ICS: standards.iteh.ai/catalog/standards/sist/300d94c1-4712-470b-87a4-7af666a652f7/osist-pren-iso-6346-2025

55.180.10 Večnamenski kontejnerji General purpose containers

oSIST prEN ISO 6346:2025 en,fr,de oSIST prEN ISO 6346:2025

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>oSIST prEN ISO 6346:2025</u>

https://standards.iteh.ai/catalog/standards/sist/300d94c1-4712-470b-87a4-7af666a652f7/osist-pren-iso-6346-2025



DRAFT **International Standard**

ISO/DIS 6346

Freight containers — Coding, identification and marking

Conteneurs pour le transport de marchandises — Codage, identification et marquage

ICS: 55.180.10

iTeh Standar d Svoting terminates on:

(https://standards. **Document Preview**

ISO/TC 104/SC 4

Secretariat: AFNOR

Voting begins on: 2025-09-05

2025-11-28

https://standards.iteh.ai/catalog/standards/sist/300d94c1-4712-470b-87a4-7af666a652f7/osist-pren-iso-6346-2025

This document has not been edited by the ISO Central Secretariat.

ISO/CEN PARALLEL PROCESSING

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENTS AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

ISO/DIS 6346:2025(en)

iTeh Standards (https://standards.iteh.ai) Document Preview

<u>oSIST prEN ISO 6346:2025</u>

https://standards.iteh.ai/catalog/standards/sist/300d94c1-4712-470b-87a4-7af666a652f7/osist-pren-iso-6346-2025



COPYRIGHT PROTECTED DOCUMENT

© ISO 2025

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office CP 401 • Ch. de Blandonnet 8 CH-1214 Vernier, Geneva Phone: +41 22 749 01 11 Email: copyright@iso.org Website: www.iso.org

Published in Switzerland

ISO/DIS 6346:2025(en)

Contents			Page
Forewordiv			
1	Scop	e	1
2	Norn	native references	2
3	Term	erms and definitions	
4	Ident 4.1	Identification system and its associated marks Identification system 4.1.1 General 4.1.2 Owner code 4.1.3 Equipment category identifier 4.1.4 Serial number 4.1.5 Check digit. Identification marks	2 2 2 2 3
5		Purpose Size and type codes 5.2.1 General 5.2.2 Size: two alphanumeric characters 5.2.3 Type: two characters	3 3 3 3
6	Oper 6.1 6.2	General Mandatory operational marks 6.2.1 Maximum gross and tare masses 6.2.2 Air/surface container symbol 6.2.3 Warning sign of overhead electrical danger 6.2.4 Height mark for containers higher than 2,6 m (8 ft 6 in) 6.2.5 Width mark for containers with an overall width greater than 2 438 m (8 ft). Optional operational mark (maximum mass of payload)	4 4 4 4 5
7 ps://sta	Phys. 7.1 7.2 7.2	ical display of marks Size and colour of marks Layout and location of marks 7.2.1 Layout of marks 7.2.2 Location of marks	5 6346-50 5 6
	Annex A (normative) Determination of check digit		
		rmative) Symbol to denote air/surface container	
Annex C (normative) Sign warning of overhead electrical danger			
Annex D (normative) Size code designation			
Annex E (normative) Type Code designation			
		rmative) Height marks for containers higher than 2,6 m (8 ft 6 in)	
Annex G (normative) Overall width marks for containers wider than 2 438 m (8 ft)			
Bibliography			26