
Železniške naprave - Ravne in kotne zaporne pipe za zavorne in glavne zračne vode - Dopolnilo A1

Railway applications - Straight and angled end cocks for brake pipe and main reservoir pipe

Bahnanwendungen - Gerade und abgewinkelte Luftabsperrhähne für die Hauptluftleitung und Hauptbehälterleitung

Applications ferroviaires - Robinets d'arrêt droit ou coudé pour conduite générale de frein et conduite principale

Ta slovenski standard je istoveten z: **EN 14601:2024/prA1**

ICS:

45.040 Materiali in deli za železniško Materials and components
tehniko for railway engineering

SIST EN 14601:2025/oprA1:2026 **en,fr,de**

Sample Document

get full document from standards.iteh.ai

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
EN 14601:2024
prA1

May 2026

ICS 45.060.01

English Version

Railway applications - Straight and angled end cocks for brake pipe and main reservoir pipe

Applications ferroviaires - Robinets d'arrêt droit ou
coudé pour conduite générale de frein et conduite
principale

Bahnanwendungen - Gerade und abgewinkelte
Luftabsperrhähne für die Hauptluftleitung und
Hauptbehälterleitung

This draft amendment is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 256.

This draft amendment A1, if approved, will modify the European Standard EN 14601:2024. If this draft becomes an amendment, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration.

This draft amendment was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CEN All rights of exploitation in any form and by any means reserved
worldwide for CEN national Members.

Ref. No. EN 14601:2024/prA1:2026 E

Contents	Page
European foreword	4
1 Modification to Clause 2, "Normative references"	5
2 Modification to Clause 3, "Terms and definitions"	5
3 Modification to 4.1, "Operating conditions"	6
4 Modifications to 4.2.2, "Open and closed positions"	6
5 Modifications to 4.2.5, "Torque"	7
6 Modifications to 4.2.7, "Fall time"	7
7 Modifications to 4.2.9, "Vacuum withstanding"	7
8 Modifications to 4.3.1, "External appearance"	7
9 Modifications to 4.3.4, "Mechanical shocks"	8
10 Modifications to 4.3.5, "Resistance to torque"	8
11 Modifications to 4.3.6, "Life expectancy"	8
12 Modifications to 5.2, "Test requirements"	8
13 Modifications to Table 1, "Operations to carry out for qualification"	8
14 Modifications to 5.3.3, "Measurement of the operating torque"	9
15 Modifications to numbering of subclause numbers 5.3.4 to 5.3.8	9
16 Modifications to 5.3.4.2, "Measurement of fall time through venting port"	10
17 Modifications to 5.3.6.1, "Procedure"	10
18 Modifications to 5.3.6.2, "Pass/fail criteria"	10
19 Modifications to 5.3.7.1, "General"	10
20 Modifications to 5.3.7.3, "End cock to be tested in closed position"	10
21 Modifications to 5.3.7.4, "Pass/fail criteria"	10
22 Modifications to Table 2, "Leakage permitted at temperatures of -40 °C, +20 °C, +35 °C"	10
23 Modifications to 5.3.8, "Endurance at ambient temperature with reduced air flow"	10
24 Modifications to 5.3.9, "Measurement of the operating torque drift"	10
25 Modifications to 5.3.9.1, "Procedure"	10
26 Modifications to 5.3.9.2, "Pass/fail criteria"	11
27 Modifications to 5.3.10.1, "Procedure"	11
28 Modifications to 5.3.14.1.1, "Procedure"	11
29 Modifications to 5.3.14.2.1, "Procedure"	11
30 Modifications to 5.3.15.1, "General"	11
31 Modifications to 5.3.15.2, "End cock to be tested in open position"	11

32	Modifications to 5.3.15.3, “End cock to be tested in closed position.....	11
33	Add new subclause 5.3.14.4, “Pass/ fail criteria”	12
34	Modifications to Clause 6, “In-service assessment”	12
35	Modifications to Table 5, “In-service assessment tests”	12
36	Modifications to Clause 8, “Marking”	12

Sample Document

get full document from standards.iteh.ai