SLOVENSKI STANDARD
SIST EN 18052:2026/oprA1:2026

01-december-2026

Inteligentni transportni sistemi - e-Varnost - Preskušanje skladnosti e-klica HLAP v hibridnih omrežnih okoljih s komutiranim vezjem/paketno komutiranim omrežjem - Dopolnilo A1

Intelligent transport systems - ESafety - ECall end to end conformance testing for eCall HLAP in hybrid circuit switched/packet switched network environments

Intelligente Verkehrssysteme - eSicherheit - eCall-Ende-zu-Ende Konformitätsprüfungen für übergeordnete eCall-Anwendungen in hybriden leitungs- / paketvermittelnden Netzwerkumgebungen - Änderung 1

Sample Document
Systèmes de transport intelligents - eSécurité - Essais de conformité du système eCall de bout en bout pour les systèmes IMS basés sur la commutation de paquets

Ta slovenski standard je istoveten z: **EN 18052:2025/prA1**

ICS:

03.220.20	Cestni transport	Road transport
13.200	Preprečevanje nesreč in katastrof	Accident and disaster control
35.240.60	Uporabniške rešitve IT v prometu	IT applications in transport

SIST EN 18052:2026/oprA1:2026 **en,fr,de**

2003-01.Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

Sample Document

get full document from standards.iteh.ai

SIST EN 18052:2026/oprA1:2026

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

DRAFT
EN 18052:2025

prA1

October 2026

ICS 35.240.60

English Version

Intelligent transport systems - ESafety - ECall end to end conformance testing for eCall HLAP in hybrid circuit switched/packet switched network environments

Systèmes de transport intelligents - eSafety - Essais de conformité du système eCall de bout en bout pour le HLAP d'eCall dans les environnements réseaux hybrides à commutation de circuits et de paquets

Intelligente Verkehrssysteme - eSicherheit - eCall-Ende-zu-Ende Konformitätsprüfungen für übergeordnete eCall-Anwendungen in hybriden leitungs- / paketvermittelnden Netzwerkumgebungen - Änderung 1

This draft amendment is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 278.

This draft amendment A1, if approved, will modify the European Standard EN 18052:2025. If this draft becomes an amendment, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for inclusion of this amendment into the relevant national standard without any alteration.

Sample Document

This draft amendment was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

get full document from standards.iteh.ai

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CEN All rights of exploitation in any form and by any means reserved worldwide for CEN national Members.

Ref. No. EN 18052:2025/prA1:2026 E

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

Contents

Page

European foreword **5**

1 Modifications to Clause 2, “Normative references” **6**

2 Modifications to 8.3, “eCall timers” **6**

3 Modifications to 8.4, “CTP Test Applicability” **6**

4 Modification to 9.2.3, “CTP 1.1.2.1 Domain selection skipped and IVS remains registered in CS domain - IVS” **7**

5 Modifications to 9.2.5, “CTP 1.1.2.3 Domain selection performed and eCall initiated in CS domain - IVS” **7**

6 Modification to 9.2.7, “CTP 1.1.2.5 Domain selection performed and eCall initiated in PS domain in different RAT - IVS” **7**

7 Modifications to 9.2.8, “CTP 1.1.6.1 eCall successful in CS domain - IVS” **7**

8 Modifications to 9.2.9, “CTP 1.1.6.2 eCall successful in CS domain in limited service state - IVS” **7**

9 Modification to 9.2.11, “CTP 1.1.10.1 Domain change and fallback to IMS emergency call in PS domain after network registration and eCall failed and after unsuccessful re-attempt in CS domain - IVS” **8**

10 Modifications to 9.2.12, “CTP 1.1.10.2 Domain change and fallback to IMS emergency call in PS domain after eCall failed and after unsuccessful re-attempt in CS domain - IVS” **8**

11 Modification to 9.2.13, “CTP 1.1.10.3 Fallback to IMS emergency call in PS domain after missing AL-ACK for initial MSD - IVS” **9**

12 Modifications to 9.2.14, “CTP 1.1.10.4 Domain change and fallback to IMS emergency call in PS domain after eCall is dropped before the MSD is acknowledged and after unsuccessful re-attempt in CS domain - IVS” **9**

13 Modifications to 9.2.15, “CTP 1.1.10.5 Fallback to emergency call in CS domain - IVS” **10**

14 Modifications to 9.2.16, “CTP 1.1.10.6 Domain change to PS domain after network registration and eCall failed in CS domain - IVS” **10**

15 Modifications to 9.2.17, “CTP 1.1.10.7 Domain change to PS domain after eCall failed in CS domain - IVS” **11**

16 Modifications to 9.2.18, “CTP 1.1.10.8 Domain change to CS domain after eCall failed in PS domain - IVS” **12**

17 Modifications to 9.2.19, “CTP 1.1.10.9 Domain change to CS domain after eCall failed and after unsuccessful re-attempt in PS domain - IVS” **13**

18 Modifications to 9.2.20, “CTP 1.1.10.10 Domain change and fallback to eCall (emergency call) in CS domain after eCall failed in PS domain - IVS” **14**

19 Modifications to 9.2.21, “CTP 1.1.10.11 Domain change and fallback to eCall (emergency call) in CS domain after eCall failed and after unsuccessful re-attempt in PS domain - IVS” **14**

Sample Document

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

20 Modification to 9.2.22, “CTP 1.1.10.12 Domain change to PS domain after eCall is dropped before the MSD is acknowledged and after unsuccessful re-attempt in CS domain - IVS” . 15

21 Modifications to 9.2.23, “CTP 1.1.10.13 Domain change to PS domain and MSD transfer using in-band modem after eCall is dropped before the MSD is acknowledged and after unsuccessful re-attempt in CS domain - IVS” 15

22 Modifications to 9.2.24, “CTP 1.1.10.14 Domain change to CS domain after eCall is rejected and MSD acknowledged in PS domain - IVS” 16

23 Modifications to 9.2.25, “CTP 1.1.10.15 No Call reattempt or domain change to CS domain after eCall is rejected and MSD acknowledged in PS domain - IVS” 17

24 Modifications to 9.2.26, “CTP 1.1.10.16 Domain change to CS domain after eCall is rejected and negative AL-ACK and unsuccessful re-attempt in PS domain - IVS” 17

25 Modifications to 9.2.27, “CTP 1.1.10.17 Domain change to CS domain after eCall is rejected and negative AL-ACK in PS domain - IVS” 17

26 Modifications to 9.2.28, “CTP 1.1.10.18 Domain change to CS domain after eCall is rejected and missing AL-ACK and unsuccessful re-attempt in PS domain - IVS” 18

27 Modifications to 9.2.29, “CTP 1.1.10.19 Domain change to CS domain after eCall is rejected and missing AL-ACK in PS domain - IVS” 18

28 Modifications to 9.2.30, “CTP 1.1.10.20 Domain change to CS domain after eCall is not answered and unsuccessful re-attempt in PS domain - IVS” 19

29 Modifications to 9.2.31, “CTP 1.1.10.21 Domain change to CS domain after eCall is not answered in PS domain - IVS” 19

30 Modifications to 9.2.32, “CTP 1.1.10.22 Domain change to CS domain after eCall is dropped before the MSD is acknowledged and after unsuccessful re-attempt in PS domain - IVS” . 20

31 Modifications to 9.2.33, “CTP 1.1.10.23 Domain change to CS domain after eCall is dropped before the MSD is acknowledged in PS domain - IVS” 20

32 Modifications to 9.2.34, “CTP 1.1.15.1 New/updated MSD after in-call domain handover - IVS” 21

33 Modifications to 9.2.36, “CTP 1.1.17.2 Call-back allowed after domain change to PS domain - IVS” 21

34 Modifications to 9.2.37, “CTP 1.1.17.3 Remain registered for ≥ 1 hr after in-call domain handover - IVS” 22

35 Modifications to 9.2.38, “CTP 1.1.17.4 Remain registered for ≥ 1 hr after domain change to CS domain - IVS” 22

36 Modifications to 9.2.39, “CTP 1.1.17.5 Remain registered for ≥ 1 hr after domain change to PS domain - IVS” 23

37 Modifications to 9.2.40, “CTP 1.1.18.1 MSD transfer using in-band modem in PS domain after negative AL-ACK for initial MSD - IVS” 25

38 Modifications to 9.2.40, “CTP 1.1.18.2 MSD transfer using in-band modem in PS domain after missing AL-ACK for initial MSD - IVS” 26

39 Modification to 9.3.3, “CTP 1.2.10.1 Domain change to CS domain after eCall is rejected and MSD acknowledged in limited service state in PS domain - eCall-only IVS” 26

40 Modifications to 9.3.4, “CTP 1.2.10.2 Domain change to CS domain after network registration and eCall failed in PS domain - eCall-only IVS” 26

Sample Document
get full document from standards.iteh.ai

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

41 Modifications to 9.3.5, “CTP 1.2.10.3 Domain change to CS domain after network registration and eCall failed and after unsuccessful re-attempt in PS domain - eCall-only IVS” 27

42 Modifications to 9.3.6, “CTP 1.2.17.1 Remain registered for ≥ 1 hr ≤ 12 hr after in-call domain handover - eCall-only IVS” 27

43 Modifications to 11.2.4, “CTP 3.1.10.3 Logging of MSD transfer type (in-band modem) of eCall in PS domain - PSAP” 28

44 Modifications to 11.2.8, “CTP 3.1.15.3 Call-back to vehicle after domain change to PS domain - PSAP” 28

45 Modifications to 11.2.9, “CTP 3.1.16.1 Request new MSD failed after call clear-down and domain change to CS domain - PSAP” 28

46 Modifications to 11.2.10, “CTP 3.1.16.2 Request new MSD failed after call clear-down and domain change to PS domain - PSAP” 28

47 Modifications to 11.2.11, “CTP 3.1.16. Request new MSD after call clear-down and domain change to CS domain - PSAP” 29

48 Modification to multiple affected clauses (e.g. 9.2.3, 9.2.4, 9.2.5, etc.) 29

Sample Document

get full document from standards.iteh.ai

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

European foreword

This document (EN 18052:2025/prA1:2026) has been prepared by Technical Committee CEN/TC 278 “Intelligent transport systems”, the secretariat of which is held by NEN.

This document is currently submitted to the CEN Enquiry.

Sample Document

get full document from standards.iteh.ai

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

1 Modifications to Clause 2, “Normative references”

Replace:

EN 17184:2024 (…)

with:

EN 17184:2024+A1:2026 (…)

Replace:

ETSI TS 124 229 (Release “16”), Digital (…) Stage 3 (3GPP TS 24.229 Release “16”)

with:

ETSI TS 124 229 (Release “14 or later for eCall over 4G; Release 16 or later for eCall over 5G”), Digital (…) Stage 3 (3GPP TS 24.229 Release “14 or later for eCall over 4G; Release 16 or later for eCall over 5G”)

Replace:

“ETSI TS 123 167 (Release “16”), Universal (…) sessions (3GPP TS 23.167 Release “16”)

with:

“ETSI TS 123 167 (Release “14 or later for eCall over 4G; Release 16 or later for eCall over 5G”), Universal (…) sessions (3GPP TS 23.167 Release “14 or later for eCall over 4G; Release 16 or later for eCall over 5G”)

Sample Document

2 Modifications to 8.3, “eCall timers”

get full document from standards.iteh.ai

Replace (5x):

EN 17184:2024 (…)

with:

EN 17184:2024+A1:2026 (…)

3 Modifications to 8.4, “CTP Test Applicability”

Delete:

“To allow for possible future change in ETSI specifications (e.g. Release 19), any ETSI specification included as part of test applicability shall refer to the latest Release 16 version of the specification. If the definition of a capability changes in a later version (e.g. Release 19) of the ETSI specification such that an IVS that supports the later version (e.g. Release 19) of the ETSI specification does not support the capability as defined in Release 16, then the capability shall be considered to be not supported.”.

Replace the current NOTE:

NOTE “The Technical Committee” CEN/TC 278/WG 15 (…) the “current” requirements in ETSI specifications “(Release 16 and later)” and asked ETSI and 3GPP for alignment. Those alignments “are currently planned” in ETSI/3GPP Release 19.

with the following:

NOTE CEN/TC 278/WG 15 (…) the requirements in ETSI specifications “in Release 14 to Release 18” and asked ETSI and 3GPP for alignment. Those alignments “have been completed” in ETSI/3GPP Release 19.

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026

SIST EN 18052:2026/oprA1:2026

4 Modification to 9.2.3, “CTP 1.1.2.1 Domain selection skipped and IVS remains registered in CS domain - IVS”

In Table 7, 14th row, under column ‘Tester action’, delete:

“ or manual”.

5 Modifications to 9.2.5, “CTP 1.1.2.3 Domain selection performed and eCall initiated in CS domain - IVS”

In Table 9, 14th row, under column ‘Tester action’, delete:

“ or manual”.

In Table 9, 15th row, under column ‘Tester action’, replace:

IVS shall perform domain selection and “shall register” on the circuit switched network

with:

IVS shall perform domain selection and “the IVS may have completed or skipped the network registration” on the circuit switched network

In Table 9, 15th row, under column ‘Pass condition’, delete:

“Domain selection was performed and IVS registered on the circuit switched network”.

Sample Document

6 Modification to 9.2.7, “CTP 1.1.2.5 Domain selection performed and eCall initiated in PS domain in different RAT - IVS”

get full document from standards.iteh.ai

In Table 11, 14th row, under column ‘Tester action’, delete:

“ or manual”.

7 Modifications to 9.2.8, “CTP 1.1.6.1 eCall successful in CS domain - IVS”

In Table 12, 11th row, under column ‘Tester action’, replace:

“Check that the IVS completed” the network registration on the circuit switched network

with:

“IVS may have completed or skipped” the network registration on the circuit switched network

In Table 12, 11th row, under column ‘Pass condition’, delete:

“IVS registration was completed on the circuit switched network”.

8 Modifications to 9.2.9, “CTP 1.1.6.2 eCall successful in CS domain in limited service state - IVS”

In Table 13, 12th row, under column ‘Tester action’, replace:

“Check that the IVS completed” the network registration on the circuit switched network

with:

SIST EN 18052:2026/oprA1:2026 • https://standards.iteh.ai/catalog/standards/sist/74939c91-13a2-4e2f-a83d-c7a82fa8e2ea/sist-en-18052-2026-opra1-2026