



# SLOVENSKI STANDARD

## SIST EN 2714-013:2025

01-november-2025

---

**Aeronautika - Eno- ali večžilni električni kabli za splošno uporabo - Delovne temperature med -55 °C in 260 °C - 013. del: Družina DR, oklopjeni (spiralni) in oplaščeni, z možnostjo UV-laserskega tiskanja - Standard za proizvod**

Aerospace series - Cables, electrical, single and multicore for general purpose - Operating temperatures between - 55 °C and 260 °C - Part 013: DR family, screened (spiral) and jacketed, UV laser printable - Product standard

Luft- und Raumfahrt - Leitungen, elektrisch, ein- und mehradrig, für allgemeine Verwendung - Betriebstemperaturen zwischen -55 °C und 260 °C - Teil 013: DR-Familie, geschirmt (Umseilung) und ummantelt, UV-Laser-bedruckbar - Produktnorm

Série aérospatiale - Câbles, électriques, mono et multiconducteurs d'usage général - Températures de fonctionnement comprises entre -55 °C et 260 °C - Partie 013 : Famille DR, blindés (guipés) et gainés, marquables par laser UV - Norme de produit

<https://standards.iten.ai/catalog/standards/sist/c58e8742-76a6-4346-8cf2-9fc0eb0ff2d2/sist-en-2714-013-2025>

**Ta slovenski standard je istoveten z: EN 2714-013:2025**

---

### ICS:

29.060.20	Kabli	Cables
49.060	Letalska in vesoljska električna oprema in sistemi	Aerospace electric equipment and systems

**SIST EN 2714-013:2025**

**en,fr,de**



**EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM**

**EN 2714-013**

August 2025

ICS 49.060

Supersedes EN 2714-013:2017

English Version

**Aerospace series - Cables, electrical, single and multicore  
for general purpose - Operating temperatures between -  
55 °C and 260 °C - Part 013: DR family, screened (spiral)  
and jacketed, UV laser printable - Product standard**

Série aérospatiale - Câbles, électriques, mono et  
multiconducteurs d'usage général - Températures de  
fonctionnement comprises entre -55 °C et 260 °C -  
Partie 013 : Famille DR, blindés (guipés) et gainés,  
marquables par laser UV - Norme de produit

Luft- und Raumfahrt - Leitungen, elektrisch, ein- und  
mehrdrig, für allgemeine Verwendung -  
Betriebstemperaturen zwischen -55 °C und 260 °C -  
Teil 013: DR-Familie, geschirmt (Umseilung) und  
ummantelt, UV-Laser-bedruckbar - Produktnorm

This European Standard was approved by CEN on 23 June 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**