
Prizemni snopovni radio (TETRA) - Govor in podatki (V+D) - 3. del: Medsebojno delovanje na medsystemske vmesniku (ISI) - 15. poddel: Neodvisnost transportnih plasti dodatne omrežne funkcije, upravljanje mobilnosti (ANF-ISIMM)

Terrestrial Trunked Radio (TETRA) - Voice plus Data (V+D) - Part 3: Interworking at the Inter-System Interface (ISI) - Sub-part 15: Transport layer independent Additional Network Feature, Mobility Management (ANF-ISIMM)

Sample Document

get full document from standards.iteh.ai

Ta slovenski standard je istoveten z: ETSI EN 300 392-3-15 V1.5.1 (2026-07)

ICS:

33.070.10	Prizemni snopovni radio (TETRA)	Terrestrial Trunked Radio (TETRA)
35.100.40	Transportni sloj	Transport layer

SIST EN 300 392-3-15 V1.5.1:2026 **en**

Sample Document

get full document from standards.iteh.ai

ETSI EN 300 392-3-15 V1.5.1 (2026-07)



**Terrestrial Trunked Radio (TETRA);
Voice plus Data (V+D);
Part 3: Interworking at the Inter-System Interface (ISI);
Sub-part 15: Transport layer independent Additional Network
Feature, Mobility Management (ANF-ISIMM)**

ReferenceREN/TCCE-03277

Keywordsmanagement, mobility, TETRA

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part of this document may be reproduced in any form, by any means and in any media, without the prior written authorization of ETSI and except as expressly permitted below.

By way of exception and when the document is a normative deliverable (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)), ETSI authorizes to reproduce and incorporate into products, services and technical documentation only those extracts (e.g. templates) that are strictly necessary for the technical implementation of the normative deliverable, to ensure compliance with the latter. Nothing in this notice shall be construed as limiting any mandatory exceptions to copyright provided by applicable law.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights	16
Foreword.....	16
Modal verbs terminology.....	18
1 Scope	19
2 References	20
2.1 Normative references	20
2.2 Informative references.....	21
3 Definition of terms, symbols and abbreviations.....	21
3.1 Terms.....	21
3.2 Symbols.....	24
3.3 Abbreviations	24
4 Overview	26
4.1 General	26
4.2 Applicability.....	26
4.2.1 Entities	26
4.2.2 Services.....	26
4.3 Testability.....	27
4.4 Provision/withdrawal.....	27
4.5 Activation/deactivation	27
4.6 Charging.....	27
5 The generic ANF-ISIMM stage 1 service model	27
5.1 ANF-ISIMM - the service provider.....	27
5.2 SwMI MMs - the ANF-ISIMM service users.....	28
5.3 Stage 1 description conventions	29
6 Migration service description - stage 1	30
6.1 Pre-requisite requirements for the migration service.....	30
6.2 Service definition	30
6.3 Service description	30
6.4 Service architecture	31
6.5 Normal procedures	32
6.5.1 Invocation	32
6.5.1.1 Invocation criteria	32
6.5.1.2 Invocation of ANF-ISIMM	32
6.5.2 Operation	34
6.5.2.1 General	34
6.5.2.2 Migration with pre-defined migration profile(s) (applicable for case 1).....	35
6.5.2.2.1 Support for call restoration	35
6.5.2.2.2 Final migration approval	35
6.5.2.3 Migration with migration profile exchange (applicable for case 2, 3a and 3b).....	37
6.5.2.3.1 Basic migration profile exchange	37
6.5.2.3.2 SS-migration profile(s) exchange (applicable for case 3a).....	47
6.5.2.3.3 Support for call restoration	49
6.5.2.3.4 Final migration approval (applicable for cases 2), 3a) and 3b)).....	49
6.5.2.3.5 SS-migration profile exchange after final migration approval (applicable for case 3b)).....	49
6.6 Interactions	50
6.6.1 Interactions with the authentication service	50
6.6.2 Interactions with the group attachment and the group detachment services	50
7 Restricted migration service description - stage 1.....	50
7.1 Pre-requisite requirements for the restricted migration service.....	50
7.2 Service definition	50
7.3 Service description	51
7.4 Service architecture	52

7.5	Normal procedures	52
7.5.1	Invocation	52
7.5.1.1	Invocation criteria	52
7.5.1.2	Invocation of ANF-ISIMM	53
7.5.2	Operation	55
7.5.2.1	General	55
7.5.2.2	Operation when the individual subscriber visited SwMI MM invokes restricted migration.....	56
7.5.2.3	Invocation of RSI	57
7.5.2.4	Support for emergency call restoration	57
7.5.2.5	Receipt of restricted migration approval	57
7.6	Exceptional procedures	57
7.6.1	General.....	57
7.6.2	Detected by the individual subscriber visited SwMI MM	58
7.6.3	Detected by the individual subscriber home SwMI MM	59
7.7	Interactions	59
7.7.1	Interactions with the authentication service	59
7.7.2	Interactions with the group attachment and the group detachment services	59
8	Removal of Subscriber Information (RSI) service description - stage 1.....	59
8.1	Service definition	59
8.2	Service description	59
8.3	Service architecture	60
8.4	Normal procedures	60
8.4.1	Invocation	60
8.4.1.1	Invocation criteria	60
8.4.1.2	Invocation of ANF-ISIMM	61
8.4.2	Operation	62
8.5	Exceptional procedures	64
8.6	Interaction with authentication	65
9	De-registration service description - stage 1	65
9.1	Service definition	65
9.2	Service description	65
9.3	Service architecture	65
9.4	Normal procedures	66
9.4.1	Invocation	66
9.4.1.1	Invocation criteria	66
9.4.1.2	Invocation of ANF-ISIMM	66
9.4.2	Operation	67
9.5	Exceptional procedures	68
10	Profile update service description - stage 1	69
10.1	Service definition	69
10.2	Service description	69
10.3	Service architecture	69
10.4	Normal procedures	70
10.4.1	Invocation	70
10.4.1.1	Invocation criteria	70
10.4.1.2	Invocation of ANF-ISIMM	71
10.4.2	Operation	81
10.5	Exceptional operation.....	91
11	SS-profile update service description - stage 1	91
11.1	Service definition	91
11.2	Service description	92
11.3	Service architecture	92
11.4	Normal procedures	92
11.4.1	Invocation	92
11.4.1.1	Invocation criteria	92
11.4.1.2	Invocation of ANF-ISIMM	93
11.4.2	Operation	93
11.4.2.1	Creation of temporary SS-migration profiles	93
11.4.2.2	Informing home SwMI MM about the temporary SS-migration profiles	94

11.5	Exceptional operation.....	95
12	Authentication service description - stage 1.....	96
12.1	Pre-requisite requirements for the authentication service.....	96
12.2	Service definition	97
12.3	Service description	97
12.4	Service architecture	97
12.5	Normal procedures	97
12.5.1	Invocation	97
12.5.1.1	Invocation criteria	97
12.5.1.2	Invocation of ANF-ISIMM	98
12.5.2	Operation (relevant for case 1)	99
12.5.2.1	Exchange of authentication parameters.....	99
12.5.2.2	Sending of authentication result	99
12.6	Exceptional procedures	100
12.6.1	General.....	100
12.6.2	Detected by the individual subscriber visited SwMI MM	101
12.6.3	Detected by the individual subscriber home SwMI MM	101
12.7	Interaction with migration and restricted migration	102
12.7.1	Normal operation	102
12.7.2	Exceptional procedures	102
13	Over The Air Re-keying (OTAR) service description - stage 1.....	103
13.1	Pre-requisite requirements.....	103
13.2	Service definition	103
13.3	Service description	103
13.4	Service architecture	104
13.5	Normal procedures	104
13.5.1	Invocation	104
13.5.1.1	Invocation criteria	104
13.5.1.2	Invocation of ANF-ISIMM	105
13.5.1.2.1	Case 1).....	105
13.5.1.2.2	Case 2).....	105
13.5.1.2.3	Case 3).....	105
13.5.1.2.4	Case 4).....	106
13.5.2	Operation	106
13.5.2.1	Case 1)	106
13.5.2.2	Case 2)	107
13.5.2.3	Case 3)	108
13.5.2.4	Case 4)	109
13.6	Exceptional procedures	109
13.6.1	General.....	109
13.6.2	Detected by the individual subscriber visited SwMI MM	110
13.6.3	Detected by the individual subscriber home SwMI MM	111
14	Individual subscriber Database Recovery (IDR) service description - stage 1	111
14.1	Service definition	111
14.2	Service description	111
14.3	Service architecture	112
14.4	Normal procedures	112
14.4.1	Invocation	112
14.4.1.1	Invocation criteria	112
14.4.1.2	Invocation of ANF-ISIMM	113
14.4.2	Operation (relevant for case 1 and 2 unless otherwise stated)	115
14.4.2.1	The individual subscriber visited SwMI MM receives the HMM recovery indication.....	115
14.4.2.2	The individual subscriber home SwMI MM receives the VMM recovery indication.....	115
14.4.2.3	The virtual migration or restricted migration	116
14.4.2.4	The virtual RSI.....	116
14.4.2.5	The iteration	117
14.4.2.6	The completion of the IDR	117
14.4.2.6.1	VMM recovery	117
14.4.2.6.2	HMM recovery	117
14.5	Exceptional procedures	118

15	Group attachment service description - stage 1	119
15.1	Service definition	119
15.2	Service description	119
15.3	Service architecture	120
15.4	Normal procedures	120
15.4.1	Invocation	120
15.4.1.1	Invocation criteria	120
15.4.1.2	Invocation of ANF-ISIMM	122
15.4.1.2.1	Case 1)	122
15.4.1.2.2	Cases 2) to 4)	123
15.4.1.2.3	Case 5)	124
15.4.1.2.4	Case 6)	129
15.4.2	Operation	130
15.4.2.1	Case 1)	130
15.4.2.1.1	General	130
15.4.2.1.2	Group attachment with pre-defined migration profile(s)	131
15.4.2.1.3	Group attachment with migration profile exchange	133
15.4.2.1.4	SS-migration profile(s) exchange	138
15.4.2.2	Cases 2) to 4)	141
15.4.2.2.1	Updates to G-HDB	141
15.4.2.2.2	Sending of group attachment approval	141
15.4.2.2.3	Receipt of group attachment approval	142
15.4.2.3	Case 5)	142
15.4.2.3.1	General	142
15.4.2.3.2	Group home SwMI MM initiated group attachment with pre-defined migration profile(s)	142
15.4.2.3.3	Group home SwMI MM initiated group attachment with migration profile exchange	144
15.4.2.4	Case 6)	146
15.4.2.4.1	Additional Group home SwMI MM initiated group attachment	146
15.5	Exceptional procedures	147
15.5.1	General	147
15.5.2	Detected by the group visited SwMI MM	148
15.5.3	Detected by the group home SwMI MM	149
15.6	Interactions	149
16	Group detachment service description (stage 1)	150
16.1	Service definition	150
16.2	Service description	151
16.3	Service architecture	152
16.4	Normal procedures	152
16.4.1	Invocation	152
16.4.1.1	General	152
16.4.1.2	Invocation of ANF-ISIMM	153
16.4.1.2.1	Cases 1) to 3)	153
16.4.1.2.2	Case 4)	154
16.4.2	Operation	155
16.4.2.1	Cases 1) to 3)	155
16.4.2.2	Case 4)	156
16.5	Exceptional procedures	157
16.6	Interactions	158
17	Group Database Recovery (GDR) service description - stage 1	159
17.1	Service definition	159
17.2	Service description	159
17.3	Service architecture	160
17.4	Normal procedures	160
17.4.1	Invocation	160
17.4.1.1	Invocation criteria	160
17.4.1.2	Invocation of ANF-ISIMM	161
17.4.2	Operation (applicable for cases 1) and 2) unless otherwise stated)	162
17.4.2.1	Verification of age information	162
17.4.2.2	The group visited SwMI MM receives the G-HDR indication	163
17.4.2.3	The group home SwMI MM receives the G-VDR indication	163

17.4.2.4	The virtual group attachment and detachment	164
17.4.2.5	The iteration	165
17.4.2.6	The completion of the GDR	165
17.4.2.6.1	G-HDR	165
17.4.2.6.2	G-VDR	165
17.5	Exceptional procedures	166
18	Group linking/unlinking service description - stage 1	167
18.1	Service definition	167
18.2	Service description	168
18.3	Service architecture	168
18.4	Normal procedures	169
18.4.1	Invocation	169
18.4.1.1	Invocation criteria	169
18.4.1.2	Invocation of ANF-ISIMM	169
18.4.1.2.1	Case 1) - group linking service - Sending of Linking_req	169
18.4.1.2.2	Case 2) - group unlinking service	170
18.4.1.2.3	Case 3) - remote group unlinking service	170
18.4.2	Operation	171
18.4.2.1	General	171
18.4.2.2	Case 1) - group linking service	171
18.4.2.2.1	First phase of group linking service	171
18.4.2.2.2	Second phase of group linking service	172
18.4.2.3	Case 2) - group unlinking service	174
18.4.2.4	Case 3) - remote group unlinking service	175
18.5	Exceptional procedures	175
18.5.1	General	175
18.5.2	Case 1) - group linking service	175
18.5.3	Case 2) - group unlinking service	176
18.5.4	Case 3) - remote group unlinking service	177
18.6	Interactions	178
19	Linked group attachment service description - stage 1	178
19.1	Service definition	178
19.2	Service description	178
19.3	Service Architecture	178
19.4	Normal Procedure	179
19.4.1	Invocation	179
19.4.1.1	Invocation criteria	179
19.4.1.2	Invocation of ANF-ISIMM	179
19.4.1.2.1	Case 1	179
19.4.1.2.2	Case 2	180
19.4.2	Operation	180
19.5	Exceptional cases	180
19.6	Interactions	180
20	Linked group detachment service description - stage 1	181
20.1	Service definition	181
20.2	Service description	181
20.3	Service architecture	181
20.4	Normal procedure	181
20.4.1	Invocation	181
20.4.1.1	Invocation criteria	181
20.4.1.2	Invocation of ANF-ISIMM	182
20.4.1.2.1	Case 1	182
20.4.1.2.2	Case 2	182
20.4.2	Operation	183
20.5	Exceptional cases	183
20.6	Interactions	183
21	ANF-ISIMM stage 2 specification	183
21.1	General	183
21.2	Functional model	183

21.3	Information flow diagrams	184
22	Migration - stage 2 information flow sequences	184
22.1	General	184
22.2	Normal operation.....	184
22.2.1	Migration with pre-defined profile(s)	184
22.2.2	Migration with basic migration profile exchange	185
22.2.3	Migration with basic migration and SS-migration profiles exchange.....	187
22.2.3.1	SS-migration profiles exchanged before final migration approval.....	187
22.2.3.2	SS-migration profiles exchanged after final migration approval	189
22.3	Exceptional operation.....	191
22.3.1	Migration rejection request upon receipt of the Migration_ind	191
22.3.2	Migration rejection request upon receipt of Profile update result and SS-profile update result	192
22.4	FE actions for subscriber migration	194
22.4.1	FE actions of FE1	194
22.4.2	FE actions of FE3	194
23	Restricted migration - stage 2 information flow sequences	195
23.1	General	195
23.2	Normal operation.....	195
23.2.1	Restricted migration requested by individual subscriber visited SwMI MM.....	195
23.2.2	Restricted migration requested by individual subscriber home SwMI upon receipt of MIGRATION_ind from the individual subscriber visited SwMI MM	195
23.2.3	Restricted migration requested by individual subscriber home SwMI MM upon receipt of PROFILE UPDATE_ind (and possibly SS-PROFILE UPDATE_ind) from the individual subscriber visited SwMI MM	196
23.3	Exceptional operation.....	196
23.4	FE actions for restricted migration	196
23.4.1	FE actions of FE1	196
23.4.2	FE actions of FE3	197
24	Removal of Subscriber Information - stage 2 information flow sequences	197
24.1	General	197
24.2	Normal operation.....	197
24.3	Exceptional operation.....	198
24.4	FE actions for subscriber migration	198
24.4.1	FE actions of FE1	198
24.4.2	FE actions of FE4	199
25	De-registration - stage 2 information flow sequences	199
25.1	General	199
25.2	Normal operation.....	199
25.2.1	Individual subscriber visited SwMI MM initiated de-registration.....	199
25.3	Exceptional operation.....	201
25.3.1	Individual subscriber visited SwMI MM initiated de-registration rejected	201
25.4	FE actions	201
25.4.1	FE actions of FE1	201
25.4.2	FE actions of FE3	202
26	Profile update - stage 2 information flow sequences.....	202
26.1	General	202
26.2	Normal operation.....	203
26.3	Profile update rejection	204
26.4	FE actions for Profile update	204
26.4.1	FE actions of FE1	204
26.4.2	FE actions of FE3	204
27	SS-profile update - stage 2 information flow sequences	205
27.1	General	205
27.2	Normal operation.....	205
27.3	SS-profile update rejection	206
27.4	FE actions for SS-profile update	206
27.4.1	FE actions of FE1	206
27.4.2	FE actions of FE3	206

28	Authentication - stage 2 information flow sequences	207
28.1	General	207
28.2	Normal operation.....	207
28.2.1	Authentication.....	207
28.2.2	Successful subsequent authentication	208
28.3	Authentication invoked in conjunction with migration	209
28.4	Exceptional operation.....	210
28.4.1	Authentication failure in the individual subscriber visited SwMI	210
28.5	FE actions for authentication.....	212
28.5.1	FE actions of FE1	212
28.5.2	FE actions of FE3	213
29	Over The Air Re-keying (OTAR) - stage 2 information flow sequences.....	213
29.1	General	213
29.2	Normal operation.....	213
29.2.1	OTAR SCK generation service.....	213
29.2.2	Individual subscriber visited SwMI MM initiated OTAR SCK delivery service	215
29.2.3	Individual subscriber home SwMI MM initiated OTAR SCK delivery service	216
29.2.4	OTAR SCK generation service, subsequent use of parameters	217
29.3	Exceptional operation.....	218
29.3.1	Failed OTAR SCK generation service.....	218
29.3.2	Failed individual subscriber visited SwMI MM initiated OTAR SCK delivery.....	220
29.3.3	Failed individual subscriber home SwMI MM initiated OTAR SCK delivery.....	221
29.3.4	Failed subsequent use of OTAR SCK generation parameters	222
29.4	FE actions for OTAR	222
29.4.1	FE actions of FE1	222
29.4.2	FE actions of FE3	223
30	Individual subscriber database recovery - stage 2 information flow sequences.....	223
30.1	General	223
30.2	Normal operation.....	223
30.2.1	HMM recovery	223
30.2.2	VMM recovery	227
30.3	Exceptional operation.....	230
30.3.1	Rejection of HMM recovery	230
30.3.2	Rejection of VMM recovery	231
30.4	FE actions	231
30.4.1	FE actions of FE1	231
30.4.2	FE actions of FE3	232
30.4.3	FE actions of FE4	232
31	Group attachment - stage 2 information flow sequences	233
31.1	Normal operation.....	233
31.1.1	Group visited SwMI MM initiated group attachment without migration profile exchange.....	233
31.1.2	Group visited SwMI MM initiated first group attachment with migration profile exchange	234
31.1.3	Group home SwMI MM initiated group attachment without migration profile exchange.....	236
31.1.4	Group home SwMI MM initiated group attachment with migration profile exchange.....	236
31.2	Exceptional operation.....	239
31.2.1	Rejection of group visited SwMI MM initiated group attachment without migration profile exchange	239
31.2.2	Rejection of profile update in connection to group home SwMI MM initiated group attachment with migration profile exchange	240
31.2.3	Rejection of group home SwMI MM initiated group attachment without migration profile exchange	241
31.2.4	Rejection of group home SwMI MM initiated group attachment with migration profile exchange	242
31.3	FE actions	243
31.3.1	FE actions of FE2	243
31.3.2	FE actions of FE6	243
32	Normal operation for group detachment - stage 2 information flow sequences.....	244
32.1	Normal operation.....	244
32.1.1	Group visited SwMI MM initiated group detachment	244
32.1.2	Group home SwMI MM initiated group detachment.....	245
32.2	Exceptional operation.....	246
32.2.1	Rejection of group visited SwMI MM initiated group detachment	246

32.2.2	Rejection of group home SwMI MM initiated group detachment rejection	247
32.3	FE actions	247
32.3.1	FE actions of FE2	247
32.3.2	FE actions of FE3	248
33	Group database recovery - stage 2 information flow sequences	249
33.1	Normal operation.....	249
33.1.1	G-HDR.....	249
33.1.2	G-VDR.....	251
33.2	Exceptional operation.....	253
33.2.1	Rejection of G-HDR	253
33.2.2	Rejection of G-VDR	254
33.3	FE actions	254
33.3.1	FE actions of FE2	254
33.3.2	FE actions of FE6	255
34	Group linking/unlinking - stage 2 information flow scenarios.....	255
34.1	Normal operation.....	255
34.2	Exceptional operation - group linking rejected by participating SwMI	255
34.3	FE actions	255
34.3.1	FE actions of FE5	255
34.3.2	FE actions of FE6	255
35	Linked group attachment/detachment - stage 2 information flow scenarios.....	256
35.1	Normal operation.....	256
35.1.1	Group linking participating SwMI MM initiated attachment to a linked group	256
35.1.2	Group linking participating SwMI MM initiated detachment from a linked group.....	256
35.2	Exceptional operation - attach linked group rejected by linking controlling SwMI.....	257
35.3	FE actions	258
35.3.1	FE actions of FE2	258
35.3.2	FE actions of FE5	259
36	Definition of stage 2 information flows	259
36.1	General	259
36.2	ATTACH LINKED GROUP	259
36.3	ATTACH LINKED GROUP REJECT	260
36.4	AUTHENTICATION DEMAND	260
36.5	AUTHENTICATION RESPONSE.....	260
36.6	AUTHENTICATION RESULT.....	261
36.7	AUTH REJECT.....	261
36.8	DE-REGISTRATION	261
36.9	DE-REG REJECT	262
36.10	DETACH LINKED GROUP	262
36.11	GROUP ATTACHMENT	262
36.12	GROUP ATT REJECT	263
36.13	GROUP DETACHMENT	263
36.14	GROUP DET REJECT	263
36.15	HMM RECOVERY	264
36.16	HMM RECOVERY COMPLETED.....	264
36.17	HMM RECOVERY REJECT	264
36.18	LINKING	265
36.19	LINKING COMMAND	265
36.20	LINKING REJECT	265
36.21	MIGRATION	265
36.22	MIGRATION REJECT	265
36.23	OTAR-KEY DEMAND	266
36.24	OTAR-KEY PROVIDE	266
36.24a	OTAR-EXTENDED KEY PROVIDE	267
36.25	OTAR-KEY REJECT	267
36.26	OTAR-KEY RESULT	267
36.27	OTAR-PARAM DEMAND	268
36.28	OTAR-PARAM PROVIDE	268
36.28a	OTAR-EXTENDED PARAM PROVIDE	268

36.29	OTAR-PARAM REJECT	269
36.30	OTAR-PARAM RESULT	269
36.31	PROFILE REJECT.....	269
36.32	PROFILE UPDATE.....	270
36.33	REMOTE UNLINKING	270
36.34	REMOVE REJECT	270
36.35	REMOVE SUBS	270
36.36	SS-PROFILE REJECT.....	271
36.37	SS-PROFILE UPDATE	271
36.38	UNLINKING	272
36.39	UNLINKING REJECT	272
36.40	VMM RECOVERY	272
36.41	VMM RECOVERY COMPLETED.....	272
36.42	VMM RECOVERY REJECT	273
36.43	Profiles	273
36.43.1	Basic migration profiles.....	273
36.43.1.1	Group basic migration profile (original and temporary)	273
36.43.1.2	Individual basic migration profile	274
36.43.2	SS-migration profile (original and temporary)	276
37	ANF-ISIMM encoding requirements - stage 3.....	276
37.1	Introduction	276
37.2	ANF-ISIMM PDU description tables.....	276
37.2.1	General.....	276
37.2.2	ATTACH LINKED GROUP.....	277
37.2.3	ATTACH LINKED GROUP RESPONSE.....	277
37.2.4	ATTACH LINKED GROUP REJECT	278
37.2.5	AUTHENTICATION DEMAND.....	278
37.2.6	AUTHENTICATION RESPONSE	279
37.2.7	AUTHENTICATION RESULT	279
37.2.8	AUTH REJECT	280
37.2.9	DE-REGISTRATION.....	280
37.2.10	DE-REGISTRATION RESPONSE.....	281
37.2.11	DE-REG REJECT	281
37.2.12	DETACH LINKED GROUP.....	281
37.2.13	DETACH LINKED GROUP RESPONSE	282
37.2.14	GROUP ATTACHMENT	282
37.2.15	GROUP ATTACHMENT RESPONSE.....	283
37.2.16	GROUP ATT REJECT	284
37.2.17	GROUP DETACHMENT	284
37.2.18	GROUP DETACHMENT RESPONSE.....	285
37.2.19	GROUP DET REJECT	285
37.2.20	HMM RECOVERY	286
37.2.21	HMM RECOVERY COMPLETED	286
37.2.22	HMM RECOVERY REJECT.....	287
37.2.23	HMM RECOVERY RESPONSE	287
37.2.24	LINKING.....	287
37.2.25	LINKING COMMAND	287
37.2.26	LINKING COMMAND RESPONSE.....	288
37.2.27	LINKING REJECT.....	288
37.2.28	LINKING RESPONSE	288
37.2.29	MIGRATION	288
37.2.30	MIGRATION REJECT	289
37.2.31	MIGRATION REJECT RESPONSE	289
37.2.32	MIGRATION RESPONSE.....	289
37.2.33	OTAR-KEY DEMAND	290
37.2.34	OTAR-KEY PROVIDE.....	290
37.2.34a	OTAR-EXTENDED-KEY PROVIDE	291
37.2.35	OTAR-KEY REJECT.....	291
37.2.36	OTAR-KEY RESULT	292
37.2.37	OTAR-PARAM DEMAND	292
37.2.38	OTAR-PARAM PROVIDE.....	292

37.2.38a	OTAR-EXTENDED PARAM PROVIDE.....	293
37.2.39	OTAR-PARAM REJECT.....	293
37.2.40	OTAR-PARAM RESULT	294
37.2.41	PROFILE REJECT	294
37.2.42	PROFILE UPDATE	295
37.2.43	PROFILE UPDATE RESPONSE.....	295
37.2.44	REMOTE UNLINKING.....	296
37.2.45	REMOVE REJECT	296
37.2.46	REMOVE SUBS	296
37.2.47	REMOVE SUBS RESPONSE.....	297
37.2.48	SS-PROFILE REJECT	297
37.2.49	SS-PROFILE UPDATE.....	297
37.2.50	SS-PROFILE UPDATE RESPONSE.....	298
37.2.51	UNLINKING.....	298
37.2.52	UNLINKING REJECT	298
37.2.53	UNLINKING RESPONSE	298
37.2.54	VMM RECOVERY	299
37.2.55	VMM RECOVERY COMPLETED	299
37.2.56	VMM RECOVERY REJECT.....	299
37.2.57	VMM RECOVERY RESPONSE.....	300
37.3	PDU information element encoding	300
37.3.1	Advanced link	300
37.3.2	Age stamp	301
37.3.3	AI encryption state list.....	301
37.3.4	ANF-ISIMM invoke id	302
37.3.5	Attach linked group rejection cause.....	302
37.3.6	Authentication invocation.....	302
37.3.7	Authentication rejection cause.....	303
37.3.8	Authentication service	303
37.3.9	Authentication type.....	304
37.3.10	Basic migration profile info	304
37.3.11	Call restoration support.....	304
37.3.12	Call time-out set-up phase timer (T301).....	304
37.3.13	Call time-out timer (T310).....	305
37.3.14	Circuit mode protected (high) data service	306
37.3.15	Circuit mode protected (low) data service	306
37.3.16	Circuit mode unprotected speech + data service	307
37.3.17	Default SS-information.....	307
37.3.18	De-registration rejection cause	308
37.3.19	De-registration type	308
37.3.20	Duplex service	308
37.3.21	End-to-end encryption service	309
37.3.22	First/Subsequent Group attachment	309
37.3.23	Following conditional element(s) present.....	309
37.3.24	Forced removal	310
37.3.25	Group attachment/detachment	310
37.3.26	Group attachment rejection cause.....	310
37.3.27	Group basic migration profile (original and temporary)	311
37.3.28	Group detachment rejection cause	312
37.3.29	Group information	312
37.3.30	Group information in subscriber profile	312
37.3.31	Group priority	313
37.3.32	GSSI.....	313
37.3.33	Home/Visited SwMI MM initiated.....	313
37.3.34	Individual basic migration profile (original and temporary).....	314
37.3.35	Interleaving depth	315
37.3.36	IP service	315
37.3.37	ISSI	316
37.3.38	Last group detachment.....	316
37.3.39	Linking rejection cause	316
37.3.40	Maximum number of timeslots.....	316
37.3.41	Migration rejection cause.....	317

37.3.42	Migration type	317
37.3.43	MNI	318
37.3.44	Not supported SS	318
37.3.45	Number of not supported SSs	318
37.3.46	Number of SS-information	318
37.3.47	Original/Subsequent use of param	318
37.3.48	OTAR SCK delivery service	318
37.3.49	OTAR SCK generation service	319
37.3.50	OTAR SCK key rejection cause	320
37.3.51	OTAR SCK param rejection cause	320
37.3.52	Other linked group	320
37.3.53	PDU type	321
37.3.54	Pre-defined profile set reference(s)	322
37.3.55	Profile exchange support	322
37.3.56	Profile rejection cause	323
37.3.57	Profile type	323
37.3.58	Point-to-multipoint acknowledged service	323
37.3.59	Point-to-multipoint broadcast service	324
37.3.60	Point-to-multipoint service	324
37.3.61	Point-to-point service	325
37.3.62	Profile status	325
37.3.63	Proprietary	325
37.3.64	Recovery	326
37.3.65	Recovery rejection cause	326
37.3.66	Recovery type	326
37.3.67	Restricted migration support	326
37.3.68	RSI rejection cause	327
37.3.69	SDS profile	327
37.3.70	Speech service	327
37.3.71	SS-information	328
37.3.72	SS-information response	328
37.3.73	SS-migration profile (original)	328
37.3.74	SS-migration profile response (temporary)	329
37.3.75	SS-profile response status	329
37.3.76	SS-profile update indicator	329
37.3.77	SS-response status	329
37.3.78	SS-status	330
37.3.79	SS-type	330
37.3.80	Subscriber information	330
37.3.81	Subscriber information in group profile	330
37.3.82	Subscriber status	331
37.3.83	Type 3 element identifier	331
37.3.84	Unlinking rejection cause	331
37.3.85	Validity time	331
37.3.86	Validity time type	332
38	ANF-ISIMM procedures - stage 3	332
38.1	General	332
38.2	Generic procedures	332
38.2.1	General	332
38.2.2	Invoking SwMI	332
38.2.3	Receiving SwMI	332
38.2.4	Clearing of ISI GFP transport connection	332
38.2.5	Convert primitive to PDU	333
38.2.6	Convert PDU to primitive	333
38.2.7	Correspondence between ANF-ISIMM primitives and PDUs	333
38.3	SDL descriptions	334
38.4	Migration	334
38.4.1	General	334
38.4.2	Individual subscriber visited SwMI ANF-ISIMM	334
38.4.3	Individual subscriber home SwMI ANF-ISIMM	335
38.5	Restricted migration	337