
Satelitske zemeljske postaje in sistemi (SES) - Mobilne zemeljske postaje (MES), ki zagotavljajo podatkovne komunikacije z majhno bitno hitrostjo (LBRDC) in uporabljajo satelite na nizki orbiti (LEO) ter delujejo v frekvenčnem pasu pod 1 GHz - Harmonizirani standard za dostop do radijskega spektra

Satellite Earth Stations and Systems (SES) - Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz frequency band - Harmonised Standard for access to radio spectrum

Sample Document

get full document from standards.iteh.ai

Ta slovenski standard je istoveten z: ETSI EN 301 721 V2.2.1 (2026-09)

ICS:

33.060.30	Radiorelejni in fiksni satelitski komunikacijski sistemi	Radio relay and fixed satellite communications systems
-----------	--	--

SIST EN 301 721 V2.2.1:2026

en

Sample Document

get full document from standards.iteh.ai

ETSI EN 301 721 V2.2.1 (2026-09)



**Satellite Earth Stations and Systems (SES);
Mobile Earth Stations (MES) providing Low Bit Rate Data
Communications (LBRDC) using Low Earth Orbiting (LEO)
satellites operating below 1 GHz frequency band;
Harmonised Standard for access to radio spectrum**

ReferenceREN/SES-00434

Keywordsearth station, LEO, MES, mobile, MSS, regulation,
satellite

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part of this document may be reproduced in any form, by any means and in any media, without the prior written authorization of ETSI and except as expressly permitted below.

By way of exception and when the document is a normative deliverable (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)), ETSI authorizes to reproduce and incorporate into products, services and technical documentation only those extracts (e.g. templates) that are strictly necessary for the technical implementation of the normative deliverable, to ensure compliance with the latter. Nothing in this notice shall be construed as limiting any mandatory exceptions to copyright provided by applicable law.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	9
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms	9
3.2 Symbols	11
3.3 Abbreviations.....	11
4 Technical requirements specifications	12
4.1 Environmental profile	12
4.1.1 General	12
4.1.2 Temperature	12
4.1.3 Voltage	12
4.2 Conformance requirements.....	13
4.2.1 Unwanted emission outside the bands 148 MHz to 150,05 MHz, 235 MHz to 322 MHz, 335,4 MHz to 399,9 MHz and 399,9 MHz to 400,05 MHz	13
4.2.1.1 Justification.....	13
4.2.1.2 Technical requirements.....	13
4.2.1.3 Requirements for conformance test	14
4.2.1.4 Requirements for test conditions	15
4.2.1.5 Requirements for tests	15
4.2.2 Unwanted emission within the bands 148 MHz to 150,05 MHz, 235 MHz to 322 MHz, 335,4 MHz to 399,9 MHz and 399,9 MHz to 400,05 MHz	16
4.2.2.1 Justification.....	16
4.2.2.2 Technical requirements.....	16
4.2.2.3 Requirements for conformance test	16
4.2.2.4 Requirements for test conditions	17
4.2.2.5 Requirements for tests	17
4.2.3 EIRP density within the operational band	17
4.2.3.1 Justification.....	17
4.2.3.2 Technical requirements.....	17
4.2.3.3 Requirements for conformance test	18
4.2.3.4 Test conditions.....	18
4.2.3.5 Requirements for tests	18
4.2.4 Unwanted emissions in carrier-off state	18
4.2.4.1 Justification.....	18
4.2.4.2 Technical requirements.....	19
4.2.4.3 Requirements for conformance test	19
4.2.4.4 Requirements for test conditions	19
4.2.4.5 Requirements for tests	19
4.2.5 MES Control and Monitoring Functions (CMF)	19
4.2.5.1 Justification.....	19
4.2.5.2 Special Test Equipment (STE)	20
4.2.5.3 Technical requirements.....	20
4.2.5.3.1 Void	20
4.2.5.3.2 Network control authorization and reception - Network control authorization	20
4.2.5.3.3 Network control authorization and reception - Network control reception.....	21
4.2.5.3.4 Transmit frequency control.....	21
4.2.6 Equipment identity	22
4.2.6.1 Justification.....	22

4.2.6.2	Technical requirements.....	22
4.2.6.3	Requirements for conformance test	22
4.2.6.4	Requirements for test procedure	22
4.2.6.5	Requirements for tests	23
4.2.7	Protection of the Radio Astronomy Service (RAS) from emissions produced by the MES in the bands 150,05 MHz to 153 MHz, 322 MHz to 328,6 MHz and 406,1 MHz to 410 MHz	23
4.2.7.1	Justification.....	23
4.2.7.2	Technical requirements.....	23
4.2.7.3	Requirements for conformance test	23
4.2.7.4	Test procedure	23
4.2.7.5	Test requirement	23
4.2.8	Receiver Performance Requirements	23
4.2.8.1	General	23
4.2.8.2	Receiver Adjacent Channel Selectivity	23
4.2.8.2.1	Justification	23
4.2.8.2.2	Technical requirements.....	23
4.2.8.2.3	Requirements for conformance test	24
4.2.8.2.4	Test procedure.....	24
4.2.8.3	Receiver Blocking Characteristics.....	24
4.2.8.3.1	Justification	24
4.2.8.3.2	Technical requirements	24
4.2.8.3.3	Requirements for conformance test	24
4.2.8.3.4	Test procedure.....	24
5	Testing for compliance with technical requirements.....	25
5.1	Environmental conditions for testing.....	25
5.1.1	General	25
5.1.2	Specification of the environmental test conditions.....	25
5.1.3	Tests under extreme voltage conditions	25
5.2	Essential radio test suites	25
5.2.1	Presentation of equipment for testing purposes.....	25
5.2.2	Description of equipment	26
5.2.3	Host-connected equipment.....	26
5.2.4	General test requirements.....	26
5.2.4.1	MES test modes	26
5.2.4.2	Special Test Equipment (STE)	27
5.2.4.2.1	STE description.....	27
5.2.4.2.2	Use of STE for control and monitoring functions tests.....	28
5.2.4.2.3	Test modulating signal.....	28
5.2.4.3	Laboratory Test Equipment (LTE)	28
5.2.4.4	Methods of test for MES RF emissions	28
5.2.4.5	Interpretation of the measurement results.....	29
5.2.4.6	Test report.....	29
5.2.5	Testing of host-connected equipment and plug-in modules	29
5.2.5.1	Test set up arrangements	29
5.2.5.2	Set up for combined equipment.....	29
5.2.5.3	Set up for the use of a test jig	29
5.2.6	Procedures for measurement of radiated emissions	30
5.2.6.1	General	30
5.2.6.2	Test site.....	30
5.2.6.3	Test set up for radiated emissions of the MES	30
5.2.6.4	Reference position of the MES.....	31
5.2.6.5	Measurement procedure for radiated emissions (average)	31
5.2.6.5.1	Measurement procedure for average radiated emissions of the MES	31
5.2.6.5.2	Measurement procedure for average radiated emissions of the cabinet.....	33
5.2.7	Procedures for measurement of conducted emissions	33
5.2.7.1	General	33
5.2.7.2	Test site.....	33
5.2.7.3	Test set-up	34
5.2.7.4	Measurement procedure for conducted emissions (average)	34
5.2.8	Receiver Adjacent Channel Selectivity	34
5.2.8.1	General	34

5.2.8.2	Test set-up	35
5.2.8.3	Measurement procedure	35
5.2.9	Receiver Blocking Characteristics	35
5.2.9.1	General	35
5.2.9.2	Test set-up	35
5.2.9.3	Measurement procedure	35
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	37
Annex B (informative):	Maximum measurement uncertainty	40
Annex C (informative):	Vibration.....	41
Annex D (informative):	Bibliography.....	42
Annex E (informative):	Change history	43
History		44

Sample Document

get full document from standards.iteh.ai

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables (European Standard (EN), Technical Specification (TS), Group Specification (GS) or ETSI Standard (ES)) may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: *"Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards"*, which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Satellite Earth Stations and Systems (SES).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.2] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.3].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

National transposition dates	
Date of adoption of this EN:	28 September 2026
Date of latest announcement of this EN (doa):	31 December 2026
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2027
Date of withdrawal of any conflicting National Standard (dow):	30 June 2027

Modal verbs terminology

In the present document "**shall**", "**shall not**", "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is based on ETSI EN 300 721 [i.5].

The present document does not contain any requirement, recommendation, or information about the installation of the MESs.

Sample Document

get full document from standards.iteh.ai

1 Scope

The present document specifies technical characteristics and methods of measurements for Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbit (LEO) satellites and which have the following characteristics:

- the MES as covered by the present document are a Based MES (BMES), a Vehicle mounted MES (VMES), or a Portable MES (PMES);
- the MESs operate through satellites in Low Earth Orbit (LEO) as part of a network providing Low Bit Rate Data Communications (LBRDC);
- these radio equipment are designed to operate in all or any part of the frequency bands given in table 1.
- The MESs have to be part of a satellite network and controlled and monitored by a Network Control Facility (NCF). The specification of the NCF is outside the scope of the present document.

Table 1: Frequency ranges in Transmit and Receive frequencies

MES Transmit frequencies and Service allocations (MHz)		MES Receive frequencies and Service allocations (MHz)	
148 to 149,9	MSS	137 to 137,025	MSS
149,9 to 150,05	MSS	137,025 to 137,175	mss
235 to 322	MSS	137,175 to 137,825	MSS
335,4 to 399,9	MSS	137,825 to 138	mss
399,9 to 400,05	MSS	235 to 322	MSS
		335,4 to 399,9	MSS
		400,15 to 401	MSS

NOTE 1: The acronyms "MSS" and "mss" refer to mobile satellite service (See list of abbreviations). Capital letters "MSS" refer to Primary MSS service. Lower case "mss" refers to secondary MSS service.

The present document is intended to cover the provisions of article 3.2 of Directive 2014/53/EU [i.3] (RE Directive).

NOTE 2: The relationship between the present document and essential requirements of article 3.2 of the Directive 2014/53 [i.3] is given in Annex A.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] Void.
- [2] [IEC Publication 60068-2-1 \(2025\)](#): "Environmental testing - Part 2: Tests. Tests A: Cold".
- [3] [IEC Publication 60068-2-2 \(2025\)](#): "Environmental testing - Part 2: Tests. Tests B: Dry heat".

- [4] Void.
- [5] Void.
- [6] [CISPR 16-1-5:2014+AMD1:2016 CSV](#): "Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-5: Radio disturbance and immunity measuring apparatus - Antenna calibration sites and reference test sites for 5 MHz to 18 GHz".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] Void.
- [i.2] [Commission Implementing Decision C\(2015\) 5376](#) of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.3] [Directive 2014/53/EU](#) of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.4] Recommendation ITU-R M.1039-1: Co-frequency sharing between stations in the mobile service below 1 GHz and FDMA non-geostationary-satellite orbit (non-GSO) mobile earth stations.
- [i.5] ETSI EN 300 721 (V2.1.1) (2016): "Satellite Earth Stations and Systems (SES); Mobile Earth Stations (MES) providing Low Bit Rate Data Communications (LBRDC) using Low Earth Orbiting (LEO) satellites operating below 1 GHz".
- [i.6] [IEC 60068-2-64:2008+AMD1:2019 CSV](#): "Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance".

3 Definition of terms, symbols and abbreviations

3.1 Terms

For the purposes of the present document, the following terms apply:

BMES (Based MES): MES intended to be installed in a fixed location, and which is powered either by DC or AC power supply

carrier-off state: radio state in which the MES does not actually transmit a carrier

carrier-on state: state in which the MES is transmitting a carrier

conducted measurement: measurement of emissions from an antenna port of the MES made by direct wired connection to the port

control channel: channel used to transmit a signal from the satellite containing control information used to command the MES either to enable or disable its transmission

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

Equivalent Isotropically Radiated Power (EIRP): product of transmitter power and antenna gain, equivalent to an isotropic source radiating uniformly in all directions

host-connected: MES for which connection to or integration with host equipment is necessary to provide functionality

host equipment: equipment which has a complete user functionality when not connected to the MES, and to which the MES provides additional functionality, and to which connection is necessary for the MES to provide functionality

in-band signals: signals which are located in the occupied bandwidth

Installable Equipment (IE), Internally Mounted Equipment (IME) And Externally Mounted Equipment (EME): equipment which is intended to be installed either internally or externally to the MES (usually in a vehicle)

NOTE: An IE consists of one or several interconnected modules. The IE is composed of modules intended to be externally mounted as defined for the intended use of the MES and defined as Externally Mounted Equipment (EME) and the remaining module(s) as Internally Mounted Equipment (IME).

Laboratory Test Equipment (LTE): logical grouping that contains the standard test equipment

Low bit rate data communications: in the present document, bit rates up to 15 kbps

MSS band: continuous range of frequencies allocated by the ITU to the MSS (Mobile Satellite Service)

narrow-band system: a system in which the nominal carrier frequency spacing for MESs in the Earth-to-space direction is less than 300 kHz

NCF control message: message, normally originating from a network, to a specified terminal or set of terminals of the network which indicates to the terminal or set of terminals that it/they should carry out some specific action or should enter or maintain some specific state

NOTE: For test purposes NCF control messages may originate from Special Test Equipment (STE).

network control channel: channel by which an MES receives general control information from the NCF

nominated bandwidth: bandwidth of the MES radio frequency transmission nominated for the intended use of the MES and which meets the following conditions of notes 1 and 2 below.

NOTE 1: The nominated bandwidth is wide enough to encompass all spectral elements of the transmission which have a level greater than the specified unwanted emissions limits. The nominated bandwidth is also wide enough to take account of the transmit carrier frequency stability. This definition is chosen to allow flexibility regarding adjacent channel interference levels which will be taken into account by operational procedures depending on the exact transponder carrier assignment situation. The nominated bandwidth is within the MSS transmit frequency band within which the MES operates.

NOTE 2: For FDMA/DCAA [i.4] systems with a bit rate up to 2,4 kbps the Nominated Bandwidth does not exceed 25 kHz. For FDMA/DCAA systems with a bit rate up above 2,4 kbps the Nominated Bandwidth does not exceed 50 kHz.

occupied Bandwidth: for a digital modulation scheme - the width of the signal spectrum 10 dB below the maximum inband density

Portable MES (PMES): MES intended to be portable, and powered by a stand alone battery, and generally intended to be self-contained and free standing

NOTE: A PMES would normally consist of a single module, but may consist of several interconnected modules. In some cases different specifications apply to PMES and this is specified in the present document

radiated measurement: measurement of an actual radiated field

Special Test Equipment (STE): equipment which permits control of the MES so that the tests required by the present document can be performed