



SLOVENSKI STANDARD
SIST EN 302 326-2 V2.2.1:2026

01-maj-2026

Fiksni radijski sistemi - Večtočkovna oprema in antene - 2. del: Harmonizirani standard za dostop do radijskega spektra

Fixed Radio Systems - Multipoint Equipment and Antennas - Part 2: Harmonised Standard for access to radio spectrum

Sample Document

Ta slovenski standard je istoveten z: ETSI EN 302 326-2 V2.2.1 (2026-03)

get full document from standards.iteh.ai

ICS:

33.060.30	Radiorelejni in fiksni satelitski komunikacijski sistemi	Radio relay and fixed satellite communications systems
33.120.40	Antene	Aerials

SIST EN 302 326-2 V2.2.1:2026 **en**

2003-01.Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

Sample Document

get full document from standards.iteh.ai

ETSI EN 302 326-2 V2.2.1 (2026-03)



HARMONISED EUROPEAN STANDARD

**Fixed Radio Systems;
Multipoint Equipment and Antennas;
Part 2: Harmonised Standard for access to radio spectrum**

get full document from standards.iteh.ai

Reference

REN/ATTM-0461

Keywordsaccess, DFRS, DRRS, FWA, multipoint, radio,
system**ETSI**650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed, this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2026.
All rights reserved.

Contents

Intellectual Property Rights	7
Foreword.....	7
Modal verbs terminology.....	8
Introduction	8
1 Scope	10
2 References	11
2.1 Normative references	11
2.2 Informative references.....	11
3 Definition of terms, symbols and abbreviations.....	13
3.1 Terms.....	13
3.2 Symbols.....	17
3.3 Abbreviations	18
4 Framework for requirements	20
4.1 Applicability of requirements.....	20
4.1.0 Requirement selection.....	20
4.1.1 Generality	20
4.1.2 The Equipment Classification (EqC)	20
4.1.3 Asymmetric MP implementations	21
4.2 RF reference architecture	21
4.2.1 Reference block diagram	21
4.2.2 Measure reference points and <i>system loading</i>	22
5 Technical requirements specifications	22
5.1 General requirements	22
5.2 Environmental profile.....	22
5.3 Transmitter conformance requirements	23
5.3.1 General requirements.....	23
5.3.2 Transmitter output power.....	23
5.3.2.1 General	23
5.3.2.2 Transmitter maximum power and EIRP.....	23
5.3.2.3 Transmitter output power environmental variation	23
5.3.3 Transmitter Radio Frequency stability.....	24
5.3.4 Transmitter Radio Frequency spectrum mask and emissions	24
5.3.4.1 Transmitter Radio Frequency spectrum mask.....	24
5.3.4.2 Transmitter discrete CW components exceeding the transmitter Radio Frequency spectrum mask limits	27
5.3.5 Transmitter unwanted emissions in the spurious domain	28
5.3.6 Transmitter power control (ATPC and RTPC).....	29
5.3.6.1 General	29
5.3.6.2 <i>Automatic Transmitter Power Control (ATPC)</i>	29
5.3.6.3 <i>Remote Transmitter Power Control (RTPC)</i>	29
5.3.7 <i>Transmitter Remote Frequency Control (RFC)</i>	30
5.3.8 <i>Transmitter Dynamic Change of Modulation Order</i>	30
5.4 Receiver conformance requirements	30
5.4.1 General.....	30
5.4.2 Receiver unwanted emissions in the spurious domain.....	30
5.4.3 BER as a function of Receiver input Signal Level (RSL).....	30
5.4.3.1 General	30
5.4.3.2 Single signal performance.....	30
5.4.3.3 Performance with <i>maximum system loading</i> (EqC-PET = D only).....	32
5.4.3.4 Receiver Dynamic range	32
5.4.4 Receiver selectivity.....	33
5.4.4.0 Introduction.....	33
5.4.4.1 Receiver co-channel interference sensitivity.....	33

5.4.4.2	Receiver first adjacent channel interference sensitivity	35
5.4.4.3	Receiver blocking (CW spurious interference sensitivity).....	37
5.4.4.4	Receiver radio-frequency intermodulation and Receiver second adjacent channel interference sensitivity	38
5.4.4.4.1	Requirement background.....	38
5.4.4.4.2	Requirement limit.....	38
6	Testing for compliance with technical requirements.....	39
6.1	General	39
6.2	Environmental conditions for testing	39
6.2.1	Generality	39
6.2.2	Minimum profile for <i>indoor</i> use	39
6.2.3	Minimum profile for <i>outdoor</i> use	40
6.3	Transmitter requirements	40
6.3.1	General.....	40
6.3.1.1	Summary table for transmitter test conditions	40
6.3.1.2	Spectrum analyser settings	42
6.3.2	Transmitter output power.....	42
6.3.2.1	General	42
6.3.2.2	Transmitter maximum power and EIRP.....	42
6.3.2.3	Transmitter output power environmental variation	43
6.3.3	Transmitter Radio Frequency stability.....	43
6.3.4	Transmitter Radio Frequency spectrum mask and emissions	43
6.3.4.1	Transmitter Radio Frequency spectrum mask	43
6.3.4.2	Transmitter Discrete CW components exceeding the transmitter Radio Frequency spectrum mask limit	44
6.3.5	Transmitter unwanted emissions in the spurious domain	44
6.3.6	Transmitter power control (ATPC and RTPC).....	45
6.3.6.1	General	45
6.3.6.2	Automatic Transmitter Power Control (ATPC).....	45
6.3.6.3	Remote Transmitter Power Control (RTPC).....	45
6.3.7	Transmitter Remote Frequency Control (RFC)	46
6.3.8	Transmitter dynamic Change of Modulation Order.....	46
6.4	Receiver conformance requirements	46
6.4.1	General.....	46
6.4.2	Receiver unwanted emissions in the spurious domain.....	48
6.4.3	BER as a function of Receiver input Signal Level (RSL).....	48
6.4.3.1	General	48
6.4.3.2	Single signal performance	48
6.4.3.3	Performance at <i>maximum system loading</i> (EqC-PET = D only)	48
6.4.3.4	Receiver dynamic range	48
6.4.4	Receiver selectivity.....	49
6.4.4.1	Receiver co-channel interference sensitivity.....	49
6.4.4.2	Receiver first adjacent channel interference sensitivity	49
6.4.4.3	Receiver blocking (CW spurious interference sensitivity).....	49
6.4.4.4	Receiver radio-frequency intermodulation and receiver second adjacent channel interference sensitivity	50
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	51
Annex B (normative):	Test report in relation to flexible systems applications	53
B.1	Wide radio-frequency band covering units specification and tests	53
B.2	Multirate/Multiformat covering equipment specification and tests	56
Annex C (normative):	Equipment classification (EqC) and system capacity	57
C.1	General	57
C.2	EqC description	57
C.2.1	Void.....	57
C.2.2	Primary Equipment Type (EqC-PET)	57

C.2.3	Secondary Equipment Type (EqC-SET)	57
C.2.4	Equivalent Modulation Order (EqC-EMO).....	58
C.2.5	Channel Separation (EqC-ChS).....	58
C.2.6	Frequency Range (EqC-FR).....	59
C.2.7	Station Type (EqC-STN).....	59
C.3	System capacity.....	59
C.3.1	General	59
C.3.2	Capacity of equipment with EqC-PET = T, O or M.....	60
C.3.3	Capacity of equipment with EqC-PET = F.....	60
C.3.4	Capacity of equipment with EqC-PET = D.....	61
C.4	Summary of Equipment Profiles in the scope of present document.....	61
Annex D (informative): Transmitter Radio Frequency Spectrum mask background for ATPC and/or RTPC implementation.....		64
D.0	Introduction	64
D.1	ATPC impact.....	64
D.2	RTPC Impact.....	65
Annex E (informative): Overview of technology features of multipoint systems		66
E.1	General	66
E.2	Network topology.....	66
E.3	Multiplexing methods.....	66
E.4	Multiple access methods	67
E.5	Duplex methods.....	67
E.6	Modulation methods.....	68
E.6.1	Modulation techniques	68
E.6.2	Equivalent Modulation Order (EMO)	68
E.7	Error correction	69
E.8	Other relevant system characteristics	69
Annex F (informative): Frequency bands.....		70
F.1	Frequency ranges.....	70
F.2	Frequency ranges CEPT applications.....	71
Annex G (informative): Summary Table of EqC codes subject to the conformance assessment....		73
G.1	The right to copy	73
Annex H (informative): System architecture		74
H.1	General architecture	74
H.2	Point-to-MultiPoint (P-MP) architectures	74
H.3	Mesh (or MP-MP) architectures.....	76
Annex I (informative): Mixed-mode operation		77
I.1	Introduction	77
I.2	General description of <i>mixed-mode systems</i>	77
I.3	Background for transmitter and receiver requirements operating in <i>mixed-mode</i>	77
I.3.1	Requirements summary	77
I.3.2	Transmitter Radio Frequency spectrum masks for <i>mixed-mode systems</i>	77
I.3.3	Receiver adjacent channel interference sensitivity.....	79

I.3.4	Receiver co-channel interference sensitivity	79
Annex J (informative):	Antennas	80
J.1	Antenna generality	80
J.2	Antenna profiles	80
Annex K (informative):	Typical reference model for BER, MGBR and EMO.....	81
K.1	General	81
K.2	Interface X'_1 to X'_N	82
K.3	Payload processing block	82
K.4	Multiple access block	83
K.5	Outer error correcting block	83
K.6	Inner error correcting block.....	83
K.7	Modulator	84
K.8	Choice of reference point for BER, MGBR and EMO	84
K.9	Examples	84
K.9.1	16 QAM TDMA system with 3/4 rate convolutional coding	84
K.9.2	16 QAM TDMA system with 1/2 rate convolutional coding and 204/188 Reed Solomon coding	85
K.9.3	16 QAM TDMA system with 1/2 rate turbo coding.....	85
K.9.4	16 QAM FDMA system with 1/2 rate convolutional coding	85
Annex L (informative):	Test interpretation and measurement uncertainty	86
Annex M (informative):	Bibliography.....	87
Annex N (informative):	Change history	88
History		89

Intellectual Property Rights

Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The declarations pertaining to these essential IPRs, if any, are publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the [ETSI IPR online database](#).

Pursuant to the ETSI Directives including the ETSI IPR Policy, no investigation regarding the essentiality of IPRs, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members. **3GPP™**, **LTE™** and **5G™** logo are trademarks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners. **oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and of the oneM2M Partners. **GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

Foreword

This Harmonised European Standard (EN) has been produced by ETSI Technical Committee Access, Terminals, Transmission and Multiplexing (ATTM).

The present document has been prepared under the Commission's standardisation request C(2015) 5376 final [i.4] to provide one voluntary means of conforming to the essential requirements of Directive 2014/53/EU on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC [i.1].

Once the present document is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of the present document given in Table A.1 confers, within the limits of the scope of the present document, a presumption of conformity with the corresponding essential requirements of that Directive and associated EFTA regulations.

The present document covers characteristics and requirements for fixed multipoint radio equipment using a variety of access and duplex methods and operating at a variety of bit rates in frequency bands as specified in the present document.

The present document is part 2 of a multi-part deliverable covering the Fixed Radio Systems; Multipoint Equipment and Antennas, as identified below:

Part 1: "Overview and Requirements for Digital Multipoint Radio Systems";

Part 2: "Harmonised Standard for access to radio spectrum";

Part 3: "Multipoint Antennas".

NOTE: Part 1 is no longer maintained and referenced in other parts of the series.

National transposition dates	
Date of adoption of this EN:	12 March 2026
Date of latest announcement of this EN (doa):	30 June 2026
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 December 2026
Date of withdrawal of any conflicting National Standard (dow):	31 December 2027

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are **NOT** allowed in ETSI deliverables except when used in direct citation.

Introduction

For the purpose of the present document, multipoint radio systems can be considered as radio systems which interconnect a number of fixed stations (usually more than two that can support simultaneously access and infrastructure applications). The topology of the systems may be Point-to-MultiPoint (P-MP), or MultiPoint-to-MultiPoint (MP-MP), known as "Mesh".

In order to (technically) cover different market and network requirements, with an appropriate balance of performance to cost and effective use of the radio spectrum, the present document, together with ETSI EN 302 326-3 [i.2], offers a number of radio equipment types and antennas alternatives.).

The applicability of the present document to MP equipment is governed by a unique *Equipment Classification* (EqC) coherent set, as specified in annex C.

Based on this *Equipment Classification*, the appropriate clauses of the present document should be applied.

Following annexes are embedded in the present document:

- Annex A (informative): Relationship between the present document and the essential requirements of Directive 2014/53/EU [i.1]
- Annex B (normative): Test report in relation to flexible systems applications
- Annex C (normative): Equipment classification (EqC) and system capacity
- Annex D (informative): Transmitter Radio Frequency Spectrum mask background for ATPC and/or RTPC implementation
- Annex E (informative): Overview of technology features of multipoint systems
- Annex F (informative): Frequency bands
- Annex G (informative): Summary Table of EqC codes subject to the conformance assessment
- Annex H (informative): System architecture
- Annex I (informative): *Mixed-mode* operation
- Annex J (informative): Antennas
- Annex K (informative): Typical reference model for BER, MGBR and EMO

- Annex L (informative): Test interpretation and measurement uncertainty
- Annex M (informative): Bibliography
- Annex N (informative): Change history

Sample Document

get full document from standards.iteh.ai

1 Scope

The present document specifies technical characteristics and methods of measurements applicable to radio equipment used in MultiPoint (MP) Digital Fixed Radio Systems (DFRS) designed for use in the following sub-ranges (see note 2):

- 30 MHz to 1 GHz.
- 1 GHz to 3 GHz.
- 3 GHz to 11 GHz.
- 24,25 GHz to 29,5 GHz.
- 31,0 GHz to 33,4 GHz.
- 40,5 GHz to 43,5 GHz.

NOTE 1: The relationship between the present document and essential requirements of article 3.2 of Directive 2014/53/EU [i.1] is given in Annex A.

NOTE 2: For more information on the applicable frequency bands, refer to Annex F.

The present document is applicable to multipoint radio system equipment using any arbitrary access method. It applies to all equipment composing the MP systems, i.e. to *Central Station (CS)*, *Terminal Station (TS)* and *Repeater Station (RS)*.

Time Division Duplex (TDD) or Frequency Division Duplex (FDD or H-FDD) can be used on an equivalent basis.

Equipment are classified according to one set of *Equipment Classification (EqC)* (summarized in clause C.4). The EqC set of the equipment under assessment is indicated in the *technical documentation* (see note 3).

Equipment not fitting any of the set of EqC provided by Annex C are not in the scope of the present document.

NOTE 3: See definition in clause 3.2.

Equipment providing *undetachable antennas* or providing *active antennas* (eventually requiring radiated test procedures) are not in the scope of the present document (see note 4).

NOTE 4: Rationale is that even if antenna characteristics are not relevant for access to radio spectrum of MP fixed radio systems (see technical description in ETSI TR 101 506 [i.6]), the essential equipment parameters are defined at antenna port and their radiated test procedures are not available.
For information, the most common types of antennas are standardized in Part 3 of this multi-part deliverable [i.2].

Systems referring to an EqC with "H" code (see clause C.2.2) as *Primary Equipment Classification (PET)*, implementing an actual *FH-CDMA* access method with *frequency hopping* period exceeding 400 ms, are not considered within the scope of the present document.

Applications intended for offering in the bands 3,4 GHz to 3,8 GHz the option of *Nomadic Wireless Access (NWA)*, according to the NWA definition in Recommendation ITU-R F.1399 [i.14], are not considered in the scope of the present document.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found in the [ETSI docbox](#).

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long-term validity.

The following referenced documents are necessary for the application of the present document.

- [1] [CEPT/ERC/REC 74-01 \(2021\)](#): "Unwanted emissions in the spurious domain".
- [2] [ETSI EN 301 390 \(V2.1.1\) \(11-2021\)](#): "Fixed Radio Systems; Point-to-point and Multipoint Systems; Unwanted emissions in the spurious domain and receiver immunity limits at equipment/antenna port of Digital Fixed Radio Systems".
- [3] [ETSI EN 301 126-2-1 \(V1.1.1\) \(12-2000\)](#): "Fixed Radio Systems; Conformance testing; Part 2-1: Point-to-Multipoint equipment; Definitions and general requirements".
- [4] [ETSI EN 301 126-2-2 \(V1.1.1\) \(11-2000\)](#): "Fixed Radio Systems; Conformance testing; Part 2-2: Point-to-Multipoint equipment; Test procedures for FDMA systems".
- [5] [ETSI EN 301 126-2-3 \(V1.2.1\) \(11-2004\)](#): "Fixed Radio Systems; Conformance testing; Part 2-3: Point-to-Multipoint equipment; Test procedures for TDMA systems".
- [6] [ETSI EN 301 126-2-4 \(V1.1.1\) \(11-2000\)](#): "Fixed Radio Systems; Conformance testing; Part 2-4: Point-to-Multipoint equipment; Test procedures for FH-CDMA systems".
- [7] [ETSI EN 301 126-2-5 \(V1.1.1\) \(11-2000\)](#): "Fixed Radio Systems; Conformance testing; Part 2-5: Point-to-Multipoint equipment; Test procedures for DS-SS systems".
- [8] [ETSI EN 301 126-2-6 \(V1.1.1\) \(02-2002\)](#): "Fixed Radio Systems; Conformance testing; Part 2-6: Point-to-Multipoint equipment; Test procedures for Multi Carrier Time Division Multiple Access (MC-TDMA) systems".
- [9] [ETSI EN 300 019-1-3 \(V2.4.1\) \(04-2014\)](#): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-3: Classification of environmental conditions; Stationary use at weatherprotected locations".
- [10] [ETSI EN 300 019-1-4 \(V2.2.1\) \(04-2014\)](#): "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents may be useful in implementing an ETSI deliverable or add to the reader's understanding, but are not required for conformance to the present document.

- [i.1] [Directive 2014/53/EU](#) of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC.
- [i.2] ETSI EN 302 326-3: "Fixed Radio Systems; Multipoint Equipment and Antennas; Part 3: Multipoint Antennas".
- [i.3] ITU Radio Regulations (2024).
- [i.4] [Commission Implementing Decision C\(2015\) 5376](#) final of 4.8.2015 on a standardisation request to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards radio equipment in support of Directive 2014/53/EU of the European Parliament and of the Council.
- [i.5] ETSI EG 203 336 (V1.2.1): "Guide for the selection of technical parameters for the production of Harmonised Standards covering article 3.1(b) and article 3.2 of Directive 2014/53/EU".
- [i.6] ETSI TR 101 506 (V2.2.1): "Fixed Radio Systems; Generic definitions, terminology and applicability of essential requirements covering article 3.2 of Directive 2014/53/EU to Fixed Radio Systems".
- [i.7] Recommendation ITU-R SM.1539-1: "Variation of the boundary between the out-of-band and spurious domains required for the application of Recommendations ITU-R SM.1541 and ITU-R SM.329".
- [i.8] ETSI TR 100 028 (all parts): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [i.9] ETSI TR 102 215: "Electromagnetic compatibility and Radio spectrum Matters (ERM); Recommended approach, and possible limits for measurement uncertainty for the measurement of radiated electromagnetic fields above 1 GHz".
- [i.10] ETSI TR 103 103 (V1.1.1): "Fixed Radio Systems; Point-to-point systems; ATPC, RTPC, Adaptive Modulation (mixed-mode) and Bandwidth Adaptive functionalities; Technical background and impact on deployment, link design and coordination".
- [i.11] [ERC Report 025](#): "The European table of frequency allocations and applications in the frequency range 8.3 kHz to 3000 GHz".

NOTE: This Report is also known as ECA (European Common Allocation) Table and is also available integrated in the [EFIS](#) (ECO Frequency Information System).

- [i.12] ETSI TR 101 274: "Transmission and Multiplexing (TM); Digital Radio Relay Systems (DRRS); Point-to-multipoint DRRS in the access network: Overview of different access techniques".
- [i.13] Recommendation ITU-R F.746: "Radio-frequency arrangements for fixed service systems".
- [i.14] Recommendation ITU-R F.1399: "Vocabulary of terms for wireless access".
- [i.15] [CEPT/ECC/DEC\(05\)01](#): "The use of the band 27.5-29.5 GHz by the Fixed Service and uncoordinated Earth stations of the Fixed-Satellite Service (Earth-to-space)".
- [i.16] [CEPT/ERC/REC\(01\)02](#): "Preferred channel arrangement for digital fixed service systems operating in the frequency band 31.8 - 33.4 GHz".
- [i.17] [CEPT/ECC/REC\(11\)01](#): "Guidelines for assignment of frequency blocks for fixed wireless systems in the bands 24.5-26.5 GHz, 27.5-29.5 GHz AND 31.8-33.4 GHz".
- [i.18] [CEPT/ERC/REC 12-05](#): "Harmonised radio frequency channel arrangements for digital terrestrial fixed systems operating in the band 10.0 - 10.68 GHz".

- [i.19] [CEPT/ERC/REC 12-08 \(2024\)](#): "Harmonized radio frequency channel arrangements and block allocations for low, medium and high capacity systems in the band 3 600 MHz to 4 200 MHz".

NOTE: See Annex F note 3 to table F.1.

- [i.20] [CEPT/ERC/REC T/R 13-02](#): "Preferred channel arrangements for the fixed services in the range 22.0 - 29.5 GHz".
- [i.21] [CEPT/ECC/REC\(02\)02](#): "Channel arrangements for digital fixed service systems (point-to-point and point-to-multipoint) operating in the frequency band 31 - 31.3 GHz".
- [i.22] ETSI EG 202 306: "Transmission and Multiplexing (TM); Access networks for residential customers".
- [i.23] Void.
- [i.24] IEC 60835-2-2: "Methods of measurement for equipment used in digital microwave radio transmission systems; Part 2: Measurements on terrestrial radio-relay systems; Section 2: Antenna".
- [i.25] [CEPT/ECC/REC\(01\)04 \(2025\)](#): "Radio frequency channel arrangements for point-to-point (P-P) fixed wireless systems in the frequency band 40.5 - 43.5 GHz".

NOTE: See Annex F note 5 to table F.1.

- [i.26] [Commission Decision 2007/344/EC](#) of 16 May 2007 on harmonised availability of information regarding spectrum use within the Community.
- [i.27] [Directive \(EU\) 2015/1535](#) of the European Parliament and of the Council of 9 September 2015 laying down a procedure for the provision of information in the field of technical regulations and of rules on Information Society services.
- [i.28] [Commission Implementing Decision \(EU\) 2019/784](#) of 14 May 2019 on the harmonisation of the 24,25-27,5 GHz frequency band for terrestrial systems capable of providing wireless broadband electronic communications services in the Union.
- [i.29] [Commission Decision 2008/411/EC](#) of 21 May 2008 on the harmonisation of the 3 400 - 3 800 MHz frequency band for terrestrial systems capable of providing electronic communications services in the Community.
- [i.30] [ECO Frequency Information System \(EFIS\)](#).
- [i.31] [ECO Report 04](#): "Fixed Service in Europe Implementation Status".
- [i.32] [Technical Regulation Information System \(TRIS\)](#).
- [i.33] ISO/IEC 7498-1: "Information technology -- Open Systems Interconnection -- Basic Reference Model: The Basic Model".
- [i.34] [ADCO RED position on Measurement uncertainty](#).

3 Definition of terms, symbols and abbreviations

3.1 Terms

In the present document these "terms", when used, are given in *italic* font.

For the purposes of the present document , the following terms apply:

active antenna: antenna including one or more active electronic components that interact with the Radio Frequency (RF) signal as e.g. amplifier or diode

antenna: part of the transmitting or receiving system that is designed to transmit or receive electromagnetic radiation