

---

**Naprave kratkega dosega (SRD), ki uporabljajo ultra širokopasovno (UWB) tehnologijo - Harmonizirani standard za dostop do radijskega spektra - Oprema radarja za sondiranje nivoja v rezervoarjih (TLPR), ki deluje v frekvenčnih območjih od 4,5 GHz do 7 GHz, od 8,5 GHz do 10,6 GHz, od 24,05 GHz do 27 GHz, od 57 GHz do 64 GHz in od 75 GHz do 85 GHz**

Short Range Devices (SRD) using Ultra Wide Band technology (UWB) - Harmonised standard for access to radio spectrum - Tank Level Probing Radar (TLPR) equipment operating in the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz, 24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz

(<https://standards.iteh.ai>)  
**Document Preview**

SIST EN 302 372 V3.1.1:2025

<https://standards.iteh.ai/catalog/standards/sist/e049ae03-f7f2-4ace-94b0-fae587d8e7bf/sist-en-302-372-v3-1-1-2025>

**Ta slovenski standard je istoveten z: ETSI EN 302 372 V3.1.1 (2025-07)**

---

**ICS:**

33.060.99

Druga oprema za radijske  
komunikacije

Other equipment for  
radiocommunications

**SIST EN 302 372 V3.1.1:2025**

**en**



# ETSI EN 302 372 V3.1.1 (2025-07)



**Short Range Devices (SRD)  
using Ultra Wide Band technology (UWB);  
Harmonised standard for access to radio spectrum;  
Tank Level Probing Radar (TLPR) equipment operating in  
the frequency ranges 4,5 GHz to 7 GHz, 8,5 GHz to 10,6 GHz,  
24,05 GHz to 27 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz**

<https://standards.iteh.ai/catalog/standards/sist/e049ae03-f7f2-4ace-94b0-fae587d8e7bf/sist-en-302-372-v3-1-1-2025>

---

### Reference

REN/ERM-TGUWB-151

---

### Keywords

EHF, harmonised standard, radar, regulation, SHF,  
short range, SRD, testing, UWB

### **ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

### **Important notice**

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

---

### **Notice of disclaimer & limitation of liability**

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.  
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

### **Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

# Contents

|                                                                            |    |
|----------------------------------------------------------------------------|----|
| Intellectual Property Rights .....                                         | 6  |
| Foreword.....                                                              | 6  |
| Modal verbs terminology.....                                               | 7  |
| Introduction .....                                                         | 7  |
| 1 Scope .....                                                              | 8  |
| 2 References .....                                                         | 8  |
| 2.1 Normative references .....                                             | 8  |
| 2.2 Informative references.....                                            | 9  |
| 3 Definition of terms, symbols and abbreviations.....                      | 10 |
| 3.1 Terms.....                                                             | 10 |
| 3.2 Symbols.....                                                           | 10 |
| 3.3 Abbreviations .....                                                    | 10 |
| 4 Technical requirements specifications .....                              | 11 |
| 4.1 Environmental profile.....                                             | 11 |
| 4.2 Equipment categories .....                                             | 11 |
| 4.2.1 General.....                                                         | 11 |
| 4.2.2 Categorization by Permitted Range of Operating Frequency (PROF)..... | 11 |
| 4.2.3 Categorization by antenna connection.....                            | 11 |
| 4.2.4 Summary of TLPR equipment categories.....                            | 12 |
| 4.3 Transmitter Requirements .....                                         | 12 |
| 4.3.1 General.....                                                         | 12 |
| 4.3.2 Operating Frequency Range (OFR).....                                 | 13 |
| 4.3.2.1 Applicability.....                                                 | 13 |
| 4.3.2.2 Description and general requirements.....                          | 13 |
| 4.3.2.3 Limits .....                                                       | 13 |
| 4.3.2.4 Conformance.....                                                   | 13 |
| 4.3.3 Peak e.i.r.p. spectral density.....                                  | 13 |
| 4.3.3.1 Applicability.....                                                 | 13 |
| 4.3.3.2 Description.....                                                   | 13 |
| 4.3.3.3 Limits .....                                                       | 13 |
| 4.3.3.4 Conformance.....                                                   | 14 |
| 4.3.4 Transmitter Indirect Emission (TIE).....                             | 14 |
| 4.3.4.1 Applicability.....                                                 | 14 |
| 4.3.4.2 Description.....                                                   | 14 |
| 4.3.4.3 Limits .....                                                       | 14 |
| 4.3.4.4 Conformance.....                                                   | 14 |
| 4.3.5 Transmitter Unwanted Emissions (TXUE).....                           | 14 |
| 4.3.5.1 Applicability.....                                                 | 14 |
| 4.3.5.2 Description.....                                                   | 15 |
| 4.3.5.3 Limits .....                                                       | 15 |
| 4.3.5.4 Conformance.....                                                   | 15 |
| 4.3.6 TX-behaviour under the complete environmental profile.....           | 15 |
| 4.3.6.1 Applicability.....                                                 | 15 |
| 4.3.6.2 Description.....                                                   | 15 |
| 4.3.6.3 Limits .....                                                       | 16 |
| 4.3.6.3.1 Limits for radiated assessment of the TX behaviour .....         | 16 |
| 4.3.6.3.2 Limits for conducted assessment of the TX behaviour.....         | 16 |
| 4.3.6.4 Conformance.....                                                   | 16 |
| 4.4 Receiver requirements.....                                             | 16 |
| 4.4.1 General.....                                                         | 16 |
| 4.4.2 Wanted performance criteria.....                                     | 16 |
| 4.4.3 Receiver Baseline Sensitivity (RBS) .....                            | 17 |
| 4.4.3.1 Applicability.....                                                 | 17 |
| 4.4.3.2 Description .....                                                  | 17 |

|           |                                                                                             |    |
|-----------|---------------------------------------------------------------------------------------------|----|
| 4.4.3.3   | Limits .....                                                                                | 17 |
| 4.4.3.4   | Conformance .....                                                                           | 17 |
| 4.4.4     | Receiver Baseline Resilience (RBR) .....                                                    | 17 |
| 4.4.4.1   | Applicability .....                                                                         | 17 |
| 4.4.4.2   | Description .....                                                                           | 17 |
| 4.4.4.3   | Limits .....                                                                                | 18 |
| 4.4.4.4   | Conformance .....                                                                           | 18 |
| 5         | Testing for compliance with technical requirements .....                                    | 18 |
| 5.1       | Environmental conditions for testing .....                                                  | 18 |
| 5.1.1     | General .....                                                                               | 18 |
| 5.1.2     | Normal test conditions .....                                                                | 19 |
| 5.1.3     | Complete environmental profile test conditions .....                                        | 19 |
| 5.2       | General conditions for testing .....                                                        | 19 |
| 5.3       | Conformance test suites .....                                                               | 19 |
| 5.4       | Conformance test methods of measurement for transmitter .....                               | 20 |
| 5.4.1     | Operating Frequency Range (OFR) .....                                                       | 20 |
| 5.4.2     | Peak e.i.r.p. spectral density .....                                                        | 20 |
| 5.4.3     | Transmitter Indirect Emissions .....                                                        | 20 |
| 5.4.4     | Transmitter Unwanted Emissions (TXUE) .....                                                 | 21 |
| 5.4.5     | Antenna parameters .....                                                                    | 22 |
| 5.4.5.1   | General .....                                                                               | 22 |
| 5.4.5.2   | Conformance test for TLPR equipment with antenna connector .....                            | 22 |
| 5.4.6     | Duty cycle over signal repetition period .....                                              | 22 |
| 5.4.7     | TX behaviour under the complete environmental profile .....                                 | 22 |
| 5.4.7.1   | General .....                                                                               | 22 |
| 5.4.7.2   | Equipment without antenna connector .....                                                   | 22 |
| 5.4.7.3   | Equipment with antenna connector .....                                                      | 23 |
| 5.5       | Conformance test methods of measurement for receiver .....                                  | 23 |
| 5.5.1     | General .....                                                                               | 23 |
| 5.5.2     | Receiver baseline sensitivity (RBS) .....                                                   | 23 |
| 5.5.2.1   | Radiated test setup for TLPR equipment without antenna connector .....                      | 23 |
| 5.5.2.2   | Conducted test setup for TLPR equipment with antenna connector .....                        | 24 |
| 5.5.2.3   | Test procedure .....                                                                        | 25 |
| 5.5.3     | Receiver Baseline Resilience (RBR) .....                                                    | 25 |
| 5.5.3.1   | Test setups for TLPR equipment providing no access to the noise level of the receiver ..... | 25 |
| 5.5.3.1.1 | Radiated test setup for TLPR equipment without antenna connector .....                      | 25 |
| 5.5.3.1.2 | Conducted test setup for TLPR equipment with antenna connector .....                        | 27 |
| 5.5.3.1.3 | Test procedure .....                                                                        | 28 |
| 5.5.3.2   | Test setups for TLPR equipment providing access to the noise level of the receiver .....    | 28 |
| 5.5.3.2.1 | General .....                                                                               | 28 |
| 5.5.3.2.2 | Test procedure .....                                                                        | 29 |

|                               |                                                                                                               |           |
|-------------------------------|---------------------------------------------------------------------------------------------------------------|-----------|
| <b>Annex A (informative):</b> | <b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b> | <b>31</b> |
|-------------------------------|---------------------------------------------------------------------------------------------------------------|-----------|

|                               |                                                |           |
|-------------------------------|------------------------------------------------|-----------|
| <b>Annex B (informative):</b> | <b>Selection of technical parameters .....</b> | <b>33</b> |
|-------------------------------|------------------------------------------------|-----------|

|                             |                                                                  |           |
|-----------------------------|------------------------------------------------------------------|-----------|
| <b>Annex C (normative):</b> | <b>Test scenarios for receiver parameters measurements .....</b> | <b>36</b> |
|-----------------------------|------------------------------------------------------------------|-----------|

|     |                                                                             |    |
|-----|-----------------------------------------------------------------------------|----|
| C.1 | Introduction .....                                                          | 36 |
| C.2 | Definition of the real scenario .....                                       | 36 |
| C.3 | Derivation of the radiated equivalent scenario .....                        | 37 |
| C.4 | Evaluation of the Radar Cross Section (RCS) of standard radar targets ..... | 37 |

|                             |                                                                  |           |
|-----------------------------|------------------------------------------------------------------|-----------|
| <b>Annex D (normative):</b> | <b>Interferer signals for receiver baseline resilience .....</b> | <b>38</b> |
|-----------------------------|------------------------------------------------------------------|-----------|

|     |                                     |    |
|-----|-------------------------------------|----|
| D.1 | General .....                       | 38 |
| D.2 | Interferer within the OFR .....     | 38 |
| D.3 | Interferer outside of the OFR ..... | 38 |