
Naprave kratkega dosega (SRD), ki uporabljajo ultra širokopasovno (UWB) tehnologijo - Harmonizirani standard za dostop do radijskega spektra - 1. del: Radarska oprema za ugotavljanje ravni tekočine (LPR), ki delujejo v frekvenčnih območjih od 6 GHz do 8,5 GHz, od 24,05 GHz do 26,5 GHz, od 57 GHz do 64 GHz in od 75 GHz do 85 GHz za strogo navpično navzdol usmerjeno namestitev

Short Range Devices (SRD) using Ultra Wide Band technology (UWB) - Harmonised standard for access to radio spectrum - Part 1: Level Probing Radar (LPR) equipment operating in the frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz, 57 GHz to 64 GHz, 75 GHz to 85 GHz for strictly vertical downward installation

(<https://standards.iteh.ai>)
Document Preview

[SIST EN 302 729-1 V3.1.1:2025](https://standards.iteh.ai/catalog/standards/sist/5e2cfce4-984f-4518-b24b-2a641ada9fc8/sist-en-302-729-1-v3-1-1-2025)

<https://standards.iteh.ai/catalog/standards/sist/5e2cfce4-984f-4518-b24b-2a641ada9fc8/sist-en-302-729-1-v3-1-1-2025>

Ta slovenski standard je istoveten z: ETSI EN 302 729-1 V3.1.1 (2025-05)

ICS:

33.060.01	Radijske komunikacije na splošno	Radiocommunications in general
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 302 729-1 V3.1.1:2025 **en**

ETSI EN 302 729-1 V3.1.1 (2025-05)



**Short Range Devices (SRD)
using Ultra Wide Band technology (UWB);
Harmonised standard for access to radio spectrum;
Part 1: Level Probing Radar (LPR) equipment operating in the
frequency ranges 6 GHz to 8,5 GHz, 24,05 GHz to 26,5 GHz,
57 GHz to 64 GHz, 75 GHz to 85 GHz for strictly vertical
downward installation**

ReferenceREN/ERM-TGUWB-152

Keywordsharmonised standard, radar, short range, SRD,
testing, UWB

ETSI650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° w061004871

Important notice

The present document can be downloaded from the
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

Notice of disclaimer & limitation of liability

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.
All rights reserved.

Contents

Intellectual Property Rights	6
Foreword.....	6
Modal verbs terminology.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references.....	8
3 Definition of terms, symbols and abbreviations.....	9
3.1 Terms.....	9
3.2 Symbols.....	10
3.3 Abbreviations	10
4 Technical requirements specifications	11
4.1 Environmental profile.....	11
4.2 EUT categories.....	11
4.2.1 General.....	11
4.2.2 Categorization by output power.....	11
4.2.3 Categorization by Operating Frequency Range (OFR).....	11
4.2.4 Categorization by antenna connection	12
4.2.5 Summary of LPR sub-categories	12
4.3 Transmitter Requirements	13
4.3.1 General.....	13
4.3.2 Operating Frequency Range (OFR)	13
4.3.2.1 Applicability.....	13
4.3.2.2 Description	13
4.3.2.3 Limits	13
4.3.2.4 Conformance.....	13
4.3.3 Mean e.i.r.p. spectral density	14
4.3.3.1 Applicability.....	14
4.3.3.2 Description	14
4.3.3.3 Limits	14
4.3.3.4 Conformance.....	14
4.3.4 Peak e.i.r.p. spectral density.....	14
4.3.4.1 Applicability.....	14
4.3.4.2 Description	14
4.3.4.3 Limits	14
4.3.4.4 Conformance.....	15
4.3.5 Transmitter unwanted emissions (TXUE)	15
4.3.5.1 Applicability.....	15
4.3.5.2 Description	15
4.3.5.3 Limits	15
4.3.5.4 Conformance.....	16
4.3.6 Antenna requirements	16
4.3.6.1 Applicability.....	16
4.3.6.2 Description	16
4.3.6.3 Limits	17
4.3.6.4 Conformance.....	17
4.3.7 Mitigation techniques	17
4.3.7.1 General	17
4.3.7.2 Adaptive power control (APC)	18
4.3.7.2.1 Applicability	18
4.3.7.2.2 Description	18
4.3.7.2.3 Limits	18
4.3.7.2.4 Conformance	18

4.3.7.3	Duty cycle over signal repetition period (DC_Trep).....	18
4.3.7.3.1	Applicability.....	18
4.3.7.3.2	Description.....	18
4.3.7.3.3	Limits.....	19
4.3.7.3.4	Conformance.....	19
4.3.7.4	Frequency Domain Mitigation (FDM).....	19
4.3.7.4.1	Applicability.....	19
4.3.7.4.2	Description.....	19
4.3.7.4.3	Limits.....	20
4.3.7.4.4	Conformance.....	20
4.3.8	TX-behaviour under the complete environmental profile.....	20
4.3.8.1	Applicability.....	20
4.3.8.2	Description.....	20
4.3.8.3	Limits.....	21
4.3.8.3.1	Limits for radiated assessment of the TX behaviour.....	21
4.3.8.3.2	Limits for conducted assessment of the TX behaviour.....	21
4.3.8.4	Conformance.....	21
4.4	Receiver Requirements.....	21
4.4.1	General.....	21
4.4.2	Wanted performance criteria.....	21
4.4.3	Receiver Baseline Sensitivity (RBS).....	21
4.4.3.1	Applicability.....	21
4.4.3.2	Description.....	21
4.4.3.3	Limits.....	22
4.4.3.4	Conformance.....	22
4.4.4	Receiver Baseline Resilience (RBR).....	22
4.4.4.1	Applicability.....	22
4.4.4.2	Description.....	22
4.4.4.3	Limits.....	23
4.4.4.4	Conformance.....	23
5	Testing for compliance with technical requirements.....	23
5.1	Environmental conditions for testing.....	23
5.1.1	General.....	23
5.1.2	Normal test conditions.....	23
5.1.3	Complete environmental profile test conditions.....	24
5.2	General conditions for testing.....	24
5.3	Conformance test suites.....	24
5.4	Conformance test methods of measurement for transmitter.....	24
5.4.1	Operating Frequency Range (OFR).....	24
5.4.2	Mean e.i.r.p. spectral density.....	24
5.4.3	Peak e.i.r.p. spectral density.....	25
5.4.4	Transmitter Unwanted Emissions (TXUE).....	25
5.4.4.1	General.....	25
5.4.4.2	Transmitter Unwanted Emissions in the Out-Of-Band (OOB) domain.....	25
5.4.4.3	Transmitter Unwanted Emissions in the spurious domain.....	26
5.4.5	Antenna parameters.....	27
5.4.5.1	General.....	27
5.4.5.2	Conformance test for AUTs with antenna connector.....	27
5.4.5.3	Conformance test for integral AUTs without antenna connector.....	27
5.4.5.4	Antenna gain for integral AUTs without antenna connector.....	27
5.4.6	Adaptive Power Control (APC).....	28
5.4.6.1	General.....	28
5.4.6.2	Radiated test setup for EUTs without antenna connector.....	28
5.4.6.3	Conducted test setup for EUTs with antenna connector.....	29
5.4.7	Duty cycle over signal repetition period.....	30
5.4.8	Frequency domain mitigation.....	30
5.4.9	TX behaviour under the complete environmental profile.....	30
5.4.9.1	General.....	30
5.4.9.2	EUT without antenna connector.....	31
5.4.9.3	EUT with antenna connector.....	31
5.5	Conformance test methods of measurement for receiver.....	31

5.5.1	General.....	31
5.5.2	Receiver Baseline Sensitivity (RBS)	31
5.5.2.1	Radiated test setup for EUTs without antenna connector.....	31
5.5.2.2	Conducted test setup for EUTs with antenna connector.....	32
5.5.2.3	Test procedure.....	33
5.5.3	Receiver Baseline Resilience (RBR)	33
5.5.3.1	Test setups for EUTs providing no access to the receiver noise level.....	33
5.5.3.1.1	Radiated test setup for EUTs without antenna connector.....	33
5.5.3.1.2	Conducted test setup for EUTs with antenna connector	35
5.5.3.1.3	Test procedure	36
5.5.3.2	Test setups for EUTs providing access to the receiver noise level.....	37
5.5.3.2.1	General	37
5.5.3.2.2	Test procedure	37
Annex A (informative):	Relationship between the present document and the essential requirements of Directive 2014/53/EU	39
Annex B (informative):	Selection of technical parameters	41
Annex C (normative):	Test scenarios for receiver parameters measurements	43
C.1	Introduction	43
C.2	Definition of the real scenario.....	43
C.3	Derivation of the radiated equivalent scenario	44
C.4	Evaluation of the Radar Cross Section (RCS) of standard radar targets	44
Annex D (normative):	Interferer signals for receiver baseline resilience	45
D.1	General	45
D.2	Interferer within the OFR.....	45
D.3	Interferer outside of the OFR	45
Annex E (informative):	Installation requirements.....	46
Annex F (informative):	Range of modulation schemes.....	48
F.1	Pulse modulation schemes.....	48
F.2	FMCW modulation schemes	48
Annex G (informative):	Bibliography.....	49
Annex H (informative):	Change history	50
History		51