

**SLOVENSKI STANDARD**  
**SIST EN 305 550-6 V1.2.1:2025**  
**01-julij-2025**

---

**Naprave kratkega dosega (SRD) za uporabo v frekvenčnem območju od 40 GHz do 260 GHz - Harmonizirani standard za dostop do radijskega spektra - 6. del:  
Posebne aplikacije radiodeterminacije - Oprema radarja za sondiranje nivoja v rezervoarjih (TLPR) in radarja za ugotavljanje ravni tekočine (LPR), ki deluje v frekvenčnih območjih od 116 GHz do 148,5 GHz od 167 GHz do 182 GHz in od 231,5 GHz do 250 GHz**

Short Range Devices (SRD) to be used in the 40 GHz to 260 GHz frequency range - Harmonised Standard for access to radio spectrum - Part 6: Specific radiodetermination applications - Tank Level Probing Radar (TLPR) and Level Probing Radar (LPR) equipment operating in the frequency ranges 116 GHz to 148,5 GHz; 167 GHz to 182 GHz and 231,5 GHz to 250 GHz

**Document Preview**

[SIST EN 305 550-6 V1.2.1:2025](#)

<https://standards.iteh.ai/catalog/standards/sist/fff40945-5eb5-4e81-9ab1-45a0feed627e/sist-en-305-550-6-v1-2-1-2025>

**Ta slovenski standard je istoveten z: ETSI EN 305 550-6 V1.2.1 (2025-05)**

---

**ICS:**

|           |                             |                                      |
|-----------|-----------------------------|--------------------------------------|
| 33.060.20 | Sprejemna in oddajna oprema | Receiving and transmitting equipment |
|-----------|-----------------------------|--------------------------------------|

**SIST EN 305 550-6 V1.2.1:2025**

**en**



# ETSI EN 305 550-6 v1.2.1 (2025-05)



**Short Range Devices (SRD) to be used in  
the 40 GHz to 260 GHz frequency range;  
Harmonised Standard for access to radio spectrum;  
Part 6: Specific radiodetermination applications - Tank Level  
Probing Radar (TLPR) and Level Probing Radar (LPR)  
equipment operating in the frequency ranges  
116 GHz to 148,5 GHz; 167 GHz to 182 GHz and  
231,5 GHz to 250 GHz**

[https://standards.itek.no/EN\\_305\\_550-6\\_v1-2-1-2025.pdf](https://standards.itek.no/EN_305_550-6_v1-2-1-2025.pdf)

---

Reference

DEN/ERM-TGUWB-627

---

Keywordsharmonised standard, measurement, radar,  
sensor, SRD***ETSI***650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - APE 7112B  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° w061004871

---

***Important notice***

The present document can be downloaded from the  
[ETSI Search & Browse Standards](#) application.

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format on [ETSI deliver](#) repository.

Users should be aware that the present document may be revised or have its status changed,  
this information is available in the [Milestones listing](#).

If you find errors in the present document, please send your comments to  
the relevant service listed under [Committee Support Staff](#).

If you find a security vulnerability in the present document, please report it through our  
[Coordinated Vulnerability Disclosure \(CVD\)](#) program.

<https://standards.iteh.ai/catalog/standards/den/fff40945-5cb5-4e81-8ab1-4506c1627e/sist-en-305-550-6-v1-2-1-2025>

---

***Notice of disclaimer & limitation of liability***

The information provided in the present deliverable is directed solely to professionals who have the appropriate degree of experience to understand and interpret its content in accordance with generally accepted engineering or other professional standard and applicable regulations.

No recommendation as to products and services or vendors is made or should be implied.  
In no event shall ETSI be held liable for loss of profits or any other incidental or consequential damages.

Any software contained in this deliverable is provided "AS IS" with no warranties, express or implied, including but not limited to, the warranties of merchantability, fitness for a particular purpose and non-infringement of intellectual property rights and ETSI shall not be held liable in any event for any damages whatsoever (including, without limitation, damages for loss of profits, business interruption, loss of information, or any other pecuniary loss) arising out of or related to the use of or inability to use the software.

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2025.  
All rights reserved.

# Contents

|   |    |
|---|----|
| Intellectual Property Rights .....  | 6  |
| Foreword.....   | 6  |
| Modal verbs terminology.....  | 7  |
| Introduction .....  | 7  |
| 1    Scope .....  | 8  |
| 2    References .....   | 8  |
| 2.1    Normative references .....   | 8  |
| 2.2    Informative references.....  | 9  |
| 3    Definition of terms, symbols and abbreviations.....                      | 10 |
| 3.1    Terms.....   | 10 |
| 3.2    Symbols .....  | 10 |
| 3.3    Abbreviations .....  | 10 |
| 4    Technical requirements specifications .....                              | 11 |
| 4.1    Environmental profile.....   | 11 |
| 4.2    EUT categories .....   | 11 |
| 4.2.1    General.....   | 11 |
| 4.2.2    Categorization by Operating Frequency Range (OFR).....               | 11 |
| 4.2.3    Categorization by device type.....                                   | 11 |
| 4.2.4    Categorization by antenna gain.....                                  | 12 |
| 4.2.5    Categorization by antenna connection .....                           | 12 |
| 4.2.6    Summary of EUT categories.....                                       | 12 |
| 4.2.7    EUT device sub-category index.....                                   | 13 |
| 4.3    Transmitter Requirements .....   | 14 |
| 4.3.1    General.....   | 14 |
| 4.3.2    Operating Frequency Range (OFR) .....                                | 14 |
| 4.3.2.1    Applicability.....   | 14 |
| 4.3.2.2    Description .....  | 15 |
| 4.3.2.3    Limits .....   | 15 |
| 4.3.2.4    Conformance .....  | 15 |
| 4.3.3    Mean e.i.r.p. spectral density .....                                 | 15 |
| 4.3.3.1    Applicability.....   | 15 |
| 4.3.3.2    Description .....  | 15 |
| 4.3.3.3    Limits .....   | 15 |
| 4.3.3.4    Conformance .....  | 16 |
| 4.3.4    Peak e.i.r.p. spectral density.....                                  | 16 |
| 4.3.4.1    Applicability.....   | 16 |
| 4.3.4.2    Description .....  | 16 |
| 4.3.4.3    Limits .....   | 16 |
| 4.3.4.4    Conformance .....  | 16 |
| 4.3.5    Maximum conducted peak power for devices with low gain antennas..... | 17 |
| 4.3.5.1    Applicability.....   | 17 |
| 4.3.5.2    Description .....  | 17 |
| 4.3.5.3    Limits .....   | 17 |
| 4.3.5.4    Conformance .....  | 17 |
| 4.3.6    Transmitter Unwanted Emissions (TXUE).....                           | 17 |
| 4.3.6.1    Applicability.....   | 17 |
| 4.3.6.2    Description .....  | 17 |
| 4.3.6.3    Limits .....   | 18 |
| 4.3.6.4    Conformance .....  | 20 |
| 4.3.7    Antenna gain requirements .....                                      | 20 |
| 4.3.7.1    Applicability.....   | 20 |
| 4.3.7.2    Description .....  | 20 |
| 4.3.7.3    Limit.....   | 20 |
| 4.3.7.4    Conformance .....  | 21 |

|          |  |    |
|----------|--|----|
| 4.3.8    | Antenna pattern requirements .....                                       | 21 |
| 4.3.8.1  | Applicability.....   | 21 |
| 4.3.8.2  | Description.....   | 21 |
| 4.3.8.3  | Limit.....   | 21 |
| 4.3.8.4  | Conformance .....  | 21 |
| 4.3.9    | Transmitter Duty Cycle Requirements .....                                | 21 |
| 4.3.9.1  | Applicability.....   | 21 |
| 4.3.9.2  | Description.....   | 21 |
| 4.3.9.3  | Limit.....   | 22 |
| 4.3.9.4  | Conformance .....  | 22 |
| 4.3.10   | TX behaviour under the complete environmental profile .....              | 22 |
| 4.3.10.1 | Applicability.....   | 22 |
| 4.3.10.2 | Description .....  | 22 |
| 4.3.10.3 | Limits .....   | 22 |
| 4.3.10.4 | Conformance .....  | 22 |
| 4.4      | Receiver Requirements.....   | 22 |
| 4.4.1    | General.....   | 22 |
| 4.4.2    | Wanted Technical Performance Criteria (WTPC) .....                       | 23 |
| 4.4.3    | Receiver Baseline Sensitivity (RBS) .....                                | 23 |
| 4.4.3.1  | Applicability.....   | 23 |
| 4.4.3.2  | Description .....  | 23 |
| 4.4.3.3  | Limits .....   | 23 |
| 4.4.3.4  | Conformance .....  | 23 |
| 4.4.4    | Receiver Baseline Resilience (RBR) .....                                 | 24 |
| 4.4.4.1  | Applicability.....   | 24 |
| 4.4.4.2  | Description .....  | 24 |
| 4.4.4.3  | Limits .....   | 24 |
| 4.4.4.4  | Conformance .....  | 24 |
| 5        | Testing for compliance with technical requirements.....                  | 25 |
| 5.1      | Environmental conditions for testing .....                               | 25 |
| 5.1.1    | General.....   | 25 |
| 5.1.2    | Normal Conditions.....   | 25 |
| 5.1.3    | Complete environmental profile test conditions .....                     | 25 |
| 5.2      | General conditions for testing and conformance test suites .....         | 25 |
| 5.2.1    | General conditions for testing .....                                     | 25 |
| 5.2.2    | Conformance test suites .....  | 25 |
| 5.3      | Conformance test methods of measurement for transmitter .....            | 26 |
| 5.3.1    | General.....   | 26 |
| 5.3.2    | Operating Frequency Range (OFR) .....                                    | 26 |
| 5.3.3    | Mean e.i.r.p. spectral density .....                                     | 26 |
| 5.3.4    | Peak e.i.r.p. spectral density.....                                      | 26 |
| 5.3.4.1  | General .....  | 26 |
| 5.3.4.2  | Peak e.i.r.p. spectral density for EUTs with a connector.....            | 26 |
| 5.3.4.3  | Peak e.i.r.p. spectral density for EUTs with integral antenna .....      | 26 |
| 5.3.5    | Maximum Conducted Peak Output Power.....                                 | 27 |
| 5.3.5.1  | General .....  | 27 |
| 5.3.5.2  | Conducted peak output power measurement.....                             | 27 |
| 5.3.5.3  | Peak output power evaluation for integral antennas.....                  | 27 |
| 5.3.6    | Transmitter Unwanted Emissions (TXUE).....                               | 27 |
| 5.3.7    | Antenna gain.....  | 28 |
| 5.3.7.1  | General .....  | 28 |
| 5.3.7.2  | Conformance test for antenna gain of AUTs with antenna connector.....    | 28 |
| 5.3.7.3  | Conformance test for antenna gain of AUTs without antenna connector..... | 29 |
| 5.3.8    | Antenna radiation patterns .....   | 29 |
| 5.3.8.1  | General .....  | 29 |
| 5.3.8.2  | Conformance test for AUTs with an antenna connector .....                | 29 |
| 5.3.8.3  | Conformance test for integral AUTs without antenna connector .....       | 29 |
| 5.3.9    | Duty Cycle .....   | 30 |
| 5.3.9.1  | Duty cycle over signal repetition period DC_Trep .....                   | 30 |
| 5.3.9.2  | Duty Cycle Measurement Method .....                                      | 30 |
| 5.3.10   | TX behaviour under full environmental profile .....                      | 31 |

|                               |   |           |
|-------------------------------|---|-----------|
| 5.4                           | Conformance test methods of measurement for receiver .....  | 31        |
| 5.4.1                         | General.....  | 31        |
| 5.4.2                         | Wanted Technical Performance Criteria (WTPC) .....  | 32        |
| 5.4.3                         | Receiver Baseline Sensitivity (RBS) .....   | 32        |
| 5.4.3.1                       | Radiated test setup for EUTs without antenna connector.....   | 32        |
| 5.4.3.2                       | Conducted test setup for EUTs with antenna connector.....   | 32        |
| 5.4.4                         | Receiver Baseline Resilience (RBR) .....  | 33        |
| 5.4.4.1                       | Test setups for EUTs providing no access to the noise level of the receiver .....                             | 33        |
| 5.4.4.1.1                     | Radiated test setup for EUTs without antenna connector.....   | 33        |
| 5.4.4.1.2                     | Conducted test setup for EUTs with antenna connector.....   | 33        |
| 5.4.4.2                       | Test setups for EUTs providing access to the noise level of the receiver .....                                | 34        |
| 5.4.4.2.1                     | General .....   | 34        |
| 5.4.4.2.2                     | Test procedure .....  | 35        |
| <b>Annex A (informative):</b> | <b>Relationship between the present document and the essential requirements of Directive 2014/53/EU .....</b> | <b>36</b> |
| <b>Annex B (informative):</b> | <b>Selection of technical parameters .....</b>  | <b>38</b> |
| <b>Annex C (normative):</b>   | <b>Interferer signals for receiver baseline resilience .....</b>  | <b>40</b> |
| C.1                           | General .....   | 40        |
| C.2                           | Interferer within the OFR .....   | 40        |
| C.3                           | Interferer outside of the OFR .....   | 40        |
| <b>Annex D (normative):</b>   | <b>Test scenarios for receiver parameters measurements .....</b>  | <b>41</b> |
| D.1                           | Introduction .....  | 41        |
| D.2                           | Definition of a real scenario .....   | 41        |
| D.3                           | Derivation of the radiated equivalent scenario .....  | 42        |
| D.4                           | Radar cross sections of suitable targets .....  | 42        |
| D.5                           | Evaluation of the Radar Cross Section (RCS) of standard radar targets .....                                   | 43        |
| <b>Annex E (informative):</b> | <b>Range of modulation parameters .....</b>   | <b>44</b> |
| E.1                           | FMCW modulation schemes .....   | 44        |
| <b>Annex F (informative):</b> | <b>Installation requirements .....</b>  | <b>45</b> |
| F.1                           | LPR installation requirements .....   | 45        |
| F.2                           | TLPR installation requirements.....   | 45        |
| <b>Annex G (informative):</b> | <b>Bibliography.....</b>  | <b>47</b> |
| <b>Annex H (informative):</b> | <b>Change history .....</b>   | <b>48</b> |
| History .....                 | 49  |           |