

---

**Aeronavtika - Konektorji, električni, okrogli, bajonetno sklapljanje, stalna delovna temperatura 175 °C ali 200 °C - 002. del: Specifikacija lastnosti in razporeditev kontaktov**

Aerospace series - Connectors, electrical, circular, bayonet coupling, operating temperature 175 °C or 200 °C continuous - Part 002: Specification of performance and contact arrangements

Luft- und Raumfahrt - Elektrische Rundsteckverbinder mit Bajonettkupplung, Betriebstemperatur 175 °C oder 200 °C konstant - Teil 002: Leistungsdaten und Kontaktanordnungen

Série aérospatiale - Connecteurs électriques circulaires à accouplement par baïonnettes, température d'utilisation 175 °C ou 200 °C continu - Partie 002: Spécification de performances et arrangements des contacts

**Ta slovenski standard je istoveten z: EN 3646-002:2026**

---

**ICS:**

31.220.10	Vtiči in vtičnice, konektorji	Plug-and-socket devices. Connectors
49.060	Letalska in vesoljska električna oprema in sistemi	Aerospace electric equipment and systems

**SIST EN 3646-002:2026**

**en,fr,de**

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

EUROPEAN STANDARD

**EN 3646-002**

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2026

ICS 49.060

Supersedes EN 3646-002:2007

English Version

**Aerospace series - Connectors, electrical, circular, bayonet  
coupling, operating temperature 175 °C or 200 °C  
continuous - Part 002: Specification of performance and  
contact arrangements**

Série aérospatiale - Connecteurs électriques circulaires  
à accouplement par baïonnettes, température  
d'utilisation 175 °C ou 200 °C continu - Partie 002 :  
Spécification de performances et d'arrangements des  
contacts

Luft- und Raumfahrt - Elektrische Rundsteckverbinder  
mit Bajonettkupplung, Betriebstemperatur 175 °C oder  
200 °C konstant - Teil 002: Leistungsdaten und  
Kontaktanordnungen

This European Standard was approved by CEN on 3 November 2025.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

© 2026 CEN All rights of exploitation in any form and by any means reserved  
worldwide for CEN national Members.

Ref. No. EN 3646-002:2026 E

<b>Contents</b>		<b>Page</b>
<b>European foreword</b> .....		<b>3</b>
<b>Introduction</b> .....		<b>4</b>
<b>1 Scope</b> .....		<b>5</b>
<b>2 Normative references</b> .....		<b>5</b>
<b>3 Terms and definitions</b> .....		<b>6</b>
<b>4 Description and codification of class</b> .....		<b>6</b>
<b>5 Technical specification</b> .....		<b>7</b>
<b>6 Operating conditions</b> .....		<b>7</b>
<b>6.1 Combinations of plugs and receptacles</b> .....		<b>7</b>
<b>6.2 Combinations of protective covers and connectors</b> .....		<b>7</b>
<b>6.3 Permissible cables</b> .....		<b>7</b>
<b>6.4 Operating characteristics</b> .....		<b>8</b>
<b>6.4.1 Electrical conditions</b> .....		<b>8</b>
<b>6.4.2 Climatic conditions</b> .....		<b>9</b>
<b>6.4.3 Mechanical conditions</b> .....		<b>9</b>
<b>7 Type codes</b> .....		<b>10</b>
<b>8 Polarization</b> .....		<b>10</b>
<b>9 Housing sizes and contact arrangements</b> .....		<b>10</b>
<b>10 Contacts</b> .....		<b>19</b>
<b>11 Filler plugs</b> .....		<b>19</b>
<b>12 Rear accessories</b> .....		<b>19</b>
<b>13 Tooling</b> .....		<b>19</b>
<b>14 Assembly and wiring instructions</b> .....		<b>19</b>
<b>Bibliography</b> .....		<b>20</b>

## European foreword

This document (EN 3646-002:2026) has been prepared by ASD-STAN.

After enquiries and votes carried out in accordance with the rules of this Association, this document has received the approval of the National Associations and the Official Services of the member countries of ASD-STAN, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2026, and conflicting national standards shall be withdrawn at the latest by August 2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 3646-002:2007.

EN 3646-002:2026 includes the following significant technical changes with respect to EN 3646-002:2007:

- update of normative references;
- editorial revision of the document.

Any feedback and questions on this document should be directed to the users' national standards body. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

**EN 3646-002:2026 (E)****Introduction**

This family of connectors is derived from MIL-DTL-26482 series 2, the NAS 1599 bayonet connector with which it is intermateable.

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

## 1 Scope

This document specifies the performances and contact arrangements groups for bayonet coupling circular connectors, intended for use in an operating temperature range of  $-65\text{ °C}$  to  $175\text{ °C}$  or  $200\text{ °C}$  continuous.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2591-209, *Aerospace series — Elements of electrical and optical connection — Test methods — Part 209: Current temperature derating*

EN 3197, *Aerospace series — Design and installation of aircraft electrical and optical interconnection systems*

EN 3646-001, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 001: Technical specification*

EN 3646-003, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 003: Receptacle, square flange mounting — Product standard*

EN 3646-004, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 004: Receptacle, jam-nut mounting — Product standard*

EN 3646-005, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 005: Receptacle, hermetic, square flange mounting — Product standard*

EN 3646-006, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 006: Receptacle, hermetic, jam-nut mounting — Product standard*

EN 3646-007, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 007: Receptacle, hermetic, round flange, welding or brazing mounting — Product standard*

EN 3646-008, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 008: Plug — Product standard*

EN 3646-009, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 009: Protective cover for receptacle — Product standard*

EN 3646-010, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 010: Protective cover for plug — Product standard*

EN 3646-011, *Aerospace series — Connectors, electrical, circular, bayonet coupling, operating temperature  $175\text{ °C}$  or  $200\text{ °C}$  continuous — Part 011: Dummy receptacle — Product standard*

EN 4529-002, *Aerospace series — Elements of electrical and optical connection — Sealing plugs — Part 002: Index of product standards*