



# SLOVENSKI STANDARD

## SIST EN 50173-6:2018

01-oktober-2018

Nadomešča:  
SIST EN 50173-6:2013

---

**Informacijska tehnologija - Osnovni kabelski sistemi - 6. del: Porazdeljene storitve v stavbah**

Information technology - Generic cabling systems - Part 6: Distributed building services

Informationstechnik - Anwendungsneutrale Kommunikationskabelanlagen - Teil 6: Verteilte Gebäudedienste

Technologies de l'information - Systèmes de câblage générique - Partie 6 : Services distribués dans les bâtiments

**Ta slovenski standard je istoveten z: EN 50173-6:2018**

<https://standards.iteh.ai/catalog/standards/sist/9c645091-d0d1-405a-9429-80f550325472/sist-en-50173-6-2018>

---

**ICS:**

|           |                          |                                 |
|-----------|--------------------------|---------------------------------|
| 33.040.50 | Vodi, zveze in tokokrogi | Lines, connections and circuits |
| 35.110    | Omreževanje              | Networking                      |

**SIST EN 50173-6:2018**

**en,fr**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN 50173-6**

June 2018

ICS 35.110

Supersedes EN 50173-6:2013

English Version

**Information technology - Generic cabling systems - Part 6:  
Distributed building services**

Technologies de l'information - Systèmes de câblage  
générique - Partie 6 : Services distribués dans les  
bâtiments

Informationstechnik - Anwendungsneutrale  
Kommunikationskabelanlagen - Teil 6: Verteilte  
Gebäudedienste

This European Standard was approved by CENELEC on 2018-03-19. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

SIST EN 50173-6:2018

<https://standards.iteh.ai/catalog/standards/sist/9c645091-d0d1-405a-9429-80f550325472/sist-en-50173-6-2018>



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

| <b>Contents</b>                                                                   | <b>Page</b> |
|-----------------------------------------------------------------------------------|-------------|
| <b>European foreword</b> .....                                                    | <b>6</b>    |
| <b>Introduction</b> .....                                                         | <b>7</b>    |
| <b>1 Scope and conformance</b> .....                                              | <b>10</b>   |
| 1.1 Scope .....                                                                   | 10          |
| 1.2 Conformance .....                                                             | 10          |
| <b>2 Normative references</b> .....                                               | <b>11</b>   |
| <b>3 Terms, definitions and abbreviations</b> .....                               | <b>11</b>   |
| 3.1 Terms and definitions.....                                                    | 11          |
| 3.2 Abbreviations .....                                                           | 12          |
| <b>4 Structure of the generic cabling for distributed building services</b> ..... | <b>12</b>   |
| 4.1 General.....                                                                  | 12          |
| 4.2 Functional elements .....                                                     | 13          |
| 4.2.1 Stand-alone structure.....                                                  | 13          |
| 4.2.2 Overlay structure.....                                                      | 13          |
| 4.3 Structure and hierarchy.....                                                  | 13          |
| 4.3.1 Type A generic cabling.....                                                 | 13          |
| 4.3.2 Type B generic cabling.....                                                 | 15          |
| 4.3.3 Centralized cabling .....                                                   | 16          |
| 4.4 Cabling subsystems.....                                                       | 16          |
| 4.4.1 Service distribution cabling subsystem (Type A generic cabling).....        | 16          |
| 4.4.2 Service distribution cabling subsystem (Type B generic cabling).....        | 17          |
| 4.4.3 Associated cabling subsystems .....                                         | 17          |
| 4.5 Design objectives.....                                                        | 17          |
| 4.5.1 General.....                                                                | 17          |
| 4.5.2 Service distribution cabling (Type A generic cabling) .....                 | 18          |
| 4.5.3 Service distribution cabling subsystem (Type B generic cabling).....        | 18          |
| 4.5.4 Backbone cabling.....                                                       | 19          |
| 4.5.5 Tie cabling .....                                                           | 19          |
| 4.6 Accommodation of functional elements.....                                     | 19          |
| 4.6.1 General.....                                                                | 19          |
| 4.6.2 Service Outlets.....                                                        | 20          |
| 4.6.3 Distributors.....                                                           | 20          |
| 4.6.4 Cables .....                                                                | 20          |
| 4.6.5 Service Concentration Points .....                                          | 20          |
| 4.7 Interfaces .....                                                              | 21          |
| 4.7.1 Equipment interfaces and test interfaces.....                               | 21          |
| 4.7.2 Channels and links.....                                                     | 22          |
| 4.8 Dimensioning and configuring .....                                            | 22          |
| 4.8.1 General.....                                                                | 22          |
| 4.8.2 Type A generic cabling.....                                                 | 24          |
| 4.8.3 Type B generic cabling.....                                                 | 25          |
| 4.8.4 Service Concentration Point.....                                            | 26          |
| 4.8.5 Connecting hardware .....                                                   | 26          |
| 4.9 Relevant building services .....                                              | 26          |

|                |                                                                              |           |
|----------------|------------------------------------------------------------------------------|-----------|
| <b>5</b>       | <b>Requirement of channels for distributed building services</b>             | <b>27</b> |
| 5.1            | General                                                                      | 27        |
| 5.2            | Environmental performance                                                    | 28        |
| 5.3            | Transmission performance                                                     | 28        |
| 5.3.1          | General                                                                      | 28        |
| 5.3.2          | Balanced cabling                                                             | 28        |
| 5.3.3          | Optical fibre cabling                                                        | 29        |
| <b>6</b>       | <b>Reference implementations for distributed building services</b>           | <b>29</b> |
| 6.1            | General                                                                      | 29        |
| 6.2            | Balanced cabling                                                             | 29        |
| 6.2.1          | General                                                                      | 29        |
| 6.2.2          | Service distribution cabling (Type A generic cabling)                        | 30        |
| 6.2.3          | Service distribution cabling (Type B generic cabling)                        | 33        |
| 6.2.4          | Backbone cabling                                                             | 34        |
| 6.3            | Optical fibre                                                                | 34        |
| 6.3.1          | Service distribution cabling (Type A generic cabling)                        | 34        |
| 6.3.2          | Service distribution cabling (Type B generic cabling)                        | 34        |
| 6.4            | Backbone cabling                                                             | 34        |
| <b>7</b>       | <b>Requirements of cables for distributed building services</b>              | <b>34</b> |
| 7.1            | General                                                                      | 34        |
| 7.2            | Balanced cables of Category 6 <sub>A</sub> , 7, 7 <sub>A</sub> , 8.1 and 8.2 | 34        |
| 7.3            | Optical fibre cables of Category OM3, OM4, OM5, OS1a and OS2                 | 34        |
| <b>8</b>       | <b>Requirements of connecting hardware for distributed building services</b> | <b>35</b> |
| 8.1            | General requirements                                                         | 35        |
| 8.2            | Balanced connecting hardware                                                 | 35        |
| 8.2.1          | General requirements                                                         | 35        |
| 8.2.2          | Electrical, mechanical and environmental performance                         | 35        |
| 8.3            | Connecting hardware for optical fibre cabling                                | 35        |
| 8.3.1          | General requirements                                                         | 35        |
| 8.3.2          | Optical, mechanical and environmental performance                            | 35        |
| <b>9</b>       | <b>Requirements for cords and jumpers for distributed building services</b>  | <b>36</b> |
| 9.1            | Jumpers                                                                      | 36        |
| 9.2            | Balanced cords of Category 6 <sub>A</sub> , 7, 7 <sub>A</sub> , 8.1 and 8.2  | 36        |
| 9.2.1          | General                                                                      | 36        |
| 9.2.2          | Additional requirements for certain cords                                    | 36        |
| 9.3            | Optical fibre cords of Category OM3, OM4, OM5, OS1a and OS2                  | 36        |
| <b>Annex A</b> | <b>(normative) Link performance limits</b>                                   | <b>37</b> |
| <b>A.1</b>     | <b>General</b>                                                               | <b>37</b> |
| <b>A.2</b>     | <b>Balanced cabling</b>                                                      | <b>37</b> |
| <b>A.3</b>     | <b>Optical fibre cabling</b>                                                 | <b>38</b> |
| <b>Annex B</b> | <b>(informative) Services and applications</b>                               | <b>39</b> |
| <b>B.1</b>     | <b>Introduction</b>                                                          | <b>39</b> |
| <b>B.2</b>     | <b>Service sectors and services</b>                                          | <b>39</b> |
| <b>B.2.1</b>   | <b>Access control</b>                                                        | <b>39</b> |
| <b>B.2.2</b>   | <b>Burglar alarms</b>                                                        | <b>40</b> |
| <b>B.2.3</b>   | <b>Asset management</b>                                                      | <b>40</b> |

## EN 50173-6:2018 (E)

|                     |                                                                                                  |           |
|---------------------|--------------------------------------------------------------------------------------------------|-----------|
| <b>B.2.4</b>        | <b>Audio-visual .....</b>                                                                        | <b>40</b> |
| <b>B.2.5</b>        | <b>Building information systems .....</b>                                                        | <b>40</b> |
| <b>B.2.6</b>        | <b>Building well-being and structural sensor systems .....</b>                                   | <b>41</b> |
| <b>B.2.7</b>        | <b>Energy management .....</b>                                                                   | <b>41</b> |
| <b>B.2.8</b>        | <b>Environmental control.....</b>                                                                | <b>41</b> |
| <b>B.2.9</b>        | <b>Fixed IT services.....</b>                                                                    | <b>42</b> |
| <b>B.2.10</b>       | <b>Personal well-being .....</b>                                                                 | <b>42</b> |
| <b>B.2.11</b>       | <b>Shared IT services .....</b>                                                                  | <b>42</b> |
| <b>B.3</b>          | <b>SCP grid density .....</b>                                                                    | <b>45</b> |
| <b>B.4</b>          | <b>Cabling provision to SCPs.....</b>                                                            | <b>45</b> |
| <b>Annex C</b>      | <b>(informative) Overlay.....</b>                                                                | <b>47</b> |
| <b>C.1</b>          | <b>Functional elements .....</b>                                                                 | <b>47</b> |
| <b>C.1.1</b>        | <b>Type A generic cabling .....</b>                                                              | <b>47</b> |
| <b>C.1.2</b>        | <b>Type B generic cabling .....</b>                                                              | <b>47</b> |
| <b>C.2</b>          | <b>General structure and hierarchy .....</b>                                                     | <b>47</b> |
| <b>C.2.1</b>        | <b>Type A generic cabling .....</b>                                                              | <b>47</b> |
| <b>C.2.2</b>        | <b>Type B generic cabling .....</b>                                                              | <b>48</b> |
| <b>Annex D</b>      | <b>(informative) Optical fibre within the Type B service distribution cabling subsystem.....</b> | <b>49</b> |
| <b>D.1</b>          | <b>Overview .....</b>                                                                            | <b>49</b> |
| <b>D.2</b>          | <b>Implementation recommendations .....</b>                                                      | <b>49</b> |
| <b>D.2.1</b>        | <b>Channel performance.....</b>                                                                  | <b>49</b> |
| <b>D.2.2</b>        | <b>Reference implementation.....</b>                                                             | <b>49</b> |
| <b>D.2.3</b>        | <b>Cables .....</b>                                                                              | <b>50</b> |
| <b>D.2.4</b>        | <b>Connecting hardware .....</b>                                                                 | <b>51</b> |
| <b>D.2.5</b>        | <b>Cords.....</b>                                                                                | <b>51</b> |
| <b>Bibliography</b> | <b>.....</b>                                                                                     | <b>52</b> |

SIST EN 50173-6:2018

<https://standards.iteh.ai/catalog/standards/sist/9c645091-d0d1-405a-9429-80f550325472/sist-en-50173-6-2018>

**Figures**

|                                                                                                         |           |
|---------------------------------------------------------------------------------------------------------|-----------|
| <b>Figure 1 — Schematic relationship between the EN 50173 series and other relevant standards .....</b> | <b>8</b>  |
| <b>Figure 2 — Structure of Type A generic cabling.....</b>                                              | <b>14</b> |
| <b>Figure 3 — Hierarchical structure of Type A generic cabling.....</b>                                 | <b>14</b> |
| <b>Figure 4 — Structure of Type B generic cabling.....</b>                                              | <b>15</b> |
| <b>Figure 5 — Hierarchical structure of Type B generic cabling.....</b>                                 | <b>15</b> |
| <b>Figure 6 — Structures for centralized generic cabling.....</b>                                       | <b>16</b> |
| <b>Figure 7 — Examples of cabling implementation to improve reliability .....</b>                       | <b>18</b> |
| <b>Figure 8 — Accommodation of functional elements .....</b>                                            | <b>19</b> |
| <b>Figure 9 — Accommodation of TEs (Type B generic cabling).....</b>                                    | <b>20</b> |
| <b>Figure 10 — Example of direct connection to SCP.....</b>                                             | <b>21</b> |
| <b>Figure 11 — Test and equipment interfaces (Type A generic cabling).....</b>                          | <b>21</b> |
| <b>Figure 12 — Test and equipment interfaces (Type B generic cabling).....</b>                          | <b>22</b> |
| <b>Figure 13 — Example of a Type A generic cabling system with combined BD and SD .....</b>             | <b>23</b> |
| <b>Figure 14 — Transmission performance of a service distribution channel .....</b>                     | <b>27</b> |
| <b>Figure 15 — Example of a system showing the location of cabling interfaces .....</b>                 | <b>28</b> |
| <b>Figure 16 — Service distribution cabling models.....</b>                                             | <b>32</b> |
| <b>Figure A.1 — Link options .....</b>                                                                  | <b>37</b> |
| <b>Figure B.1 — Wireless application coverage area grid .....</b>                                       | <b>44</b> |
| <b>Figure D.1 — Combined optical fibre backbone/service distribution channels .....</b>                 | <b>50</b> |

**Tables**

|                                                                                                                                                |           |
|------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| <b>Table 1 — Contextual relationship between EN 50173 series and other standards relevant for information technology cabling systems .....</b> | <b>8</b>  |
| <b>Table 2 — Maximum channel lengths for Type A reference implementations .....</b>                                                            | <b>23</b> |
| <b>Table 3 — Maximum channel lengths for Type B reference implementations .....</b>                                                            | <b>25</b> |
| <b>Table 4 — Service distribution channel formulae.....</b>                                                                                    | <b>33</b> |
| <b>Table B.1 — Supported wireless applications .....</b>                                                                                       | <b>42</b> |
| <b>Table B.2 — Recommended SCP grid dimensions.....</b>                                                                                        | <b>45</b> |
| <b>Table B.3 — Estimated SOs per SCP .....</b>                                                                                                 | <b>46</b> |

[\(https://standards.itech.ai/\)](https://standards.itech.ai/)  
Document Preview

[SIST EN 50173-6:2018](https://standards.itech.ai/catalog/standards/sist/9c645091-d0d1-405a-9429-80f550325472/sist-en-50173-6-2018)

<https://standards.itech.ai/catalog/standards/sist/9c645091-d0d1-405a-9429-80f550325472/sist-en-50173-6-2018>