

**SLOVENSKI STANDARD
SIST EN IEC 60115-2:2026****01-junij-2026****Nadomešča:
SIST EN 60115-2:2015**

Stalni upori za elektronsko opremo - 2. del: Področna specifikacija: Tankoplastni upori nizke moči z izvodi za montažo skozi prehodne luknje tiskanih vezij (IEC 60115-2:2023)

Fixed resistors for use in electronic equipment - Part 2: Sectional specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT) (IEC 60115-2:2023)

Festwiderstände zur Verwendung in Geräten der Elektronik - Teil 2: Rahmenspezifikation: Niedrigbelastbare Schichtwiderstände mit Drahtanschlüssen für Durchsteckmontage auf Leiterplatten (THT) (IEC 60115-2:2023)

Résistances fixes utilisées dans les équipements électroniques - Partie 2: Spécification intermédiaire: Résistances à couches et à faible dissipation équipées de broches pour assemblage par trous traversants sur circuits imprimés (THT) (IEC 60115-2:2023)

Ta slovenski standard je istoveten z: EN IEC 60115-2:2026**ICS:**

31.040.10 Fiksni upor Fixed resistors

SIST EN IEC 60115-2:2026 en

Sample Document

get full document from standards.iteh.ai

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60115-2

April 2026

ICS 31.040.10

Supersedes EN 60115-2:2015

English Version

**Fixed resistors for use in electronic equipment - Part 2: Sectional specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT)
(IEC 60115-2:2023)**

Résistances fixes utilisées dans les équipements électroniques - Partie 2: Spécification intermédiaire: Résistances à broches à couche, à faible dissipation, pour assemblage par trous traversants sur cartes de circuit imprimé (carte THT)
(IEC 60115-2:2023)

Festwiderstände zur Verwendung in Geräten der Elektronik - Teil 2: Rahmenspezifikation: Niedrigbelastbare Schichtwiderstände mit Drahtanschlüssen für Durchsteckmontage auf Leiterplatten (THT)
(IEC 60115-2:2023)

This European Standard was approved by CENELEC on 2026-02-09. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 60115-2:2026 E

EN IEC 60115-2:2026 (E)

European foreword

This document (EN IEC 60115-2:2026) consists of the text of document IEC 60115-2:2023, prepared by IEC/TC 40 "Capacitors and resistors for electronic equipment".

The following dates are fixed:

- latest date by which this document has to be (dop) 2027-04-30 implemented at national level by publication of an identical national standard or by endorsement
- latest date by which the national standards (dow) 2029-04-30 conflicting with this document have to be withdrawn

This document supersedes EN 60115-2:2015 and all of its amendments and corrigenda (if any).

This document is read in conjunction with EN IEC 60115-2:2026/A11:2026.

This edition contains the following significant technical changes with respect to the previous edition:

- a) this edition employs a new document structure of the generic specification EN 60115-1:2023, where the tests of prior Clause 4 are given in Clauses 6 to 12 now;
- b) the definitions of product technologies and product classification levels of the generic specification, EN 60115-1:2023, have been adopted;
- c) the preferred dimensions given in Table 1 have been reviewed, and the legacy style RA-0922 has been removed;
- d) a basis for the optional specification of the lead eccentricity of axial leaded resistors has been amended in 4.2;
- e) the 'periodic-pulse high-voltage overload test' of EN 60115-1:2023, 8.3 has been adopted as default test method in 5.3.8, thereby replacing the legacy test 'periodic-pulse overload test' of EN 60115-1:2023, 8.4;
- f) the revised solderability test of EN 60115-1:2023, 11.1 has been adopted in 5.3.19 and 5.3.20;
- g) the combined solvent resistance test of EN 60115-1:2023, 11.3 has been adopted in 5.3.22;
- h) the 'endurance at room temperature test' of EN 60115-1:2023, 7.2 (prior Annex C of EN 60115-2:2015) has been adopted as an optional test in 5.4.1;
- i) the 'single-pulse high-voltage overload test' of EN 60115-1:2023, 8.2, applied with the pulse shape 10/700 in 5.3.7, is complemented with the optional alternative provided by the pulse shape 1,2/50 in 5.4.2;
- j) climatic tests for 'operation at low temperature' of EN 60115-1:2023, 10.2, and for 'damp heat, steady state, accelerated' of EN 60115-1:2023, 10.5, have been adopted as optional tests in 5.4.4. and 5.4.5, respectively;
- k) new guidance is provided in 6.2 on the presentation of stability requirements with their permissible absolute and relative deviations;
- l) acceptance criteria for the visual examination have been added in 6.5 and in Annex B;
- m) visual examination for the primary and proximity packaging has been added in 6.5.2 and in 7.2
- n) the periodical evaluation of termination platings has been added as a new topic of quality assessment in 9.8;

- o) a new Annex C has been added to summarize workmanship requirements for the assembly of leaded film resistors, e.g. as given in the prior IEC 61192 series of standards;
- p) the informative Annex F (prior Annex B) on radial formed styles has been amended with details on a formed Z-bend style for surface-mount assembly.

Preceding documents on the subject covered by this specification have been:

- EN 60115-2:2015
- EN 140100:2008-02, EN 140100:1996-11 + EN 140100:1996-11/A1:2001-08
- CECC 40 100:1980-00, 1973-00

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 60115-2:2023 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 60027-1	NOTE	Approved as EN 60027-1
IEC 60068-2-1	NOTE	Approved as EN IEC 60068-2-1
IEC 60068-2-2	NOTE	Approved as EN IEC 60068-2-2
IEC 60068-2-13	NOTE	Approved as EN IEC 60068-2-13
IEC 60068-2-14	NOTE	Approved as EN IEC 60068-2-14
IEC 60068-2-21	NOTE	Approved as EN IEC 60068-2-21
IEC 60068-2-30	NOTE	Approved as EN IEC 60068-2-30
IEC 60068-2-45	NOTE	Approved as EN 60068-2-45
IEC 60068-2-78	NOTE	Approved as EN IEC 60068-2-78
IEC 60195	NOTE	Approved as EN 60195
IEC 60286-2	NOTE	Approved as EN IEC 60286-2
IEC 60440	NOTE	Approved as EN 60440
IEC 60695-11-5	NOTE	Approved as EN 60695-11-5
IEC 60717	NOTE	Approved as EN 60717
IEC 61191-1	NOTE	Approved as EN IEC 61191-1
IEC 61191-3	NOTE	Approved as EN 61191-3
IEC 61760-1	NOTE	Approved as EN IEC 61760-1
IEC 80000 series	NOTE	Approved as EN IEC 80000 series
ISO 80000 series	NOTE	Approved as EN ISO 80000 series

Sample Document

get full document from standards.iteh.ai



IEC 60115-2

Edition 4.0 2023-02

INTERNATIONAL STANDARD

**Fixed resistors for use in electronic equipment –
Part 2: Sectional specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT)**

get full document from standards.iteh.ai

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 31.040.10

ISBN 978-2-8322-6467-6

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	7
1 Scope.....	9
2 Normative references	9
3 Terms and definitions	10
3.1 Terms	10
3.2 Product technologies	11
3.3 Product classification	11
4 Preferred characteristics.....	11
4.1 General.....	11
4.2 Style and dimensions	11
4.2.1 Preferred styles and outline dimensions.....	11
4.2.2 Length of excessive coating or welding bead	13
4.2.3 Lead wire spacing.....	13
4.2.4 Lead eccentricity	14
4.3 Preferred climatic categories.....	15
4.4 Resistance	16
4.5 Tolerances on resistance	16
4.6 Rated dissipation P_{70}	16
4.7 Limiting element voltage U_{\max}	16
4.8 Insulation voltage U_{ins}	17
4.9 Insulation resistance R_{ins}	17
5 Tests and test severities.....	17
5.1 General provisions for tests applied by this specification.....	17
5.2 Preparation of specimens	18
5.2.1 Drying.....	18
5.2.2 Mounting of components on test boards.....	18
5.2.3 Mounting of components on a test rack.....	21
5.3 Details of applied tests.....	23
5.3.1 Resistance	23
5.3.2 Temperature coefficient of resistance	23
5.3.3 Temperature rise	23
5.3.4 Endurance at the rated temperature 70 °C.....	23
5.3.5 Endurance at a maximum temperature: UCT.....	24
5.3.6 Short-term overload	24
5.3.7 Single-pulse high-voltage overload test	25
5.3.8 Periodic-pulse high-voltage overload test	26
5.3.9 Electrostatic discharge (ESD) test	27
5.3.10 Visual examination	27
5.3.11 Gauging of dimensions	28
5.3.12 Detail dimensions	28
5.3.13 Robustness of terminations	28
5.3.14 Vibration	29
5.3.15 Rapid change of temperature.....	29
5.3.16 Rapid change of temperature, ≥ 100 cycles	29
5.3.17 Climatic sequence	29
5.3.18 Damp heat, steady state	30

5.3.19	Solderability, with lead-free solder	30
5.3.20	Solderability, with SnPb solder	31
5.3.21	Resistance to soldering heat	32
5.3.22	Solvent resistance	32
5.3.23	Insulation resistance	32
5.3.24	Voltage proof	32
5.3.25	Flammability	33
5.4	Optional and/or additional tests	33
5.4.1	Endurance at room temperature	33
5.4.2	Single-pulse high-voltage overload test	34
5.4.3	Periodic-pulse overload test	34
5.4.4	Operation at low temperature	35
5.4.5	Damp heat, steady state, accelerated	35
6	Performance requirements	36
6.1	General	36
6.2	Limits for change of resistance at tests	36
6.3	Temperature coefficient of resistance	39
6.4	Temperature rise	39
6.5	Visual examination	40
6.5.1	General visual criteria	40
6.5.2	Visual criteria after tests	40
6.5.3	Visual criteria for the packaging	40
6.6	Solderability	40
6.7	Insulation resistance	41
6.8	Flammability	41
7	Marking, packaging and ordering information	41
7.1	Marking of the component	41
7.2	Packaging	41
7.3	Marking of the packaging	41
7.4	Ordering information	42
8	Detail specifications	42
8.1	General	42
8.2	Information to be specified in a detail specification	42
8.2.1	Outline drawing or illustration	42
8.2.2	Style and dimensions	42
8.2.3	Climatic category	43
8.2.4	Resistance range	43
8.2.5	Tolerances on resistance	43
8.2.6	Rated dissipation P_{70}	43
8.2.7	Limiting element voltage U_{\max}	43
8.2.8	Insulation voltage U_{ins}	43
8.2.9	Insulation resistance R_{ins}	43
8.2.10	Test severities	44
8.2.11	Limits of resistance change after testing	44
8.2.12	Temperature coefficient of resistance	44
8.2.13	Marking	44
8.2.14	Ordering information	44
8.2.15	Mounting	44

8.2.16	Storage.....	44
8.2.17	Transportation	44
8.2.18	Additional information	44
8.2.19	Quality assessment procedures	44
8.2.20	0 Ω resistors	44
9	Quality assessment procedures	45
9.1	General.....	45
9.2	Definitions.....	45
9.2.1	Primary stage of manufacture	45
9.2.2	Structurally similar components	45
9.2.3	Assessment level EZ	45
9.3	Formation of inspection lots	45
9.4	Approved component (IECQ AC) procedures	46
9.5	Qualification approval (QA) procedures.....	46
9.5.1	General	46
9.5.2	Qualification approval	47
9.5.3	Quality conformance inspection	47
9.6	Capability certification (IECQ AC-C) procedures	47
9.7	Technology certification (IECQ-AC-TC) procedures	47
9.8	Periodical evaluation of termination plating	47
9.9	Delayed delivery	47
9.10	Certified test records.....	48
9.11	Certificate of conformity (CoC).....	48
Annex A	(normative) Symbols and abbreviated terms	58
A.1	Symbols.....	58
A.2	Abbreviated terms.....	61
Annex B	(normative) Visual examination acceptance criteria.....	63
B.1	General.....	63
B.2	Criteria for general visual inspection of specimens.....	63
B.3	Criteria for visual inspection of specimens after tests.....	63
Annex C	(normative) Workmanship requirements for the assembly of leaded film resistors.....	64
C.1	General.....	64
C.2	Lead forming.....	64
C.2.1	General	64
C.2.2	Means for support of mounting height	65
C.3	Mounting.....	66
C.3.1	General	66
C.3.2	Lateral mounting.....	67
C.3.3	Upright mounting	68
C.4	Lead trimming	69
Annex D	(normative) Zero Ohm resistors (jumpers).....	71
D.1	General.....	71
D.2	Preferred characteristics	71
D.3	Tests and test severities	71
D.4	Performance requirements	72
D.5	Marking, packaging and ordering information	72
D.6	Detail specification.....	73

D.7	Quality assessment procedures	73
Annex E (informative)	Guide on the application of optional and additional tests	74
E.1	General.....	74
E.2	Endurance at room temperature.....	74
E.3	Single-pulse high-voltage overload test.....	75
E.4	Periodic- pulse overload test.....	76
E.5	Operation at low temperature.....	76
E.6	Damp heat, steady state, accelerated	77
Annex F (informative)	Radial formed types.....	79
F.1	General.....	79
F.1.1	Applicability of this annex	79
F.1.2	Denomination of radial formed types.....	79
F.1.3	Coated lead wires.....	81
F.1.4	Means for support of mounting height.....	81
F.1.5	Means for retention.....	82
F.2	Radial formed types for through-hole assembly.....	82
F.2.1	Radial formed type with lateral body position	82
F.2.2	Radial formed type with upright body position	84
F.3	Radial formed types for surface-mount assembly	87
F.4	Packaging.....	88
F.4.1	Packaging of resistors formed for through-hole assembly	88
F.4.2	Packaging of resistors formed for surface-mount assembly.....	89
F.5	Quality assessment.....	89
F.5.1	General	89
F.5.2	Quality assessment of formed resistors	89
F.5.3	Forming of finished resistors of assessed quality	90
F.5.4	Special inspection requirements	90
Annex X (informative)	Cross-references for the prior revision of this specification.....	91
Bibliography.....		94
Figure 1	– Illustration of a typical axial leaded resistor	10
Figure 2	– Illustrations of typical radial leaded resistors	10
Figure 3	– Shape and dimension of axial leaded resistors.....	12
Figure 4	– Alternative methods for specification of the length of excessive protective coating on axial leaded resistors.....	13
Figure 5	– Lead-wire spacing of axial leaded resistors with bent leads.....	14
Figure 6	– Specification of the lead eccentricity of axial leaded resistors	15
Figure 7	– Derating curve	16
Figure 8	– Basic layout for mechanical, environmental and electrical tests.....	19
Figure 9	– Assembly of specimens to the test board	20
Figure 10	– Mounting of axial leaded specimens on a rack, top view.....	22
Figure 11	– Examples of specimen lead fixation devices.....	23
Figure C.1	– Lead forming dimensions.....	64
Figure C.2	– Examples of mounting height support	66
Figure C.3	– Clearance between coating and solder	67
Figure C.4	– Lateral mounting.....	67

Figure C.5 – Upright mounting	68
Figure C.6 – Lead protrusion	69
Figure C.7 – Lead end distortion	70
Figure F.1 – Production flow and different scopes of quality assurance.....	80
Figure F.2 – Shape and dimensions of radial formed resistor for lateral body position.....	82
Figure F.3 – Shape and dimensions of radial formed resistor for lateral body position with kinked lead wires	83
Figure F.4 – Shape and dimensions of radial formed resistor for upright body position.....	84
Figure F.5 – Shape and dimensions of radial formed resistor for upright body position and wide spacing	85
Figure F.6 – Shape and dimensions of radial formed resistor for upright body position and wide spacing, with kinked lead wire.....	85
Figure F.7 – Shape and dimensions of radial formed resistor for surface-mount assembly (Z-bend)	87
Figure F.8 – Land pattern dimensions for surface-mount assembly	88
Table 1 – Preferred styles of axial leaded resistors	12
Table 2 – Test board dimensions	20
Table 3 – Preferred aggravated overload conditions	27
Table 4 – Limits for the change of resistance at tests.....	38
Table 5 – Permitted change of resistance due to the variation of temperature.....	39
Table 6 – Test schedule for the qualification approval.....	48
Table 7 – Test schedule for the quality conformance inspections	53
Table C.1 – Lead bend radius	65
Table C.2 – Recommended circuit board bore diameters	66
Table C.3 – Clearance of lateral mounted resistors	68
Table E.1 – Implementation of the test endurance at room temperature	74
Table E.2 – Implementation of the single-pulse high-voltage overload test.....	75
Table E.3 – Implementation of the periodic-pulse overload test.....	76
Table E.4 – Implementation of the operation at low temperature test	77
Table E.5 – Implementation of the test damp heat, steady state, accelerated.....	78
Table F.1 – Feasible lead-wire spacing of radial formed resistor for lateral body position.....	84
Table F.2 – Feasible lead-wire spacing of radial formed resistor for upright body position.....	87
Table X.1 – Cross reference for references to clauses	91
Table X.2 – Cross reference for references to figures	93
Table X.3 – Cross reference for references to table	93

INTERNATIONAL ELECTROTECHNICAL COMMISSION

FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –**Part 2: Sectional specification: Low-power film resistors with leads
for through-hole assembly on circuit boards (THT)**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60115-2 has been prepared by IEC technical committee 40: Capacitors and resistors for electronic equipment. It is an International Standard.

This fourth edition cancels and replaces the third edition published in 2014. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) the definitions of product technologies and product classification levels of the generic specification, IEC 60115-1:2020, have been adopted;
- b) the preferred dimensions given in Table 1 have been reviewed, and the legacy style RA_0922 has been removed;
- c) a basis for the optional specification of the lead eccentricity of axial leaded resistors has been amended in 4.2;

- d) the 'period-pulse high-voltage overload test' of IEC 60115-1:2020, 8.3 has been adopted as default test method in 5.3.8, thereby replacing the legacy test 'periodic-pulse overload test' of IEC 60115-1:2020, 8.4;
- e) the revised solderability test of IEC 60115-1:2020, 11.1 has been adopted in 5.3.19 and 5.3.20;
- f) the combined solvent resistance test of IEC 60115-1:2020, 11.3 has been adopted in 5.3.22;
- g) the 'endurance at room temperature test' of IEC 60115-1:2020, 7.2 (prior IEC 60115 2:2014, Annex C) has been adopted as an optional test in 5.4.1;
- h) the 'single-pulse high-voltage overload test' of IEC 60115 1:2020, 8.2, applied with the pulse shape 10/700 in 5.3.7, is complemented with the optional alternative provided by the pulse shape 1,2/50 in 5.4.2;
- i) climatic tests for 'operation at low temperature' of IEC 60115-1:2020, 10.2, and for 'damp heat, steady state, accelerated' of IEC 60115-1:2020, 10.5, have been adopted as optional tests in 5.4.4 and 5.4.5, respectively;
- j) new guidance is provided in 6.2 on the presentation of stability requirements with their permissible absolute and relative deviations;
- k) acceptance criteria for the visual examination have been added in 6.5 and in Annex B;
- l) visual examination for the primary and proximity packaging has been added in 6.5.2 and in 7.2;
- m) the periodical evaluation of termination platings has been added as a new topic of quality assessment in 9.8;
- n) the revised test clause numbering of IEC 60115-1:2020 has been applied;
- o) a new Annex C has been added to summarize workmanship requirements for the assembly of leaded film resistors, e.g. as given in the prior IEC 61192 series of standards;
- p) the informative Annex F (prior Annex B) on radial formed styles has been amended with details on a formed Z-bend style for surface-mount assembly.

The text of this International Standard is based on the following documents:

Draft	Report on voting
40/2943/CDV	40/3001/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

A list of all parts in the IEC 60115 series, published under the general title *Fixed resistors for use in electronic equipment*, can be found on the IEC website.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

FIXED RESISTORS FOR USE IN ELECTRONIC EQUIPMENT –

Part 2: Sectional specification: Low-power film resistors with leads for through-hole assembly on circuit boards (THT)

1 Scope

This part of IEC 60115 is applicable to fixed low-power film resistors with termination leads for use in electronic equipment, which are typically assembled in through-hole technology (THT) on circuit boards.

These resistors are typically described according to types (different geometric shapes) and styles (different dimensions) and product technology. The resistive element of these resistors is typically protected by a conformal lacquer coating. These resistors have wire terminations and are primarily intended to be mounted on a circuit board in through-hole technique.

The object of this document is to state preferred ratings and characteristics and to select from IEC 60115-1 the appropriate quality assessment procedures, tests and measuring methods and to give general performance requirements for this type of resistor.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60062:2016, *Marking codes for resistors and capacitors*

IEC 60063:2015, *Preferred number series for resistors and capacitors*

IEC 60068-1:2013, *Environmental testing – Part 1: General and guidance*

IEC 60068-2-6:2007, *Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)*

IEC 60068-2-20:2021, *Environmental testing – Part 2-20: Tests – Test Ta and Tb – Test methods for solderability and resistance to soldering heat of devices with leads*

IEC 60115-1:2020, *Fixed resistors for use in electronic equipment – Part 1: Generic specification*

IEC 60286-1, *Packaging of components for automatic handling – Part 1: Tape packaging of components with axial leads on continuous tapes*

IEC 60294:2012, *Measurement of the dimensions of a cylindrical component with axial terminations*

IEC 60301, *Preferred diameters of wire terminations of capacitors and resistors*

IEC 61193-2:2007, *Quality assessment systems – Part 2: Selection and use of sampling plans for inspection of electronic components and packages*