

SLOVENSKI STANDARD

SIST EN IEC 60335-2-110:2026

01-november-2026

Nadomešča:

SIST EN IEC 60335-2-110:2021

SIST EN IEC 60335-2-110:2021/A1:2024

Gospodinjski in podobni električni aparati - Varnost - 2-110. del: Posebne zahteve za komercialne mikrovalovne aparate z vstavljivimi ali kontaktnimi nastavki (IEC 60335-2-110:2024)

Household and similar electrical appliances - Safety - Part 2-110: Particular requirements for commercial microwave appliances with insertion or contacting applicators (IEC 60335-2-110:2024)

Sicherheit elektrischer Geräte für den Hausgebrauch und ähnliche Zwecke - Teil 2-110: Besondere Anforderungen für gewerbliche Mikrowellengeräte mit Einführ- oder Kontaktopplikatoren (Antennensystemen) (IEC 60335-2-110:2024)

Appareils électrodomestiques et analogues - Sécurité - Partie 2-110: Exigences particulières pour les appareils à micro-ondes à usage commercial avec applicateurs par insertion ou par contact (IEC 60335-2-110:2024)

Ta slovenski standard je istoveten z: EN IEC 60335-2-110:2026

ICS:

97.040.20

Štedilniki, delovni pulti,
pečice in podobni aparati

Cooking ranges, working
tables, ovens and similar
appliances

SIST EN IEC 60335-2-110:2026

en

Sample Document

get full document from standards.iteh.ai

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 60335-2-110

September 2026

ICS 97.040.20

Supersedes EN IEC 60335-2-110:2021; EN IEC 60335-2-110:2021/A1:2023

English Version

**Household and similar electrical appliances - Safety - Part 2-110:
Particular requirements for commercial microwave appliances
with insertion or contacting applicators
(IEC 60335-2-110:2024)**

Appareils électrodomestiques et analogues - Sécurité -
Partie 2-110: Exigences particulières pour les appareils à
micro-ondes à usage commercial avec applicateurs par
insertion ou par contact
(IEC 60335-2-110:2024)

Sicherheit elektrischer Geräte für den Hausgebrauch und
ähnliche Zwecke - Teil 2-110: Besondere Anforderungen für
gewerbliche Mikrowellengeräte mit Einführ- oder
Kontakapplikatoren (Antennensystemen)
(IEC 60335-2-110:2024)

This European Standard was approved by CENELEC on 2026-07-27. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 60335-2-110:2026 E

EN IEC 60335-2-110:2026 (E)**European foreword**

This document (EN IEC 60335-2-110:2026) consists of the text of document IEC 60335-2-110:2024, prepared by IEC/TC 61 "Safety of household and similar electrical appliances".

The following dates are fixed:

- latest date by which this document has to be (dop) 2027-09-30
implemented at national level by publication of an
identical national standard or by endorsement
- latest date by which the national standards (dow) 2029-09-30
conflicting with this document have to be withdrawn

This document supersedes EN IEC 60335-2-110:2021 and all of its amendments and corrigenda (if any).

This document is read in conjunction with EN IEC 60335-2-110:2026/A11:2026.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Sample Document

Endorsement notice

get full document from standards.iteh.ai

The text of the International Standard IEC 60335-2-110:2024 was approved by CENELEC as a European Standard without any modification.



IEC 60335-2-110

Edition 2.0 2024-07

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Household and similar electrical appliances – Safety –
Part 2-110: Particular requirements for commercial microwave appliances with
insertion or contacting applicators**

**Appareils électrodomestiques et analogues – Sécurité –
Partie 2-110: Exigences particulières pour les appareils à micro-ondes à usage
commercial avec applicateurs par insertion ou par contact**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

ICS 97.040.20

ISBN 978-2-8322-9124-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD.....	4
INTRODUCTION.....	7
1 Scope.....	8
2 Normative references	9
3 Terms and definitions	10
4 General requirement.....	13
5 General conditions for the tests	14
6 Classification.....	14
7 Marking and instructions.....	14
8 Protection against access to live parts.....	18
9 Starting of motor-operated appliances	18
10 Power input and current.....	19
11 Heating.....	19
12 Charging of metal-ion batteries	19
13 Leakage current and electric strength at operating temperature.....	19
14 Transient overvoltages	19
15 Moisture resistance	19
16 Leakage current and electric strength.....	19
17 Overload protection of transformers and associated circuits	20
18 Endurance	20
19 Abnormal operation	21
20 Stability and mechanical hazards.....	22
21 Mechanical strength	22
22 Construction	24
23 Internal wiring.....	27
24 Components	27
25 Supply connection and external flexible cords	27
26 Terminals for external conductors.....	28
27 Provision for earthing	28
28 Screws and connections	29
29 Clearances, creepage distances and solid insulation	29
30 Resistance to heat and fire	30
31 Resistance to rusting	30
32 Radiation, toxicity and similar hazards.....	30
101 Protection against accessibility to microwave-containing regions.....	31
Annexes	40
Annex AA (informative) Rationales for the microwave barrier and associated leakage tests	41
Bibliography.....	47
Figure 101 – Test rod for interlock concealment.....	33
Figure 102 – Arrangement for measurement of microwave leakage.....	34

Figure 103 – Construction site, overview of different applicator types and their use	35
Figure 104 – Large area contacting applicator without traction drive	36
Figure 105 – Large area contacting applicator with traction drive	37
Figure 106 – Insertion applicator.....	38
Figure 107 – Small area contacting applicator.....	39
Table 101 – Assembling torques for screwed connections providing earthing continuity.....	29
Table 102 – Specifications for microwave barriers	32

Sample Document

get full document from standards.iteh.ai

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES –
SAFETY –****Part 2-110: Particular requirements for commercial microwave
appliances with insertion or contacting applicators**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 60335-2-110 has been prepared by subcommittee 61B: Safety of microwave appliances for household and commercial use, of IEC technical committee 61: Safety of household and similar electrical appliances. It is an International Standard.

This second edition cancels and replaces the first edition published in 2013 and Amendment 1:2019. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- Subclause 7.1 has been improved in clarity.
- Subclauses 19.11.2 and 19.103 have been improved in clarity.

- Clause 28 has been modified to add screw requirements.

The text of this International Standard is based on the following documents:

Draft	Report on voting
61B/688/CDV	61B/691A/RVC

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

A list of all parts of the IEC 60335 series, under the general title: *Household and similar electrical appliances – Safety*, can be found on the IEC website.

This part 2 is to be used in conjunction with the latest edition of IEC 60335-1 and its amendments unless that edition precludes it; in that case, the latest edition that does not preclude it is used. It was established on the basis of the sixth edition (2020) of that standard.

NOTE 1 When "Part 1" is mentioned in this standard, it refers to IEC 60335-1.

This part 2 supplements or modifies the corresponding clauses in IEC 60335-1, so as to convert that publication into the IEC standard: Particular requirements for commercial microwave appliances with insertion or contacting applicators.

When a particular subclause of Part 1 is not mentioned in this part 2, that subclause applies as far as is reasonable. When this standard states "addition", "modification" or "replacement", the relevant text in Part 1 is to be adapted accordingly.

NOTE 2 The following numbering system is used:

- subclauses, tables and figures that are numbered starting from 101 are additional to those in Part 1;
- unless notes are in a new subclause or involve notes in Part 1, they are numbered starting from 101, including those in a replaced clause or subclause;
- additional annexes are lettered AA, BB, etc.

NOTE 3 The following print types are used:

- requirements: in roman type;
- *test specifications: in italic type;*
- notes: in small roman type.

Words in **bold** in the text are defined in Clause 3. When a definition concerns an adjective, the adjective and the associated noun are also in **bold**.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

NOTE 4 The attention of National Committees is drawn to the fact that equipment manufacturers and testing organizations can need a transitional period following publication of a new, amended or revised IEC publication in which to make products in accordance with the new requirements and to equip themselves for conducting new or revised tests.

It is the recommendation of the committee that the content of this publication be adopted for implementation nationally not earlier than 12 months or later than 36 months from the date of publication.

IMPORTANT – The "colour inside" logo on the cover page of this document indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

Sample Document

get full document from standards.iteh.ai

INTRODUCTION

It has been assumed in the drafting of this International Standard that the execution of its provisions is entrusted to appropriately qualified and experienced persons.

Guidance documents concerning the application of the safety requirements for appliances can be accessed via TC 61 and SC 61B supporting documents on the IEC website

<https://www.iec.ch/tc61/supportingdocuments>

<https://www.iec.ch/sc61b/supportingdocuments>

This information is given for the convenience of users of this International Standard and does not constitute a replacement for the normative text in this standard.

This standard recognizes the internationally accepted level of protection against hazards such as electrical, mechanical, thermal, fire and radiation of appliances when operated as in normal use taking into account the manufacturer's instructions. It also covers abnormal situations that can be expected in practice and takes into account the way in which electromagnetic phenomena can affect the safe operation of appliances.

This standard takes into account the requirements of IEC 60364 as far as possible so that there is compatibility with the wiring rules when the appliance is connected to the supply mains. However, national wiring rules can differ.

If an appliance within the scope of this standard also incorporates functions that are covered by another part 2 of IEC 60335, the relevant part 2 is applied to each function separately, as far as is reasonable. If applicable, the influence of one function on the other is taken into account.

When a part 2 standard does not include additional requirements to cover hazards dealt with in Part 1, Part 1 applies.

NOTE 1 This means that the technical committees responsible for the part 2 standards have determined that it is not necessary to specify particular requirements for the appliance in question over and above the general requirements.

This standard is a product family standard dealing with the safety of appliances and takes precedence over horizontal and generic standards covering the same subject.

NOTE 2 Horizontal publications, basic safety publications and group safety publications covering a hazard are not applicable since they have been taken into consideration when developing the general and particular requirements for the IEC 60335 series of standards.

An appliance that complies with the text of this standard will not necessarily be considered to comply with the safety principles of the standard if, when examined and tested, it is found to have other features which impair the level of safety covered by these requirements.

An appliance employing materials or having forms of construction differing from those detailed in the requirements of this standard may be examined and tested according to the intent of the requirements and, if found to be substantially equivalent, may be considered to comply with the standard.

NOTE 3 Standards dealing with non-safety aspects of household appliances are:

- IEC standards published by TC 59 concerning methods of measuring performance;
- CISPR 11, CISPR 14-1 and relevant IEC 61000-3 series standards concerning electromagnetic emissions;
- CISPR 14-2 concerning electromagnetic immunity;
- IEC standards published by TC 111 concerning environmental matters.

HOUSEHOLD AND SIMILAR ELECTRICAL APPLIANCES – SAFETY –

Part 2-110: Particular requirements for commercial microwave appliances with insertion or contacting applicators

1 Scope

This clause of Part 1 is replaced by the following.

This part of IEC 60335 deals with the safety of microwave appliances intended for commercial use, their **rated voltage** being not more than 250 V for single-phase appliances connected between one phase and neutral and 480 V for other appliances.

As far as is practicable, this standard deals with the common hazards presented by these types of appliances.

Appliances covered by this standard incorporate an open-ended **applicator** (as example an overview is given in Figure 103) for treatment of the **load**. They are divided into three types:

- with **insertion applicator**, typically for moisture removal by insertion into holes in floors, walls or ceilings (an example is given in Figure 106);
- with **large area contacting applicator**, typically for drying of floors, walls or ceilings (examples are given in Figure 104 and Figure 105);
- with **small area contacting applicator**, typically for paint removal and spot-heating (an example is given in Figure 107).

Microwave appliances with **insertion applicator**, **large area contacting applicator** or **small area contacting applicator** are using electromagnetic energy in one or several of the ISM frequency bands between 300 MHz and 30 GHz, for supplying energy to an external load which is heated so that a resulting process of drying, moisture transport which can result in forces due to formation of steam, decomposition or chemical modification, melting, or termination of organisms such as bacteria or fungus occurs.

NOTE 101 ISM frequency bands are the electromagnetic frequencies established by the ITU and reproduced in CISPR 11.

NOTE 102 Food and beverages are not loads in the meaning of this standard.

Appliances with **insertion applicator** and with **large area contacting applicator** are **portable appliances**. Appliances with **small area contacting applicator** are **handheld appliances**.

Appliances that use non-electrical energy are within the scope of this standard. The microwave-related portion is considered **motor-operated**.

The rationales for the **microwave barrier** and associated leakage tests are described in informative Annex AA.

Attention is drawn to the fact that

- these appliances can radiate microwave energy outside a **restricted area** where they are used. The additional requirements specified by national authorities responsible for the protection for non-ionising radiation that the limit of power flux density is 10 W/m², averaged over any time period of 6 min, outside this **restricted area** is taken into consideration in this standard;

- these appliances are intended to exclusively treat the **load in normal operation**, i.e. this standard does not apply to appliances or systems employing free space microwave propagation;
- for appliances intended to be used in tropical countries, special requirements can be necessary;
- in many countries, additional requirements are specified by the national health authorities, and national authorities responsible for the protection of labour and for non-ionising radiation protection.

This standard does not apply to

- household microwave ovens, including combination microwave ovens (IEC 60335-2-25);
- commercial microwave ovens with a cavity door, commercial combination microwave ovens with a cavity door and commercial microwave ovens without a cavity door and with transportation means (IEC 60335-2-90);
- industrial microwave heating equipment (IEC 60519-6);
- appliances for medical purposes (IEC 60601-1);
- appliances and equipment for laboratory use (IEC 61010 series);
- appliances intended to be used in locations where special conditions prevail, such as the presence of a corrosive or explosive atmosphere (dust, vapour or gas);

Some of the specifications and tests in this standard are not applicable for other than 2 450 MHz appliances.

2 Normative references

This clause of Part 1 is applicable except as follows.

Addition:

IEC 60335-2-90, *Household and similar electrical appliances – Safety – Part 2-90: Particular requirements for commercial microwave ovens*

ISO 898-1, *Mechanical properties of fasteners made of carbon steel and alloy steel – Part 1: Bolts, screws and studs with specified property classes – Coarse thread and fine pitch thread*

ISO 3506-1, *Fasteners – Mechanical properties of corrosion-resistant stainless steel fasteners – Part 1: Bolts, screws and studs with specified grades and property classes*

ISO 3506-2, *Fasteners – Mechanical properties of corrosion-resistant stainless steel fasteners – Part 2: Nuts with specified grades and property classes*

ISO 3506-3, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 3: Set screws and similar fasteners not under tensile stress*

ISO 3506-4, *Mechanical properties of corrosion-resistant stainless steel fasteners – Part 4: Tapping screws*

ISO 3864-1, *Graphical symbols – Safety colours and safety signs – Part 1: Design principles for safety signs and safety markings*

ISO 7010, *Graphical symbols – Safety colours and safety signs – Registered safety signs*

3 Terms and definitions

This clause of Part 1 is applicable except as follows.

3.1 Definitions relating to physical characteristics

3.1.7

Note 101 to entry: The **rated frequency** is the input frequency.

3.1.9

Modification:

Replace the first paragraph by the following.

heating operation of the **appliance** under the following conditions:

The **appliance** is operated according to the manufacturer's instructions for **intended use**. However, using a typical **load for intended use** can be impractical, since it can be part of a building, unless the manufacturer makes useful and realistic such **loads** available for the tests. If that is not the case, the appliance is operated under the following conditions:

The initial temperature of the test **load** which is used for microwave energy absorption shall be $(20 \pm 5) ^\circ\text{C}$.

The highest generator power settings are to be used.

Appliances with an **insertion applicator** for moisture removal are operated by insertion into holes in floor, wall or ceiling structures under the following conditions:

- a) The test **load** consists of a metal tank filled with water, having an open top water surface exceeding that of the horizontal dimensions of the appliance by at least 70 mm on all sides and having a water column height of at least 150 mm plus the length of the longest insertion distance of the **insertion applicator**. At the top sides of the tank there are horizontal supports of a **microwave-transparent** material, with a suitable opening for the applicator antenna. The water level is adjusted so that the distance from the housing of the appliance to the test **load** is the same as in its **intended use**.

Note 101 to entry: If it is obvious that good microwave impedance matching of the **insertion applicator** can be obtained only if the hole into which it is inserted is not water-filled, a sleeve or similar of a highly **microwave transparent** material such as PTFE is used around the **insertion applicator**. If wave propagation in the axial direction occurs in the test set-up and the manufacturer can show that it is not possible in actual use, or monitoring devices then shut down the **insertion applicator**, a thin-wall plastic tube with inner diameter corresponding to the maximum hole diameter according to the manufacturer's specification can be used.

- b) Appliances with **large area contacting applicator** for drying of floor, wall or ceiling structures are operated under the following conditions: the test **load** consists of a metal tank filled with water, having an open top water surface exceeding that of the horizontal dimensions of the appliance by at least 70 mm on all sides and having a water column height of at least 150 mm. At the top of two opposite tank sides there are horizontal supports of a **microwave-transparent** material, extending just so far inwards that the **traction drive** rests on the support. The water level is adjusted so that the distance from the **applicator** to the test **load** is the same as in its **intended use**. The proper reversal function of the **traction drive** is tested under the following conditions: the appliance is operated on a horizontal plywood surface with a thickness of 20 mm and an area sufficient to allow back and forth movement between blocks representing walls.

Note 102 to entry: If needed for representative operation of the appliance, the horizontal supports are extended as to activate the mechanical **microwave interlocks**.

Appliances with **small area contacting applicator** for paint removal and spot-heating are operated under the following conditions:

The test **load** consists of a grinding wheel or grinding block made of fine-grained silicon carbide at least 15 mm in thickness, and its length and width exceeding the corresponding dimensions of the **applicator** opening by at least 30 mm; however this test **load** shall be so large that it can be air-cooled from the underside without the appliance being influenced.

3.1.101

rated microwave power output

microwave power output assigned to the appliance by the manufacturer

Note 1 to entry: This can be lower than the **available microwave power**, due to intentional microwave power losses in microwave absorbers (see Note in 101.1) and coaxial cables acting for protection of the microwave generator of **small area contacting applicators** (see 22.101).

3.1.102

available microwave power

microwave generator nominal output under impedance matched condition which is obtained by the generator manufacturer specification and measurement of its electrical input to the generator in the appliance during the first 10 s of operation at maximum power

Note 1 to entry: Magnetrons will typically have a stationary power output 3 s after energising.

3.6 Definitions relating to parts of an appliance

3.6.101

applicator

structure which applies the microwave energy to the **load**

3.6.102

microwave transparent

property of a material having negligible absorption and reflection of microwaves

Note 1 to entry: The relative permittivity of a **microwave transparent** material is less than 7 and the relative loss factor is less than 0,015.

3.6.103

insertion applicator

applicator for insertion into the **load**, in which all **available microwave power** is intended to be absorbed

3.6.104

large area contacting applicator

applicator with a metallic enclosure, having at least one geometric non-metallic opening through which microwave energy is applied to a closely located external **load** in which all **available microwave power** is intended to be absorbed

3.6.105

small area contacting applicator

applicator with a metallic enclosure, having at least one geometric non-metallic opening or appropriate device through which microwave energy is applied to a very closely located external **load** in which all **rated microwave power** is intended to be absorbed

3.6.106

traction drive

means or system used to accomplish movement of an appliance with **large area contacting applicator** on a floor