
Merjenje porabe energije v stanju pripravljenosti za naprave in opremo

Measurement of standby power for appliances and equipment

Messung der Standby-Leistungsaufnahme für Geräte

Appareils électrodomestiques - Mesure de la consommation en veille

Ta slovenski standard je istoveten z: EN IEC 62301:2026get full document from standards.iteh.ai**ICS:**

17.220.20	Merjenje električnih in magnetnih veličin	Measurement of electrical and magnetic quantities
97.030	Električni aparati za dom na splošno	Domestic electrical appliances in general

SIST EN IEC 62301:2026**en**

Sample Document

get full document from standards.iteh.ai

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN IEC 62301

July 2026

ICS 17.220.20; 97.030

Supersedes EN 50564:2011

English Version

**Measurement of standby power for appliances and equipment
(IEC 62301:2026)**

Appareils électrodomestiques - Mesure de la consommation
en veille
(IEC 62301:2026)

Messung der Standby-Leistungsaufnahme für Geräte
(IEC 62301:2026)

This European Standard was approved by CENELEC on 2026-06-26. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.



European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 62301:2026 E

EN IEC 62301:2026 (E)**European foreword**

The text of document 59/867/FDIS, future edition 3 of IEC 62301, prepared by TC 59 "Performance of household and similar electrical appliances" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 62301:2026.

The following dates are fixed:

- latest date by which the document has to be implemented at national (dop) 2027-07-31 level by publication of an identical national standard or by endorsement
- latest date by which the national standards conflicting with the (dow) 2029-07-31 document have to be withdrawn

This document supersedes EN 50564:2011 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

The text of the International Standard IEC 62301:2026 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standard indicated:

IEC 63103	NOTE	Approved as EN IEC 63103
IEC 62301:2011	NOTE	Approved as EN 50564:2011
IEC 62680-1-2	NOTE	Approved as EN IEC 62680-1-2
IEC 61000-3-2	NOTE	Approved as EN IEC 61000-3-2
IEC 60436	NOTE	Approved as EN IEC 60436
IEC 60456	NOTE	Approved as EN 60456

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 63474	2026	Electrical and electronic household and office equipment - Measurement of networked standby power of edge equipment	EN IEC 63474	2026

Sample Document

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai



IEC 62301

Edition 3.0 2026-05

INTERNATIONAL STANDARD

HORIZONTAL PUBLICATION

GROUP ENERGY EFFICIENCY PUBLICATION

Measurement of standby power for appliances and equipment

get full document from standards.iteh.ai

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	6
1 Scope.....	7
2 Normative references	8
3 Terms, definitions, abbreviated terms and symbols.....	8
3.1 Terms and definitions.....	8
3.1.1 Function-related terms and definitions	8
3.1.2 Mode-related terms and definitions	11
3.1.3 Network-related terms and definitions	12
3.1.4 Other terms and definitions.....	14
3.2 Abbreviated terms.....	15
3.3 Symbols.....	16
4 General conditions for measurements.....	16
4.1 General.....	16
4.2 Test room	16
4.3 Power supply	17
4.3.1 Supply voltage and frequency.....	17
4.3.2 Supply voltage waveform.....	18
4.4 Power measuring instruments	18
4.4.1 General	18
4.4.2 Power measurement uncertainty.....	19
4.4.3 Power measurement sampling rate (frequency response)	22
4.4.4 Other instrument requirements	22
5 Measurements.....	24
5.1 General.....	24
5.2 Preparation of the EUT	24
5.3 Procedure	25
5.3.1 General	25
5.3.2 Data collection.....	26
5.3.3 Data analysis.....	26
5.3.4 Assessment of stability	28
5.4 Assessment of power management functions.....	32
5.4.1 General	32
5.4.2 Power management conditions to be assessed	32
5.4.3 Assessment procedure for power management functions.....	32
6 Test report.....	33
6.1 Product details.....	33
6.2 Test parameters.....	33
6.3 Measured data, for each product mode as applicable.....	34
6.4 Test and laboratory details.....	35
Annex A (informative) Guidance on modes and functions for selected product types.....	36
A.1 General.....	36
A.2 Modes and functions - conceptual framework.....	36
Annex B (informative) Notes on the measurement of non-active modes	38
B.1 Low power measurement issues	38
B.1.1 General	38

IEC 62301:2026 © IEC 2026

B.1.2	Effect of crest factor	38
B.1.3	Effect of low power factor	39
B.1.4	Products having large value X Capacitors.....	40
B.1.5	Effect of spikes or fluctuations introduced by the product during test	40
B.2	Measurement instrument considerations	40
B.2.1	Instruments for power measurements	40
B.2.2	Sampling rate requirements (frequency response)	41
B.2.3	Sampling requirements for cyclic and pulsing loads	41
B.2.4	Measurement of DC load components	42
B.2.5	Automated software considerations	42
B.3	Application of this document	42
B.4	Connection of electrical instruments	43
B.4.1	Determination of connection arrangement.....	43
B.4.2	Lower power loads: supply side voltage measurement.....	44
B.4.3	Higher power loads: load-side voltage measurement	45
Annex C (informative)	Converting power values to energy	46
Annex D (informative)	Determination of uncertainty of measurement	47
D.1	Determination of uncertainty of measurement	47
D.2	Example calculations	48
Annex E (informative)	Sample test report template	52
Annex F (informative)	EUT preparation flowchart	56
Bibliography		57
Figure 1 – Illustration of stability limits for slope for test periods from 15 min to 300 min for loads >1W		29
Figure A.1 – Category of functions and operating conditions of products in respect to functions provided (modes).....		36
Figure A.2 – Concept diagram of reactivation function and related terms		37
Figure B.1 – Connection arrangement for products powered directly from an AC power supply for lower power loads.....		44
Figure B.2 – Connection arrangement for a product powered via an external power supply for lower power loads.....		44
Figure B.3 – Connection arrangement for a product powered directly from the a.c. main supply for higher power loads		45
Figure B.4 – Connection arrangement for a product powered via an external power supply for higher power loads		45
Figure F.1 – Recommended EUT preparation flowchart		56
Table 1 – Typical nominal electricity supply details for some regions		18
Table 2 – Illustration of calculated slope stability limits for different example total test periods: average power ≤ 1 W and average power > 1 W.....		29

INTERNATIONAL ELECTROTECHNICAL COMMISSION

Measurement of standby power for appliances and equipment

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.

2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.

3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.

4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.

5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.

6) All users should ensure that they have the latest edition of this publication.

7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.

8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.

9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had not received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at <https://patents.iec.ch>. IEC shall not be held responsible for identifying any or all such patent rights.

IEC 62301:2026 © IEC 2026

IEC 62301 has been prepared by IEC technical committee 59: Performance of household and similar electrical appliances. It is an International Standard.

This third edition cancels and replaces the second edition published in 2011. This edition constitutes a technical revision.

This edition includes the following significant technical changes with respect to the previous edition:

- a) expansion of the scope in line with the approved horizontal application of this standard;
- b) inclusion of battery powered and DC powered devices;
- c) complete revision and expansion of the definitions (this has been done in conjunction with TC 100/TA19 JWG2 and the definitions in this document and IEC 63474:2026 for **networked standby** are fully aligned);
- d) clarification that this document covers all **non-active** modes except for **networked standby mode(s)**, which is covered by IEC 63474:2026;
- e) reiteration that a wide range of product committees and their standards can reference this document and that they are free to define modes relevant for their products and to some extent measurement conditions that may be product specific, while using the broad methodology set out in this document;
- f) more precise specification of room illuminance requirements has been added, where required;
- g) mandatory requirements for data logging of test data;
- h) requirement that no data loss or out of range records occur within the data set being used to assess product performance;
- i) removal of the Average reading method and Direct meter reading method as valid measurement methods;
- j) greater detail in set-up procedures;
- k) revision of stability requirements, including the refinement of linear regression validity requirements and cyclic load validity requirements, and the introduction of a new alternative approach called the moving average method to ensure that results are as representative and accurate as possible;
- l) further refinement of measurement uncertainty requirements for power measuring instruments, especially for more difficult loads with high crest factor and/or low **power factor**, so that these are more in line with changes in the performance of measuring instruments typically used in laboratories;
- m) inclusion of explicit requirements in the assessment of large data sets against uncertainty requirements;
- n) updated guidance on product configuration, instrumentation settings and calculation of measurement uncertainty;
- o) inclusion of definitions for all relevant **non-active modes** and use of these new definitions and more rigorous terminology throughout the document.

The text of this International Standard is based on the following documents:

Draft	Report on voting
59/867/FDIS	59/870/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

IEC 62301:2026 © IEC 2026

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

It has the status of a group energy efficiency publication in accordance with [IEC GUIDE 118 \[1\]](#) .

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

- reconfirmed,
- withdrawn, or
- revised.

Sample Document

get full document from standards.iteh.ai

IEC 62301:2026 © IEC 2026

INTRODUCTION

The methods defined in this document are intended to cover **non-active modes**. They are not intended to be used to measure the power of products during **active modes** (also called "**on mode(s)**"), as these are generally covered by IEC or other product standards (see Bibliography for some examples), although the measuring techniques, measurement uncertainty determination and test equipment specifications could be adapted for such measurements with careful review.

Sample Document

get full document from standards.iteh.ai

1 Scope

This document specifies methods of measurement of electrical power in **standby mode(s)** and other **non-active modes** (such as **off mode**) and the reporting of the results.

The measurement of power and energy use in **networked standby mode**, is covered by IEC 63474:2026.

This document applies to electronic and electrical equipment powered by:

- low voltage AC power ($LV \leq 1\,000\text{ V AC}$), or
- low voltage DC power ($LV \leq 1\,500\text{ V DC}$) that is ripple-free, measured between conductors or between a conductor and earth, or
- extra low voltage AC power ($ELV \leq 50\text{ V AC}$), or
- extra low voltage DC power ($ELV \leq 120\text{ V DC}$) that is ripple-free, measured between conductors or between a conductor and earth, or
- an external power supply that provides low voltage or extra low voltage AC or DC power, or
- a separate source of extra low voltage DC power, or
- an internal **main battery**.

Conditions that are out of scope:

- **active modes** (**primary function**)
- **networked standby mode** (which is covered by IEC 63474:2026)
- conditions where **main batteries** are being charged other than in **maintenance mode**
- disconnected condition of the equipment.

This document applies to the following product groups where a **non-active mode** is present:

- household appliances, electrical and electronic equipment such as information technology equipment, audio, video and multimedia systems and equipment,
- gas burning equipment with electrical components.

NOTE 1 The measurement of power, energy use and performance of products during their intended use (when performing their **primary functions**) are generally specified in product standards and are not covered by this document.

Where this document is referenced by performance standards or procedures, these are to define and name the relevant **non-active mode** to which this test procedure is applied.

NOTE 2 **Non-active modes** for lighting equipment and the measurement of power is specified in IEC 63103 [2].

NOTE 3 **Edge equipment** can also include **auxiliary batteries**.

Annex A shows the conceptual framework of power modes and functions.

This document does not specify safety requirements. It does not specify minimum performance requirements nor does it set maximum limits on power or energy use.

This group energy efficiency publication is primarily intended to be used as an energy efficiency standard for the products mentioned in the scope, but is also intended to be used by TCs in the preparation of publications for products which are included in the boundary mentioned in the scope of this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 63474:2026, *Electrical and electronic household and office equipment - Measurement of networked standby power consumption of edge equipment*

3 Terms, definitions, abbreviated terms and symbols

3.1 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- IEC Electropedia: available at <https://www.electropedia.org/>
- ISO Online browsing platform: available at <https://www.iso.org/obp>

3.1.1 Function-related terms and definitions

3.1.1.1

function

<of a product> predetermined operation undertaken by a product

Note 1 to entry: Functions can be controlled by an interaction of the user, of other technical systems, and of the system itself, from measurable inputs from the environment and/or time.

Note 2 to entry: A function can be classified as [primary function \(3.1.1.2\)](#), [secondary function \(3.1.1.3\)](#) or [tertiary function \(3.1.1.4\)](#), which are broad categories. The specific categorisation of a function can be determined for each type of equipment.

3.1.1.2

primary function

<of a product> [function \(3.1.1.1\)](#) providing a main intended purpose

EXAMPLE Cleaning of clothes by a washing machine, displaying of video or providing sound by a television.

Note 1 to entry: Products can have more than one primary function.

Note 2 to entry: [Figure A.1](#) provides a structured overview as an aid to understanding functional relationships and energy use applicable in electrotechnical products. Additional terms and definitions to fulfil the particular needs of product sectors should be defined within the structure of the concepts shown in [Figure A.1](#).

[SOURCE: IEC 60050-904:2014 [3], 904-03-02, modified - 'main' added to the definition, Example and new 'Note 1 to entry' added, and Table 1 replaced by [Figure A.1](#) in Note 2 to entry.]

3.1.1.3

secondary function

<of a product> [function \(3.1.1.1\)](#) that enables, supplements or enhances a [primary function \(3.1.1.2\)](#)

EXAMPLE 1 Secondary functions can include [status information functions \(3.1.1.5\)](#), [network integrity functions \(3.1.1.6\)](#), [reactivation functions \(3.1.1.7\)](#), or [sensor-based functions \(3.1.1.10\)](#).

EXAMPLE 2 Timer informing the remaining time for completion of the washing program or the delay start [function \(3.1.1.1\)](#) of a washing machine.