SLOVENSKI STANDARD
SIST EN IEC 63257:2026

01-december-2026

Komunikacije po energetskih vodih za izklop enosmerne opreme - Komunikacijski signal, fizikalna raven (IEC 63257:2026)

Power line communication for DC shutdown equipment - Communication signal, physical layer (IEC 63257:2026)

Powerline-Kommunikation für DC-Abschalteinrichtungen - Kommunikationssignal, physikalische Schicht (IEC 63257:2026)

Communication de ligne électrique pour les équipements d'arrêt du courant continu - Signaux de communication, couche physique (IEC 63257:2026)

Sample Document
get full document from standards.iteh.ai

Ta slovenski standard je istoveten z: **EN IEC 63257:2026**

ICS:

27.160	Sončna energija	Solar energy engineering

SIST EN IEC 63257:2026 **en**

2003-01.Slovenski inštitut za standardizacijo. Razmnoževanje celote ali delov tega standarda ni dovoljeno.

Sample Document

get full document from standards.iteh.ai

SIST EN IEC 63257:2026

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

EN IEC 63257

July 2026

ICS 27.160

English Version

Power line communication for DC shutdown equipment - Communication signal, physical layer (IEC 63257:2026)

Communication de ligne électrique pour les équipements d'arrêt du courant continu - Signaux de communication, couche physique (IEC 63257:2026)

Powerline-Kommunikation für DC-Abschalteinrichtungen - Kommunikationssignal, physikalische Schicht (IEC 63257:2026)

This European Standard was approved by CENELEC on 2026-06-10. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

Sample Document

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

© 2026 CENELEC All rights of exploitation in any form and by any means reserved worldwide for CENELEC Members.

Ref. No. EN IEC 63257:2026 E

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

European foreword

The text of document 82/2189/FDIS, future edition 1 of IEC 63257, prepared by TC 82 "Solar photovoltaic energy systems" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 63257:2026.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2027-07-31
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2029-07-31

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national committee. A complete listing of these bodies can be found on the CENELEC website.

Endorsement notice

Sample Document

The text of the International Standard IEC 63257:2026 was approved by CENELEC as a European Standard without any modification.

get full document from standards.iteh.ai

In the official version, for Bibliography, the following note has to be added for the standard indicated:

IEC 63027	NOTE	Approved as EN IEC 63027

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

Annex ZA
(normative)

Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: www.cencenelec.eu.

Publication	Year	Title	EN/HD	Year
IEC 62548	2016	Photovoltaic (PV) arrays - Design requirements	-	-
IEC/TS 61836	-	Solar photovoltaic energy systems - Terms, definitions and symbols	-	-
CISPR 11	2015	Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement	EN 55011	2016
+ A1	2016		+ A1	2017
-	-		+ A11	2020
+ A2	2019		+ A2	2021

Sample Document
get full document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

Sample Document

get full document from standards.iteh.ai

SIST EN IEC 63257:2026

IEC 63257

Edition 1.0 2026-05

INTERNATIONAL STANDARD

Power line communication for DC shutdown equipment - Communication signal, physical layer

Sample Document

get full document from standards.iteh.ai

ICS 27.160

ISBN 978-2-8327-1161-3

IEC 63257:2026-05(en)

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

CONTENTS

FOREWORD 4
INTRODUCTION 6
1 Scope 7
2 Normative references 7
3 Terms, definitions and abbreviated terms 7
3.1 Terms and definitions 7
3.2 Abbreviated terms 9
4 Power line communication systems 9
4.1 General history of PLC 9
4.2 PLC operational considerations 9
5 DC shutdown system configuration 9
5.1 General 9
5.2 System setup 10
5.3 Operational considerations 10
6 Operating modes 10
6.1 General 10
6.2 Active mode 10
6.3 Shutdown mode 10
6.4 Standby signal 11
6.5 Mode transitions 11
7 Power line communication requirements 12
7.1 Crosstalk 12
7.2 Crosstalk mitigation 12
7.2.1 General 12
7.2.2 Physical crosstalk mitigation 13
7.3 Physical layer aspects 13
7.4 Transmitter 13
7.4.1 General 13
7.4.2 Requirements for the transmitter 14
7.4.3 Transmitter out-of-band emission requirements 14
7.4.4 Transmitter in-band emission requirements 15
7.5 Receiver 16
7.5.1 General 16
7.5.2 Requirements for the receiver 16
7.6 Protocol 18
8 Summary 20
Annex A (informative) Standby signal 21
A.1 General 21
A.2 Reduced power consumption during the night 21
A.3 Ease of installation 21
Annex B (informative) Arc fault detector compatibility 22
Annex C (normative) Multi-module shutdown device 23
Annex D (informative) PV system configuration limits for the provided power line communication values 24
Annex E (informative) PV installation best practices 25

Sample Document
(c) IEC 2026 - All rights reserved
This document is a preview generated by EVS
Not for resale, reproduction or distribution
Preview of document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

Annex F (normative) Test specification 28
F.1 General 28
F.2 Transmitter electrical test specification 28
F.2.1 Principle of transmitter electrical test 28
F.2.2 Transmitter electrical performance test 29
F.3 Receiver electrical test specification 34
F.3.1 Principle of receiver test 34
F.3.2 Receiver electrical performance tests 37
F.4 Equipment interoperability test specification 48
F.4.1 Technical interoperability definition 48
F.4.2 Prerequisites to interoperability tests 48
F.4.3 Symptoms of interoperability and non-interoperability 49
F.4.4 Overall interoperability test framework 50
F.5 Interoperability test sequences 51
F.5.1 Start process interoperability test: single receiver 51
F.5.2 Stop process interoperability test: single receiver 52
F.5.3 Repeated start and stop interoperability test: single receiver 53
F.5.4 Multiple receiver interoperability test: 54
Bibliography 56

Figure 1 – Example of DC shutdown system 10
Figure 2 – Stop process timing 11
Figure 3 – Start process timing 12
Figure 4 – Capacitive and inductive coupling 12
Figure 5 – Example of string cabling 13
Figure 6 – Out-of-band spectrum mask 15
Figure 7 – In-band spectral mask 16
Figure 8 – Rejection ratio graph 17
Figure 9 – In-band rejection graph 18
Figure 10 – Keep Alive duty cycle timing diagram 19
Figure E.1 – String combiner box 25
Figure E.2 – Example of good string combiner wiring 26
Figure E.3 – Example of roof installation 27
Figure F.1 – Transmitter test configuration 29
Figure F.2 – Test of frequency accuracy 29
Figure F.3 – Test of signal timing accuracy 30
Figure F.4 – Transmitter output level test 32
Figure F.5 – Transmitter in band spurious emission mask 33
Figure F.6 – Schematic for in band and out of band test 33
Figure F.7 – Transmitter out of band spurious emission mask 34
Figure F.8 – Receiver test configuration in case of a single module SD 35
Figure F.9 – Receiver test configuration in case of a multi module SD 36
Figure F.10 – Optional use of R_M and L_1 36
Figure F.11 – IEC SD PLC signal 39
Figure F.12 – In-band interferer rejection test levels (RMS) 41

Sample Document
det full document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

Figure F.13 – Out-of-band interferer rejection test levels 43
Figure F.14 – Power line communication with superimposed CW signal 46
Figure F.15 – Test setup 47
Figure F.16 – Principle of communication interoperability test framework 51
Figure F.17 – Start process interoperability test timing 52
Figure F.18 – Stop process interoperability test timing 53
Figure F.19 – Repeated start and stop process interoperability test timing 54
Figure F.20 – Multiple receiver interoperability test diagram 55

Table 1 – Timing requirements for mode transitions 11
Table 2 – Out-of-band spectral mask parameters 14
Table 3 – In-band spectral mask parameters 15
Table 4 – Rejection ratio values 17
Table 5 – In-band rejection values 18
Table 6 – Physical layer parameters 19
Table A.1 – Standby signal 21
Table F.1 – Frequency accuracy 29
Table F.2 – Transmitter output level and output impedance test 32
Table F.3 – Receiver test equipment components 37
Table F.4 – In-band interferer frequency and signal levels 41
Table F.5 – Out-of-band interferer frequency signal levels 42
Table F.6 – Example of a list of interoperable equipment compatible with the IEC DC-shutdown specification 48
Table F.7 – Start process interoperability test steps 51
Table F.8 – Stop process interoperability test steps 52
Table F.9 – Repeated start and stop process interoperability test steps 54

Sample Document
get full document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

INTERNATIONAL ELECTROTECHNICAL COMMISSION

_____

Power line communication for DC shutdown equipment - Communication signal, physical layer

FOREWORD

1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
6) All users should ensure that they have the latest edition of this publication.
7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
9) IEC draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). IEC takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, IEC had received notice of (a) patent(s), which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at https://patents.iec.ch. IEC shall not be held responsible for identifying any or all such patent rights.

Sample Document
Get full document from standards.iteh.ai

IEC 63257 has been prepared by IEC technical committee 82: Solar photovoltaic energy systems. It is an International Standard.

The text of this International Standard is based on the following documents:

Draft	Report on voting
82/2189/FDIS	82/2593/RVD

Full information on the voting for its approval can be found in the report on voting indicated in the above table.

The language used for the development of this International Standard is English.

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

This document was drafted in accordance with ISO/IEC Directives, Part 2, and developed in accordance with ISO/IEC Directives, Part 1 and ISO/IEC Directives, IEC Supplement, available at www.iec.ch/members_experts/refdocs. The main document types developed by IEC are described in greater detail at www.iec.ch/publications.

The committee has decided that the contents of this document will remain unchanged until the stability date indicated on the IEC website under webstore.iec.ch in the data related to the specific document. At this date, the document will be

– reconfirmed,
– withdrawn, or
– revised.

Sample Document

get full document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

INTRODUCTION

This document defines the communication requirements for reducing the output voltage of the DC cables that leave a PV array. This output voltage reduction function can support emergency responders during firefighting operations. For this function, communication is necessary from the inverter / initiator to the PV-modules. Today there are many ways to accomplish this communication task and it is possible to use either wired or wireless solutions. With wireless solutions issues with range and/or communication robustness may occur. Although robustness can be tackled with protocols and modulation schemes, it is sometimes hard to get the necessary range due to physical limitations and normative regulations. With wired communication the need of an additional wire which has to be installed along with the DC power cabling is often a problem. A solution for this is to use power line communication so that the DC power and the information signal are on the same cable and therefore installation requirements and costs are low because the necessity of laying an extra communication cable is eliminated. This document has been developed to set rules for such a power line communication.

Sample Document

get full document from standards.iteh.ai

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

1 Scope

This document applies to photovoltaic (PV) system components and communication networks supporting the communication of the DC shutdown equipment using power line communication.

This document defines how to propagate the operational state of the entire PV system (normal / shutdown) to the individual power production components comprising the PV system. The document also describes requirements and constraints associated with power line communication networks that are used to support this application.

NOTE 1 It is possible to have systems communicating in different ways to the method covered in this document. E.g., in systems where all components of the PLC communication are from the same manufacturer. For those systems this document does not apply.

NOTE 2 Not included in the scope of this document are requirements for DC shutdown initiator mechanism, disconnection and de-energization.

NOTE 3 This document does not address whether DC shutdown is required or not.

NOTE 4 EMC requirements are not included in this document.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

Sample Document

IEC TS 61836, *Solar photovoltaic energy systems - Terms, definitions and symbols*

IEC 62548:2016, *Photovoltaic (PV) arrays - Design requirements*

get full document from standards.iteh.ai

CISPR 11:2015, *Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - Limits and methods of measurement*
CISPR 11:2015/AMD1:2016
CISPR 11:2015/AMD2:2019

3 Terms, definitions and abbreviated terms

For the purposes of this document, the terms and definitions given in IEC TS 61836 and the following apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

– IEC Electropedia: available at https://www.electropedia.org/
– ISO Online browsing platform: available at https://www.iso.org/obp

3.1 Terms and definitions

3.1.1
components
equipment intended to be used in a DC shutdown system to initiate, disconnect or isolate the controlled conductors of a PV system

3.1.2
communication protocol
formal descriptions of digital message formats and rules

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026

SIST EN IEC 63257:2026

3.1.3
initiation device
initiator
manual or automatic switching device, input port or signal that will result in the activation of the shutdown system function(s)

3.1.4
PV power source
DC array or aggregate of arrays that generates DC power

3.1.5
receiver
equipment responsible for accepting the communication signal sent by a transmitter and capable of initiating a state change of PV power source components based on the signal received (see 5.2)

3.1.6
shutdown function
function that reduces the output voltage of the DC cables leaving a PV array in a certain amount of time

3.1.7
DC shutdown system
components and communication protocols that are used to perform shutdown function. Components of a shutdown communication system are initiator(s), transmitter(s), and receiver(s)

Sample Document

3.1.8
transmitter
equipment responsible for sending a communication signal that reflects the current state of the initiation device (see 5.2)

get full document from standards.iteh.ai

3.1.9
barker code
finite sequence of digital values with ideal autocorrelation property used for synchronization in digital communication

3.1.10
spread frequency shift keying
S-FSK
frequency modulation scheme which uses discrete frequency changes of a carrier signal to transmit digital information

Note 1 to entry: The main benefit compared to normal frequency shift keying is that the carrier frequencies are separated by at least 10 kHz and the receiver only needs one carrier to decode the complete message.

SIST EN IEC 63257:2026 • https://standards.iteh.ai/catalog/standards/sist/638f1ae8-58ed-478e-b8c0-de5e3a90d5f3/sist-en-iec-63257-2026