

# **SLOVENSKI STANDARD** **SIST EN ISO 16484-5:2026**

**01-oktober-2026**

**Nadomešča:**

**SIST EN ISO 16484-5:2022**

---

**Sistemi za avtomatizacijo in regulacijo stavb - 5. del: Protokol za izmenjavo podatkov (ISO 16484-5:2026)**

Building automation and control systems (BACS) - Part 5: Data communication protocol (ISO 16484-5:2026)

Systeme der Gebäudeautomation - Teil 5: Datenkommunikationsprotokoll (ISO 16484-5:2026)

Systèmes de contrôle et d'automatisation des bâtiments (BACS) - Partie 5: Protocole de communication de données (ISO 16484-5:2026)

**Ta slovenski standard je istoveten z: EN ISO 16484-5:2026**

---

**ICS:**

|           |                                       |                                                       |
|-----------|---------------------------------------|-------------------------------------------------------|
| 35.240.67 | Uporabniške rešitve IT v gradbeništvu | IT applications in building and construction industry |
| 97.120    | Avtomatske krmilne naprave za dom     | Automatic controls for household use                  |

**SIST EN ISO 16484-5:2026**

**en,fr,de**

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 16484-5**

August 2026

ICS

Supersedes EN ISO 16484-5:2022

English Version

**Building automation and control systems (BACS) - Part 5:  
Data communication protocol (ISO 16484-5:2026)**

Systèmes d'automatisation et de gestion technique du  
bâtiment (BACS) - Partie 5: Protocole de  
communication de données (ISO 16484-5:2026)

Systeme der Gebäudeautomation - Teil 5:  
Datenkommunikationsprotokoll (ISO 16484-5:2026)

This European Standard was approved by CEN on 26 July 2026.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

© 2026 CEN All rights of exploitation in any form and by any means reserved  
worldwide for CEN national Members.

Ref. No. EN ISO 16484-5:2026 E

## Contents

Page

|                        |   |
|------------------------|---|
| European foreword..... | 3 |
|------------------------|---|

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

## European foreword

This document (EN ISO 16484-5:2026) has been prepared by Technical Committee ISO/TC 205 "Building environment design" in collaboration with Technical Committee CEN/TC 247 "Building Automation, Controls and Building Management" the secretariat of which is held by SNV.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2027, and conflicting national standards shall be withdrawn at the latest by February 2027.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 16484-5:2022.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN website.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

## Endorsement notice

The text of ISO 16484-5:2026 has been approved by CEN as EN ISO 16484-5:2026 without any modification.

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)



**International  
Standard**

**ISO 16484-5**

**Building automation and control  
systems (BACS) —**

**Part 5:  
Data communication protocol**

*Systèmes d'automatisation et de gestion technique du bâtiment  
(BACS) —*

*Partie 5: Protocole de communication de données*

**Eighth edition  
2026-08**

**ISO 16484-5:2026(en)**

# Sample Document

get full document from [standards.iteh.ai](https://standards.iteh.ai)

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](https://www.iso.org)

Published in Switzerland

© ISO 2026 – All rights reserved

**ISO 16484-5:2026(en)****CONTENTS**

|                                                                                   |     |
|-----------------------------------------------------------------------------------|-----|
| Foreword .....                                                                    | xi  |
| FOREWORD .....                                                                    | xii |
| 1 PURPOSE .....                                                                   | 1   |
| 2 SCOPE .....                                                                     | 1   |
| 3 DEFINITIONS .....                                                               | 1   |
| 3.1 Terms Adopted from International Standards .....                              | 1   |
| 3.2 Terms Defined for this Standard .....                                         | 2   |
| 3.3 Abbreviations and Acronyms Used in this Standard .....                        | 8   |
| 4 BACnet PROTOCOL ARCHITECTURE .....                                              | 12  |
| 4.1 The BACnet Collapsed Architecture .....                                       | 13  |
| 4.2 BACnet Network Topology .....                                                 | 15  |
| 4.3 Security .....                                                                | 16  |
| 5 THE APPLICATION LAYER .....                                                     | 17  |
| 5.1 The Application Layer Model .....                                             | 17  |
| 5.2 Segmentation of BACnet Messages .....                                         | 23  |
| 5.3 Transmission of BACnet APDUs .....                                            | 24  |
| 5.4 Application Protocol State Machines .....                                     | 28  |
| 5.5 Application Protocol Time Sequence Diagrams .....                             | 46  |
| 5.6 Application Layer Service Conventions .....                                   | 55  |
| 6 THE NETWORK LAYER .....                                                         | 57  |
| 6.1 Network Layer Service Specification .....                                     | 57  |
| 6.2 Network Layer PDU Structure .....                                             | 59  |
| 6.3 Messages for Multiple Recipients .....                                        | 65  |
| 6.4 Network Layer Protocol Messages .....                                         | 65  |
| 6.5 Network Layer Procedures .....                                                | 69  |
| 6.6 BACnet Routers .....                                                          | 71  |
| 6.7 Point-To-Point Half-Routers .....                                             | 76  |
| 7 DATA LINK/PHYSICAL LAYERS: Ethernet (ISO 8802-3) LAN .....                      | 81  |
| 7.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....                        | 81  |
| 7.2 Parameters Required by the LLC Primitives .....                               | 81  |
| 7.3 Parameters Required by the MAC Primitives .....                               | 81  |
| 7.4 Physical Media .....                                                          | 81  |
| 8 DATA LINK/PHYSICAL LAYERS: ARCNET (ATA 878.1) LAN .....                         | 82  |
| 8.1 The Use of ISO 8802-2 Logical Link Control (LLC) .....                        | 82  |
| 8.2 Parameters Required by the LLC Primitives .....                               | 82  |
| 8.3 Mapping the LLC Services to the ARCNET MAC Layer .....                        | 82  |
| 8.4 Parameters Required by the MAC Primitives .....                               | 82  |
| 8.5 Physical Media .....                                                          | 82  |
| 9 DATA LINK/PHYSICAL LAYERS: MULTIDROP SERIAL BUS/TOKEN PASSING (MS/TP) LAN ..... | 84  |
| 9.1 Service Specification .....                                                   | 84  |
| 9.2 Physical Layer .....                                                          | 86  |
| 9.3 MS/TP Frame Format .....                                                      | 96  |
| 9.4 Overview of the MS/TP Network .....                                           | 98  |
| 9.5 MS/TP Medium Access Control .....                                             | 99  |
| 9.6 Cyclic Redundancy Check (CRC) .....                                           | 120 |
| 9.7 Interfacing MS/TP LANs with Other BACnet LANs .....                           | 121 |
| 9.8 Responding BACnet User Processing of Messages from MS/TP .....                | 121 |
| 9.9 Repeaters .....                                                               | 122 |
| 9.10 COBS (Consistent Overhead Byte Stuffing) Encoding .....                      | 123 |
| 9.11 Documenting MS/TP Node Design Choices .....                                  | 127 |
| 10 DATA LINK/PHYSICAL LAYERS: POINT-TO-POINT (PTP) .....                          | 128 |
| 10.1 Overview .....                                                               | 128 |
| 10.2 Service Specification .....                                                  | 128 |
| 10.3 Point-to-Point Frame Format .....                                            | 133 |

**ISO 16484-5:2026(en)**

|       |                                                                 |     |
|-------|-----------------------------------------------------------------|-----|
| 10.4  | PTP Medium Access Control Protocol .....                        | 135 |
| 11    | DATA LINK/PHYSICAL LAYERS: LonTalk (ISO/IEC 14908.1) LAN .....  | 157 |
| 11.1  | The Use of ISO 8802-2 Logical Link Control (LLC) .....          | 157 |
| 11.2  | Parameters Required by the LLC Primitives .....                 | 157 |
| 11.3  | Mapping the LLC Services to the LonTalk Application Layer ..... | 157 |
| 11.4  | Parameters Required by the Application Layer Primitives .....   | 157 |
| 11.5  | Physical Media .....                                            | 158 |
| 12    | MODELING CONTROL DEVICES AS A COLLECTION OF OBJECTS .....       | 160 |
| 12.1  | Object Characteristics and Requirements .....                   | 160 |
| 12.2  | Analog Input Object Type .....                                  | 167 |
| 12.3  | Analog Output Object Type .....                                 | 174 |
| 12.4  | Analog Value Object Type .....                                  | 182 |
| 12.5  | Averaging Object Type .....                                     | 190 |
| 12.6  | Binary Input Object Type .....                                  | 194 |
| 12.7  | Binary Output Object Type .....                                 | 201 |
| 12.8  | Binary Value Object Type .....                                  | 210 |
| 12.9  | Calendar Object Type .....                                      | 218 |
| 12.10 | Command Object Type .....                                       | 221 |
| 12.11 | Device Object Type .....                                        | 228 |
| 12.12 | Event Enrollment Object Type .....                              | 244 |
| 12.13 | File Object Type .....                                          | 253 |
| 12.14 | Group Object Type .....                                         | 257 |
| 12.15 | Life Safety Point Object Type .....                             | 260 |
| 12.16 | Life Safety Zone Object Type .....                              | 268 |
| 12.17 | Loop Object Type .....                                          | 276 |
| 12.18 | Multi-state Input Object Type .....                             | 286 |
| 12.19 | Multi-state Output Object Type .....                            | 292 |
| 12.20 | Multi-state Value Object Type .....                             | 299 |
| 12.21 | Notification Class Object Type .....                            | 307 |
| 12.22 | Program Object Type .....                                       | 313 |
| 12.23 | Pulse Converter Object Type .....                               | 320 |
| 12.24 | Schedule Object Type .....                                      | 328 |
| 12.25 | Trend Log Object Type .....                                     | 336 |
| 12.26 | Access Door Object Type .....                                   | 347 |
| 12.27 | Event Log Object Type .....                                     | 357 |
| 12.28 | Load Control Object Type .....                                  | 365 |
| 12.29 | Structured View Object Type .....                               | 376 |
| 12.30 | Trend Log Multiple Object Type .....                            | 381 |
| 12.31 | Access Point Object Type .....                                  | 391 |
| 12.32 | Access Zone Object Type .....                                   | 409 |
| 12.33 | Access User Object Type .....                                   | 418 |
| 12.34 | Access Rights Object Type .....                                 | 422 |
| 12.35 | Access Credential Object Type .....                             | 429 |
| 12.36 | Credential Data Input Object Type .....                         | 439 |
| 12.37 | CharacterString Value Object Type .....                         | 446 |
| 12.38 | DateTime Value Object Type .....                                | 453 |
| 12.39 | Large Analog Value Object Type .....                            | 459 |
| 12.40 | BitString Value Object Type .....                               | 467 |
| 12.41 | OctetString Value Object Type .....                             | 474 |
| 12.42 | Time Value Object Type .....                                    | 479 |
| 12.43 | Integer Value Object Type .....                                 | 485 |
| 12.44 | Positive Integer Value Object Type .....                        | 493 |
| 12.45 | Date Value Object Type .....                                    | 501 |
| 12.46 | DateTime Pattern Value Object Type .....                        | 507 |
| 12.47 | Time Pattern Value Object Type .....                            | 513 |
| 12.48 | Date Pattern Value Object Type .....                            | 519 |
| 12.49 | Deleted Clause .....                                            | 525 |

**ISO 16484-5:2026(en)**

|       |                                                 |     |
|-------|-------------------------------------------------|-----|
| 12.50 | Global Group Object Type.....                   | 526 |
| 12.51 | Notification Forwarder Object Type.....         | 534 |
| 12.52 | Alert Enrollment Object Type .....              | 542 |
| 12.53 | Channel Object Type .....                       | 546 |
| 12.54 | Lighting Output Object Type.....                | 557 |
| 12.55 | Binary Lighting Output Object Type.....         | 575 |
| 12.56 | Network Port Object Type.....                   | 587 |
| 12.57 | Timer Object Type.....                          | 629 |
| 12.58 | Elevator Group Object Type.....                 | 642 |
| 12.59 | Lift Object Type.....                           | 646 |
| 12.60 | Escalator Object Type.....                      | 659 |
| 12.61 | Accumulator Object Type.....                    | 667 |
| 12.62 | Staging Object Type .....                       | 677 |
| 12.63 | Audit Reporter Object Type.....                 | 688 |
| 12.64 | Audit Log Object Type.....                      | 694 |
| 12.65 | Color Object Type .....                         | 701 |
| 12.66 | Color Temperature Object Type .....             | 707 |
| 13    | ALARM AND EVENT SERVICES.....                   | 714 |
| 13.1  | Change of Value Reporting .....                 | 714 |
| 13.2  | Event Reporting .....                           | 719 |
| 13.3  | Event Algorithms.....                           | 732 |
| 13.4  | Fault Algorithms .....                          | 764 |
| 13.5  | AcknowledgeAlarm Service .....                  | 772 |
| 13.6  | ConfirmedCOVNotification Service.....           | 774 |
| 13.7  | UnconfirmedCOVNotification Service.....         | 776 |
| 13.8  | ConfirmedEventNotification Service.....         | 777 |
| 13.9  | UnconfirmedEventNotification Service.....       | 780 |
| 13.10 | GetAlarmSummary Service .....                   | 783 |
| 13.11 | GetEnrollmentSummary Service .....              | 785 |
| 13.12 | GetEventInformation Service .....               | 788 |
| 13.13 | LifeSafetyOperation Service.....                | 791 |
| 13.14 | SubscribeCOV Service .....                      | 793 |
| 13.15 | SubscribeCOVProperty Service.....               | 796 |
| 13.16 | SubscribeCOVPropertyMultiple Service.....       | 799 |
| 13.17 | ConfirmedCOVNotificationMultiple Service.....   | 805 |
| 13.18 | UnconfirmedCOVNotificationMultiple Service..... | 808 |
| 13.19 | AuditLogQuery .....                             | 810 |
| 13.20 | ConfirmedAuditNotification.....                 | 814 |
| 13.21 | UnconfirmedAuditNotification.....               | 815 |
| 14    | FILE ACCESS SERVICES.....                       | 816 |
| 14.1  | AtomicReadFile Service .....                    | 816 |
| 14.2  | AtomicWriteFile Service .....                   | 819 |
| 15    | OBJECT ACCESS SERVICES .....                    | 822 |
| 15.1  | AddListElement Service .....                    | 822 |
| 15.2  | RemoveListElement Service.....                  | 825 |
| 15.3  | CreateObject Service .....                      | 827 |
| 15.4  | DeleteObject Service .....                      | 830 |
| 15.5  | ReadProperty Service .....                      | 831 |
| 15.6  | Deleted Clause .....                            | 833 |
| 15.7  | ReadPropertyMultiple Service.....               | 834 |
| 15.8  | ReadRange Service .....                         | 837 |
| 15.9  | WriteProperty Service.....                      | 845 |
| 15.10 | WritePropertyMultiple Service.....              | 848 |
| 15.11 | WriteGroup Service .....                        | 851 |
| 16    | REMOTE DEVICE MANAGEMENT SERVICES .....         | 853 |
| 16.1  | DeviceCommunicationControl Service .....        | 853 |
| 16.2  | ConfirmedPrivateTransfer Service .....          | 855 |

**ISO 16484-5:2026(en)**

|       |                                                                              |      |
|-------|------------------------------------------------------------------------------|------|
| 16.3  | UnconfirmedPrivateTransfer Service .....                                     | 857  |
| 16.4  | ReinitializeDevice Service.....                                              | 858  |
| 16.5  | ConfirmedTextMessage Service.....                                            | 860  |
| 16.6  | UnconfirmedTextMessage Service.....                                          | 862  |
| 16.7  | TimeSynchronization Service.....                                             | 863  |
| 16.8  | UTCTimeSynchronization Service.....                                          | 864  |
| 16.9  | Who-Has and I-Have Services.....                                             | 865  |
| 16.10 | Who-Is and I-Am Services.....                                                | 867  |
| 16.11 | Who-Am-I and You-Are Services .....                                          | 869  |
| 17    | AUTHENTICATION AND AUTHORIZATION SERVICES.....                               | 872  |
| 17.1  | Overview.....                                                                | 872  |
| 17.2  | Trust of Intermediaries.....                                                 | 873  |
| 17.3  | Authentication.....                                                          | 874  |
| 17.4  | Authorization .....                                                          | 876  |
| 17.5  | Conformance Requirements.....                                                | 882  |
| 17.6  | AuthRequest Service.....                                                     | 883  |
| 18    | ERROR, REJECT, and ABORT CODES .....                                         | 887  |
| 18.1  | Error Class - DEVICE .....                                                   | 887  |
| 18.2  | Error Class - OBJECT .....                                                   | 887  |
| 18.3  | Error Class - PROPERTY .....                                                 | 888  |
| 18.4  | Error Class - RESOURCES .....                                                | 890  |
| 18.5  | Error Class - SECURITY.....                                                  | 890  |
| 18.6  | Error Class - SERVICES .....                                                 | 892  |
| 18.7  | Error Class - COMMUNICATION .....                                            | 893  |
| 18.8  | Error Class - VT.....                                                        | 898  |
| 18.9  | Reject Reason .....                                                          | 898  |
| 18.10 | Abort Reason .....                                                           | 899  |
| 18.11 | Confirmed Service Common Errors .....                                        | 900  |
| 19    | BACnet PROCEDURES .....                                                      | 901  |
| 19.1  | Backup and Restore .....                                                     | 901  |
| 19.2  | Command Prioritization.....                                                  | 906  |
| 19.3  | Device Restart Procedure.....                                                | 911  |
| 19.4  | Determining Maximum Conveyable APDU .....                                    | 912  |
| 19.5  | Value Source Mechanism .....                                                 | 914  |
| 19.6  | Audit Logging.....                                                           | 916  |
| 19.7  | Unconfigured Device Discovery and Address Assignment.....                    | 927  |
| 19.8  | Replacing Certificates in a BACnet/SC Network .....                          | 928  |
| 19.9  | Device Address Proxying .....                                                | 930  |
| 20    | ENCODING BACnet PROTOCOL DATA UNITS .....                                    | 934  |
| 20.1  | Encoding the Fixed Part of BACnet APDUs .....                                | 935  |
| 20.2  | Encoding the Variable Part of BACnet APDUs .....                             | 947  |
| 21    | FORMAL DESCRIPTION OF APPLICATION PROTOCOL DATA UNITS.....                   | 963  |
| 21.1  | APDU Definitions.....                                                        | 963  |
| 21.2  | Confirmed Service Productions .....                                          | 965  |
| 21.3  | Unconfirmed Service Productions .....                                        | 976  |
| 21.4  | Error Productions.....                                                       | 980  |
| 21.5  | Application Types.....                                                       | 992  |
| 21.6  | Base Types.....                                                              | 994  |
| 22    | CONFORMANCE AND INTEROPERABILITY .....                                       | 1082 |
| 22.1  | Conformance to BACnet.....                                                   | 1082 |
| 22.2  | BACnet Interoperability .....                                                | 1083 |
| 23    | EXTENDING BACnet TO ACCOMMODATE VENDOR PROPRIETARY INFORMATION.....          | 1085 |
| 23.1  | Extending Enumeration Values .....                                           | 1085 |
| 23.2  | Using the PrivateTransfer Services to Invoke Non-Standardized Services ..... | 1086 |
| 23.3  | Adding Proprietary Properties to a Standardized Object .....                 | 1086 |
| 23.4  | Adding Proprietary Object Types to BACnet .....                              | 1087 |
| 23.5  | Restrictions on Extending BACnet.....                                        | 1087 |

**ISO 16484-5:2026(en)**

|    |                                                                                            |      |
|----|--------------------------------------------------------------------------------------------|------|
| 24 | DELETED CLAUSE .....                                                                       | 1088 |
| 25 | REFERENCES .....                                                                           | 1089 |
|    | ANNEX A - PROTOCOL IMPLEMENTATION CONFORMANCE STATEMENT (NORMATIVE) .....                  | 1094 |
|    | ANNEX B - GUIDE TO SPECIFYING BACnet DEVICES (INFORMATIVE) .....                           | 1098 |
|    | ANNEX C - Removed .....                                                                    | 1099 |
|    | ANNEX D - Removed .....                                                                    | 1100 |
|    | ANNEX E - EXAMPLES OF BACnet APPLICATION SERVICES (INFORMATIVE) .....                      | 1101 |
|    | E.1 Alarm and Event Services .....                                                         | 1101 |
|    | E.2 File Access Services .....                                                             | 1106 |
|    | E.3 Object Access Services .....                                                           | 1107 |
|    | E.4 Remote Device Management Services .....                                                | 1114 |
|    | E.5 Virtual Terminal Services .....                                                        | 1117 |
|    | ANNEX F - EXAMPLES OF APDU ENCODING (INFORMATIVE) .....                                    | 1120 |
|    | F.1 Example Encodings for Alarm and Event Services .....                                   | 1120 |
|    | F.2 Example Encodings for File Access Services .....                                       | 1131 |
|    | F.3 Example Encodings for Object Access Services .....                                     | 1134 |
|    | F.4 Example Encodings for Remote Device Management Services .....                          | 1144 |
|    | F.5 Example Encodings for Virtual Terminal Services .....                                  | 1150 |
|    | ANNEX G - CALCULATION OF CRC (INFORMATIVE) .....                                           | 1153 |
|    | G.1 Calculation of the Header CRC .....                                                    | 1153 |
|    | G.2 Calculation of the Data CRC .....                                                      | 1159 |
|    | G.3 Calculation of the Encoded CRC-32K .....                                               | 1163 |
|    | ANNEX H - COMBINING BACnet NETWORKS WITH NON-BACnet NETWORKS (NORMATIVE) .....             | 1167 |
|    | H.1 BACnet Gateways .....                                                                  | 1167 |
|    | H.2 Requirements and Best Practices for BACnet Gateway Implementations .....               | 1167 |
|    | H.3 Using BACnet with the DARPA Internet Protocols .....                                   | 1169 |
|    | H.4 Using BACnet with the IPX Protocol .....                                               | 1171 |
|    | H.5 Using BACnet with EIB/KNX .....                                                        | 1172 |
|    | H.6 Using BACnet with the Former BACnet/WS Web Services Interface Defined by Annex N ..... | 1182 |
|    | H.7 Virtual MAC Addressing .....                                                           | 1183 |
|    | ANNEX I - COMMANDABLE PROPERTIES WITH MINIMUM ON AND OFF TIMES (INFORMATIVE) .....         | 1185 |
|    | ANNEX J - BACnet/IP (NORMATIVE) .....                                                      | 1187 |
|    | J.1 General .....                                                                          | 1187 |
|    | J.2 BACnet Virtual Link Layer .....                                                        | 1188 |
|    | J.3 BACnet/IP Directed Messages .....                                                      | 1191 |
|    | J.4 BACnet/IP Broadcast Messages .....                                                     | 1191 |
|    | J.5 Addition of Foreign B/IP Devices to an Existing B/IP Network .....                     | 1194 |
|    | J.6 Routing Between B/IP and non-B/IP BACnet Networks .....                                | 1195 |
|    | J.7 Routing Between Two B/IP BACnet Networks .....                                         | 1196 |
|    | J.8 Use of IP Multicast within BACnet/IP .....                                             | 1202 |
|    | ANNEX K - BACnet INTEROPERABILITY BUILDING BLOCKS (BIBBs) (NORMATIVE) .....                | 1203 |
|    | K.1 Data Sharing BIBBs .....                                                               | 1203 |
|    | K.2 Alarm and Event Management BIBBs .....                                                 | 1224 |
|    | K.3 Scheduling BIBBs .....                                                                 | 1237 |
|    | K.4 Trending BIBBs .....                                                                   | 1242 |
|    | K.5 Device Management BIBBs .....                                                          | 1245 |
|    | K.6 Network Management BIBBs .....                                                         | 1253 |
|    | K.7 Gateway BIBBs .....                                                                    | 1257 |
|    | K.8 Audit Reporting BIBBs .....                                                            | 1258 |
|    | K.9 Authentication and Authorization BIBBs .....                                           | 1259 |
|    | ANNEX L - DESCRIPTIONS AND PROFILES OF STANDARDIZED BACnet DEVICES (NORMATIVE) .....       | 1261 |
|    | L.1 Operator Interface Profiles .....                                                      | 1261 |
|    | L.2 Life Safety Operator Interface Profiles .....                                          | 1264 |
|    | L.3 Access Control Operator Interface Profiles .....                                       | 1267 |
|    | L.4 Controller Profiles .....                                                              | 1270 |
|    | L.5 Life Safety Controller Profiles .....                                                  | 1272 |

**ISO 16484-5:2026(en)**

|                                                                                       |      |
|---------------------------------------------------------------------------------------|------|
| L.6 Access Control Controller Profiles.....                                           | 1274 |
| L.7 Miscellaneous Profiles.....                                                       | 1276 |
| L.8 BACnet General (B-GENERAL) Profile .....                                          | 1279 |
| L.9 Lighting Operator Interface Profiles .....                                        | 1280 |
| L.10 Lighting Control Station Profiles .....                                          | 1282 |
| L.11 Lighting Controller Profiles .....                                               | 1283 |
| L.12 Elevator Operator Interface Profiles.....                                        | 1285 |
| L.13 Elevator Controller Profiles .....                                               | 1287 |
| L.14 Authentication and Authorization Profiles.....                                   | 1289 |
| ANNEX M - GUIDE TO EVENT NOTIFICATION PRIORITY ASSIGNMENTS (INFORMATIVE) .....        | 1290 |
| M.1 Life Safety Message Group (0 - 31).....                                           | 1290 |
| M.2 Property Safety Message Group (32 - 63).....                                      | 1291 |
| M.3 Supervisory Message Group (64 - 95).....                                          | 1292 |
| M.4 Trouble Message Group (96 - 127) .....                                            | 1292 |
| M.5 Miscellaneous Higher Priority Message Group (128 - 191) .....                     | 1293 |
| M.6 Miscellaneous Lower Priority Message Group (192 - 255).....                       | 1293 |
| ANNEX N - FORMER BACnet/WS WEB SERVICES INTERFACE (INFORMATIVE) .....                 | 1294 |
| N.1 Data Model.....                                                                   | 1294 |
| N.2 Paths.....                                                                        | 1295 |
| N.3 Normalized Points.....                                                            | 1296 |
| N.4 Reference Nodes.....                                                              | 1296 |
| N.5 Localization.....                                                                 | 1297 |
| N.6 Security .....                                                                    | 1297 |
| N.7 Sessions.....                                                                     | 1297 |
| N.8 Attributes.....                                                                   | 1297 |
| N.9 Standard Nodes .....                                                              | 1303 |
| N.10 Encodings .....                                                                  | 1304 |
| N.11 Service Options .....                                                            | 1305 |
| N.12 Services.....                                                                    | 1307 |
| N.13 Errors.....                                                                      | 1325 |
| N.14 Extending BACnet/WS.....                                                         | 1326 |
| ANNEX O - BACnet OVER ZigBee AS A DATA LINK LAYER (NORMATIVE) .....                   | 1327 |
| O.1 General .....                                                                     | 1327 |
| O.2 ZigBee Overview.....                                                              | 1327 |
| O.3 Definitions.....                                                                  | 1328 |
| O.4 Unicast Addressing.....                                                           | 1328 |
| O.5 Broadcast Addressing .....                                                        | 1328 |
| O.6 BACnet/ZigBee Data Link Layer (BZLL).....                                         | 1329 |
| O.7 Maximum Payload Size .....                                                        | 1332 |
| O.8 Vendor Specific Commands .....                                                    | 1332 |
| ANNEX P - BACnet ENCODING OF STANDARD AUTHENTICATION FACTOR FORMATS (NORMATIVE) ..... | 1333 |
| ANNEX Q - XML DATA FORMATS (NORMATIVE) .....                                          | 1339 |
| Q.1 Introduction.....                                                                 | 1339 |
| Q.2 XML Document Structure .....                                                      | 1343 |
| Q.3 Expressing Data.....                                                              | 1346 |
| Q.5 Expressing Values .....                                                           | 1348 |
| Q.6 Binary Encoding and Access Rules.....                                             | 1350 |
| Q.7 Extensibility.....                                                                | 1350 |
| Q.8 BACnet URI Scheme .....                                                           | 1351 |
| ANNEX R - MAPPING NETWORK LAYER ERRORS (NORMATIVE) .....                              | 1352 |
| ANNEX S - Removed .....                                                               | 1353 |
| ANNEX T - COBS (CONSISTENT OVERHEAD BYTE STUFFING) FUNCTIONS (INFORMATIVE) .....      | 1354 |
| T.1 Preparing a COBS-Encoded MS/TP Frame for Transmission .....                       | 1354 |
| T.2 Decoding an Extended MS/TP Frame upon Reception.....                              | 1357 |
| T.3 Example COBS-Encoded Frame - Who-Has Service .....                                | 1359 |
| ANNEX U - BACnet/IPv6 (NORMATIVE).....                                                | 1361 |

**ISO 16484-5:2026(en)**

|                                                                                |      |
|--------------------------------------------------------------------------------|------|
| U.1 General .....                                                              | 1361 |
| U.2 BACnet/IPv6 BACnet Virtual Link Layer .....                                | 1362 |
| U.3 BACnet/IPv6 Directed Messages .....                                        | 1366 |
| U.4 BACnet/IPv6 Broadcast Messages .....                                       | 1366 |
| U.5 BACnet /IPv6 VMAC Table Management .....                                   | 1371 |
| ANNEX V - MIGRATION FROM SOAP SERVICES (INFORMATIVE) .....                     | 1373 |
| V.1 Services .....                                                             | 1373 |
| V.2 Service Options .....                                                      | 1375 |
| ANNEX W - BACnet/WS RESTful WEB SERVICES INTERFACE (NORMATIVE) .....           | 1377 |
| W.1 Data Model .....                                                           | 1377 |
| W.2 Paths .....                                                                | 1377 |
| W.3 Security .....                                                             | 1378 |
| W.4 Sessions .....                                                             | 1388 |
| W.5 Standard Data Items .....                                                  | 1388 |
| W.6 Metadata .....                                                             | 1393 |
| W.7 Functions .....                                                            | 1393 |
| W.8 Query Parameters .....                                                     | 1395 |
| W.9 Representation of Data .....                                               | 1397 |
| W.10 Representation of Metadata .....                                          | 1397 |
| W.11 Representation of Logs .....                                              | 1398 |
| W.12 Filtering Items .....                                                     | 1403 |
| W.13 Limiting Number of Items .....                                            | 1405 |
| W.14 Selecting Children .....                                                  | 1405 |
| W.15 Controlling Content of Data Representations .....                         | 1405 |
| W.16 Specifying Ranges .....                                                   | 1409 |
| W.17 Localized Values .....                                                    | 1411 |
| W.18 Accessing Individual Tags and Bits .....                                  | 1412 |
| W.19 Semantics .....                                                           | 1412 |
| W.20 Links and Relationships .....                                             | 1412 |
| W.21 Foreign XML and Other Media Types .....                                   | 1412 |
| W.22 Logical Modeling .....                                                    | 1413 |
| W.23 Mapped Modeling .....                                                     | 1414 |
| W.24 Commandability .....                                                      | 1414 |
| W.25 Writability and Visibility .....                                          | 1414 |
| W.26 Working with Optional Data .....                                          | 1416 |
| W.27 Working with Optional Metadata .....                                      | 1416 |
| W.28 Creating Data .....                                                       | 1417 |
| W.29 Setting Data .....                                                        | 1418 |
| W.30 Deleting Data .....                                                       | 1420 |
| W.31 Parentally Inherited Values .....                                         | 1420 |
| W.32 Concurrency Control .....                                                 | 1420 |
| W.33 Server Support for Data Definitions .....                                 | 1421 |
| W.34 Server Support for Metadata .....                                         | 1421 |
| W.35 Client Implementation Guidelines .....                                    | 1422 |
| W.36 Subscriptions .....                                                       | 1423 |
| W.37 Reading Multiple Resources .....                                          | 1424 |
| W.38 Writing Multiple Resources .....                                          | 1426 |
| W.39 Mapping of BACnet Systems .....                                           | 1426 |
| W.40 Errors .....                                                              | 1430 |
| W.41 Examples .....                                                            | 1432 |
| ANNEX X - EXTENDED DISCOVERY OF DEVICES, PROFILES, AND VIEWS (NORMATIVE) ..... | 1460 |
| X.1 Profiles .....                                                             | 1460 |
| X.2 xdd Files .....                                                            | 1461 |
| X.3 Example of Definition of Objects, Properties, and Datatypes .....          | 1462 |
| X.4 Views .....                                                                | 1463 |
| X.5 PICS Declarations .....                                                    | 1469 |