



SLOVENSKI STANDARD
SIST-TS CEN ISO/TS 15916:2026

01-julij-2026

Tehnologija vodika - Osnovni vidiki varnosti sistemov vodika (ISO/TS 15916:2026)

Hydrogen technologies - Basic considerations for the safety of hydrogen systems
(ISO/TS 15916:2026)

Wasserstofftechnologien - Grundsätzliche Betrachtungen zur Sicherheit von
Wasserstoffsystemen (ISO/TS 15916:2026)

Technologies de l'hydrogène - Considérations fondamentales pour la sécurité des
systèmes à l'hydrogène (ISO/TS 15916:2026)

Ta slovenski standard je istoveten z: CEN ISO/TS 15916:2026

ICS:

27.075 Tehnologija vodika Hydrogen technologies

SIST-TS CEN ISO/TS 15916:2026 **en,fr,de**

Sample Document

get full document from standards.iteh.ai

TECHNICAL SPECIFICATION

CEN ISO/TS 15916

SPÉCIFICATION TECHNIQUE

TECHNISCHE SPEZIFIKATION

February 2026

ICS 27.075

English version

Hydrogen technologies - Basic considerations for the safety of hydrogen systems (ISO/TS 15916:2026)

Technologies de l'hydrogène - Considérations fondamentales pour la sécurité des systèmes à l'hydrogène (ISO/TS 15916:2026)

Wasserstofftechnologien - Grundsätzliche Betrachtungen zur Sicherheit von Wasserstoffsystemen (ISO/TS 15916:2026)

This Technical Specification (CEN/TS) was approved by CEN on 12 January 2026 for provisional application.

The period of validity of this CEN/TS is limited initially to three years. After two years the members of CEN and CENELEC will be requested to submit their comments, particularly on the question whether the CEN/TS can be converted into a European Standard.

CEN and CENELEC members are required to announce the existence of this CEN/TS in the same way as for an EN and to make the CEN/TS available promptly at national level in an appropriate form. It is permissible to keep conflicting national standards in force (in parallel to the CEN/TS) until the final decision about the possible conversion of the CEN/TS into an EN is reached.

CEN and CENELEC members are the national standards bodies and national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and United Kingdom.



**CEN-CENELEC Management Centre:
Rue de la Science 23, B-1040 Brussels**

Contents	Page
European foreword.....	3

Sample Document

get full document from standards.iteh.ai

European foreword

This document (CEN ISO/TS 15916:2026) has been prepared by Technical Committee ISO/TC 197 "Hydrogen technologies" in collaboration with Technical Committee CEN-CENELEC/ JTC 6 "Hydrogen in energy systems" the secretariat of which is held by NEN.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN-CENELEC shall not be held responsible for identifying any or all such patent rights.

Any feedback and questions on this document should be directed to the users' national standards body/national committee. A complete listing of these bodies can be found on the CEN and CENELEC websites.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to announce this Technical Specification: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Türkiye and the United Kingdom.

Endorsement notice

The text of ISO/TS 15916:2026 has been approved by CEN-CENELEC as CEN ISO/TS 15916:2026 without any modification.

get full document from standards.iteh.ai

Sample Document

get full document from standards.iteh.ai



Technical Specification

ISO/TS 15916

Hydrogen technologies — Basic considerations for the safety of hydrogen systems

*Technologies de l'hydrogène — Considérations fondamentales
pour la sécurité des systèmes à l'hydrogène*

**First edition
2026-01**

Sample Document

get full document from standards.iteh.ai

ISO/TS 15916:2026(en)

Sample Document

get full document from standards.iteh.ai

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2026

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

© ISO 2026 – All rights reserved

ISO/TS 15916:2026(en)

Contents

	Page
Foreword	vi
Introduction	vii
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Overview of hydrogen applications	12
4.1 Basic hydrogen infrastructure.....	12
4.1.1 Categories of infrastructure.....	12
4.1.2 Production.....	13
4.1.3 Storage and transport.....	13
4.1.4 Hydrogen end use applications.....	14
4.2 Typical hydrogen system components.....	15
4.2.1 General.....	15
4.2.2 Storage vessels.....	15
4.2.3 Fluid delivery lines, piping, joints, and seals.....	15
4.2.4 Flow controls.....	15
4.2.5 Pressure-relief systems.....	15
4.2.6 Detection methods.....	16
4.2.7 Other components.....	16
4.2.8 Considerations for conditions external to the system.....	16
4.3 Hydrogen fuel.....	16
4.4 Environmental effects.....	17
5 Basic properties of hydrogen	17
5.1 General properties.....	17
5.1.1 Atomic and molecular properties.....	17
5.1.2 Appearance and general characteristics.....	17
5.2 Selected thermophysical properties.....	18
5.2.1 General.....	18
5.2.2 Selected thermophysical properties of gaseous hydrogen.....	18
5.2.3 Selected thermophysical properties of cryogenic liquid hydrogen.....	18
5.3 Basic combustion properties.....	19
5.3.1 General remark on safety characteristics.....	19
5.3.2 Selected combustion properties of hydrogen.....	19
5.3.3 Deflagration.....	20
5.3.4 Detonation.....	21
5.3.5 Explosions.....	21
5.3.6 Flammability limits.....	21
5.3.7 Ignition energy and minimum ignition energy as applied to deflagration.....	22
6 Safety considerations for the use of gaseous and liquid hydrogen	23
6.1 General.....	23
6.2 Hazards involved as a consequence of the properties of hydrogen.....	24
6.2.1 General.....	24
6.2.2 Gaseous hydrogen.....	24
6.2.3 Liquid hydrogen.....	24
6.3 Factors involved in combustion hazards.....	25
6.3.1 Aspects of combustion.....	25
6.3.2 Non-premixed combustion processes.....	25
6.3.3 Explosions.....	26
6.4 Factors involved in pressure hazards.....	27
6.4.1 General.....	27
6.4.2 Gaseous storage.....	27
6.4.3 Liquid hydrogen.....	27
6.5 Factors involved in low temperature hazards.....	27

ISO/TS 15916:2026(en)

6.6	Factors involved in hydrogen embrittlement hazards.....	28
6.6.1	Hydrogen embrittlement.....	28
6.6.2	Hydrogen attack.....	28
6.7	Health hazards.....	28
6.7.1	Cold burns.....	28
6.7.2	High temperature burns.....	28
6.7.3	Asphyxiation.....	28
6.7.4	Combustion by-products.....	29
7	Mitigation and control of hazards and risks.....	29
7.1	General mitigation and control of hazards and risk.....	29
7.1.1	General.....	29
7.1.2	Lessons learned from past experience.....	29
7.1.3	Addressing hazards.....	30
7.1.4	Minimizing the severity of the consequences of hazards.....	30
7.2	Mitigation of design hazards and risks.....	31
7.2.1	Inherently safer design.....	31
7.2.2	Considerations in the selection of suitable construction material.....	31
7.2.3	Considerations for vessels and components.....	33
7.2.4	Prevention of overpressure.....	33
7.2.5	Considerations for piping, joints, and connections.....	33
7.2.6	Cleaning considerations.....	34
7.2.7	Component considerations.....	35
7.3	Prevention and mitigation of fire and explosion hazards and risks.....	36
7.3.1	General.....	36
7.3.2	Prevention of unwanted hydrogen/oxidizer mixtures.....	36
7.3.3	Identification of hazardous areas.....	36
7.3.4	Ignition.....	37
7.3.5	Deflagration and detonation.....	38
7.3.6	Oxygen enrichment.....	38
7.4	Detection considerations.....	39
7.4.1	Hydrogen release detection.....	39
7.4.2	Fire detection.....	40
7.5	Considerations for facilities.....	40
7.5.1	General.....	40
7.5.2	Locations.....	40
7.5.3	Exclusion areas.....	41
7.5.4	Protecting barricades.....	41
7.5.5	Safety control equipment.....	41
7.5.6	Disposal of hydrogen.....	42
7.5.7	Ground material.....	43
7.5.8	Buildings.....	43
7.5.9	Ventilation.....	43
7.5.10	Electrical components.....	44
7.5.11	Alarms and warning devices.....	45
7.5.12	Fire protection and fire fighting.....	45
7.6	Considerations for operations.....	46
7.6.1	General.....	46
7.6.2	Operating procedures.....	46
7.6.3	Personal protective equipment.....	46
7.6.4	Cool-down.....	47
7.6.5	Transportation.....	47
7.6.6	Storage and transfer operations.....	47
7.6.7	Safety procedures.....	48
7.7	Recommended practices for organizations.....	49
7.7.1	General.....	49
7.7.2	Control through organizational policies and procedures.....	50
7.7.3	Use of approved procedures and checklists.....	50
7.7.4	Conduct appropriate reviews.....	50

ISO/TS 15916:2026(en)

7.7.5	Approved maintenance and quality control programmes.....	50
7.7.6	Personnel education/training.....	50
7.7.7	Hazard and operability assessment.....	51
Annex A	(informative) Hydrogen properties	52
Annex B	(informative) Hydrogen combustion data	56
Annex C	(informative) Material data	59
Annex D	(informative) Other storage options	64
Bibliography	65

Sample Document

get full document from standards.iteh.ai

ISO/TS 15916:2026(en)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents. ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 197, *Hydrogen technologies*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/CLC/JTC 6, *Hydrogen in energy systems*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

This first edition of ISO/TS 15916 cancels and replaces ISO/TR 15916:2015, which has been technically revised.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

ISO/TS 15916:2026(en)

Introduction

The focus of this document is on relatively new hydrogen energy applications. The intent is to provide, those unfamiliar with the technology, a basis upon which to understand the safety issues. This document concerns itself with applications that derive their utility from the chemical reactions of hydrogen and does not apply to applications based on nuclear processes.

Traditionally, hydrogen has been used extensively in the petrochemical and chemical industries and in smaller quantities in the electronics, steel-producing, glass-making, and food hydrogenation industries. Given the promise that hydrogen brings as an efficient energy carrier and a fuel with minimal environmental impact, systems are being developed that produce hydrogen using variety of energy sources and feedstocks such as sunlight, wind, biomass, hydropower and fossil fuels, for use in energy applications for home and office heating, generation of electricity and transportation.

The safe use of hydrogen as a fuel is a primary goal to facilitate the rapid emergence of these hydrogen technologies. A key element in the safe use of hydrogen is to understand its unique safety-related properties and related phenomena, and that there are acceptable engineering approaches to controlling the hazards and risks associated with the use of hydrogen. This document describes the hazards associated with the use and presence of hydrogen, discusses the properties of hydrogen relevant to safety, and provides a general discussion of approaches taken to mitigate hydrogen hazards. The aim of this document is to promote the acceptance of hydrogen technologies by providing key information to regulators and by educating people involved with hydrogen safety issues.

The development of International Standards to eliminate barriers to international trade and to simplify the arduous regulatory process by providing hydrogen-specific standards to allow implementation for rapidly emerging technologies was among the needs identified by the ISO/TC 197. This document is one of many that have been developed, or are in the process of being developed. Detailed safety requirements associated with specific hydrogen applications are treated in separate International Standards. This document provides an informative reference for those separate standards as a common, consistent source of safety-related hydrogen information. This is expected to result in a reduction in duplication and possible inconsistencies in these separate standards.

The considerations presented in this document are broad, general, and attempt to address most aspects of hydrogen safety. The degree to which these guidelines are applied will vary according to the specifics of the application (such as the conditions and quantity of hydrogen involved, and the way in which the hydrogen is used). Industrial users may find large portions of the guidelines, presented herein, applicable for their operations. It is not expected that the general public will be required to apply this degree of knowledge to safely operate a hydrogen appliance. It is anticipated that good appliance design, coupled with appropriate care in installation, will reduce the degree of safety considerations to levels that are deemed acceptable by the public for common appliances. The manufacturers of hydrogen appliances will need to consider these guidelines to tailor sufficient specific information for the operation of their appliances, in the environment in which they are to be used, and for the audience that will use them. Readers are encouraged to keep these points in mind as they consider the information presented in this document. Hydrogen has been safely used in many different applications over many years. Adherence to the principles presented in this document can lead to a continuation of the safe and sustainable use of hydrogen.

Sample Document

get full document from standards.iteh.ai

Hydrogen technologies — Basic considerations for the safety of hydrogen systems

1 Scope

This document provides guidelines for the use of hydrogen in its gaseous and liquid forms as well as its storage in either of these or other forms (hydrides). This document identifies the basic safety concerns, hazards and risks, and describes the properties of hydrogen that are relevant to safety. Detailed safety requirements associated with specific hydrogen applications are treated in separate International Standards.

“Hydrogen” in this document means protium (the most common isotope of hydrogen) (^1H), not deuterium (^2H) or tritium (^3H).

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1

ambient conditions

local surrounding conditions characterized by the temperature and pressure at a particular location, such as a city or facility

Note 1 to entry: See *normal temperature and pressure* (3.69).

3.2

annealing

heat treatment process used to soften hard steel so that it can be machined or cold-worked

3.3

arrested flame

combustion process that is stopped or flame that is put out

3.4

auto-ignition

ignition that does not require external ignition energy because the thermal energy of the molecules alone is enough to overcome the activation threshold for combustion initiation

3.5

auto-ignition temperature

lowest temperature at which *auto-ignition* (3.4) occurs

3.6

backfill

process by which a desired gas is used to replace an undesired gas in a system volume