
Elektromagnetna združljivost (EMC) - 3-16. del: Mejne vrednosti - Mejne vrednosti harmonskih tokov, ki jih povzroča pretvornik pretvorniškega tipa električne napajalne opreme z referenčnim faznim tokom manjšim ali enakim 75 A, priključene na javne nizkonapetostne sisteme

Electromagnetic compatibility (EMC) - Part 3-16: Limits - Limits for harmonic currents produced by the inverter of inverter-type electrical energy-supplying equipment, with a reference current less than or equal to 75 A per phase, connected to public low-voltage systems

iteh Standards
(<https://standards.iteh.ai>)
Document Preview

[SIST-TS IEC TS 61000-3-16:2026](https://standards.iteh.ai/standards/sist-ts-iec-ts-61000-3-16-2026)

<https://standards.iteh.ai/standards/sist-ts-iec-ts-61000-3-16-2026> Ta slovenski standard je istoveten z: **IEC TS 61000-3-16:2023** <https://standards.iteh.ai/standards/sist-ts-iec-ts-61000-3-16-2026>

ICS:

33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general
-----------	--	---

SIST-TS IEC TS 61000-3-16:2026 **en**



IEC TS 61000-3-16

Edition 1.0 2023-11

TECHNICAL SPECIFICATION

**Electromagnetic compatibility (EMC) –
Part 3-16: Limits – Limits for harmonic currents produced by the inverter of
inverter-type electrical energy-supplying equipment with a reference current
less than or equal to 75 A per phase connected to public low-voltage systems**

[SIST-TS IEC TS 61000-3-16:2026](https://standards.iteh.ai/catalog/standards/sist/9befe564-19fd-492f-9706-6fb481e0918f/sist-ts-iec-ts-61000-3-16-2026)

<https://standards.iteh.ai/catalog/standards/sist/9befe564-19fd-492f-9706-6fb481e0918f/sist-ts-iec-ts-61000-3-16-2026>

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

ICS 33.100.01

ISBN 978-2-8322-7822-2

Warning! Make sure that you obtained this publication from an authorized distributor.

CONTENTS

FOREWORD.....	3
INTRODUCTION.....	5
1 Scope.....	6
2 Normative references	6
3 Terms and definitions	7
4 General	9
4.1 Emissions for electrical ESE unable to cancel harmonics at the grid side.....	9
4.2 Emissions for electrical ESE which can cancel harmonics at the grid side.....	9
5 Measurement and simulation conditions	9
5.1 General conditions for test and simulation.....	9
5.2 Requirements for measurement	9
5.2.1 Supply of the ESE inverter.....	9
5.2.2 Supply into which the ESE inverter feeds energy	9
5.2.3 Determination of the reference current I_{ref}	10
5.2.4 Measurement of harmonic currents	10
5.3 Requirements for simulation.....	11
6 Emission limits	12
7 Product documentation	13
7.1 Test report.....	13
7.2 Instruction manual	13
Annex A (informative) Rationale for the limits in this document	15
A.1 General.....	15
A.2 History	15
A.3 Technology	16
A.3.1 Basic technology	16
A.3.2 Coping with grid voltage distortion	16
A.4 Limits.....	17
A.4.1 General	17
A.4.2 Justification for the emission limits in this document.....	18
Bibliography.....	20
Table 1 – Individual current harmonic limits for all ESE inverters up to 75 A per phase.....	12
Table 2 – Alternative presentation of individual current harmonic limits for all ESE inverters up to 75 A per phase	13
Table 3 – PHC limits for all ESE inverters up to 75 A per phase.....	13
Table A.1 – Example of the results of an actual measurement of a conforming inverter.....	18