

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 6-20: Application layer protocol specification – Type 20 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-20: Spécification du protocole de la couche application – Eléments
de type 20**



THIS PUBLICATION IS COPYRIGHT PROTECTED
Copyright © 2014 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office
3, rue de Varembe
CH-1211 Geneva 20
Switzerland

Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00
info@iec.ch
www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad.

IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 30 000 terms and definitions in English and French, with equivalent terms in 14 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

IEC Glossary - std.iec.ch/glossary

More than 55 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient plus de 30 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 14 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

Glossaire IEC - std.iec.ch/glossary

Plus de 55 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.

INTERNATIONAL STANDARD

NORME INTERNATIONALE



**Industrial communication networks – Fieldbus specifications –
Part 6-20: Application layer protocol specification – Type 20 elements**

**Réseaux de communication industriels – Spécifications des bus de terrain –
Partie 6-20: Spécification du protocole de la couche application – Eléments
de type 20**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

COMMISSION
ELECTROTECHNIQUE
INTERNATIONALE

PRICE CODE **XC**
CODE PRIX

ICS 25.040.40; 35.100.70; 35.110

ISBN 978-2-8322-1766-5

**Warning! Make sure that you obtained this publication from an authorized distributor.
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

CONTENTS

FOREWORD	7
INTRODUCTION	9
1 Scope	10
2 Normative references	10
3 Terms, definitions, symbols, abbreviations and conventions	11
3.1 Terms and definitions from other ISO/IEC standards	11
3.2 IEC 61158-1 terms	12
3.3 Type 20 fieldbus application-layer specific definitions	14
3.4 Abbreviations and symbols	17
3.5 Conventions	18
3.6 Conventions used in state machines	18
4 Abstract syntax	20
5 Transfer syntax	20
5.1 Common APDU fields	20
5.2 Common APDU structure	22
5.3 Device application service-specific APDU structures	24
5.4 Data coding rules	51
6 Common procedures	56
6.1 Delayed response	56
6.2 Publish mode procedure	56
7 FAL protocol state machines	56
7.1 General	56
7.2 AREP mapping to data link layer	57
7.3 Client ARPM	58
7.4 Server ARPM	60
7.5 Functions used by FAL state machines	61
Annex A (normative) Application process status	63
A.1 General	63
A.2 Device malfunction	63
A.3 Configuration changed	63
A.4 Cold start	64
A.5 More status available	64
A.6 Loop current fixed	64
A.7 Loop current saturated	64
A.8 Non-primary variable out of limits	65
A.9 Primary variable out of limits	65
Annex B (normative) Device and dynamic variable	66
B.1 Device variable	66
B.2 Dynamic variable	66
B.3 Primary variable	67
B.4 Device variable classification	68
B.5 Device families	68
B.6 Device variable status	68
Annex C (normative) Common tables	70
C.1 Overview	70

C.1.1	General	70
C.1.2	Enumeration	70
C.1.3	Bit Field	70
C.2	Table definitions	70
C.2.1	Publish mode control codes	70
C.2.2	Write device variable codes	70
C.2.3	Device variable family codes	70
C.2.4	Device variable classification codes	70
C.2.5	Analog channel saturated codes	70
C.2.6	Analog channel fixed codes	70
C.2.7	Standardized status 0 codes	71
C.2.8	Standardized status 1 codes	71
C.2.9	Standardized status 2 codes	71
C.2.10	Standardized status 3 codes	71
C.2.11	Publish trigger mode codes	71
C.2.12	Transfer function codes	71
C.2.13	Alarm Selection Codes	71
C.2.14	Write Protect Codes	72
C.2.15	Physical layer signalling codes	72
C.2.16	Flag Assignment codes	72
C.2.17	Loop current mode codes	73
C.2.18	Trim point codes	73
C.2.19	Analog channel flag codes	73
C.2.20	Device variable codes	73
C.2.21	Device profile codes	74
Annex D (normative)	Command requirements	75
D.1	General	75
D.2	Stateless request and response	75
D.3	Read command	75
D.4	Write command	75
D.5	Action command	75
D.6	Indexed command	76
D.7	Multi-transaction command	76
Bibliography	77
Figure 1	– Request APDU	22
Figure 2	– Normal response APDU	22
Figure 3	– Command error response from slave to master	23
Figure 4	– Aggregated command APDU	24
Figure 5	– Coding without identification	51
Figure 6	– Coding of Integer type data	51
Figure 7	– Coding of Integer16 type data	52
Figure 8	– Coding of Unsigned type data	52
Figure 9	– Coding of Unsigned16 type data	52
Figure 10	– Coding of single precision Floating Point type data	52
Figure 11	– Coding of double precision Floating Point type data	53
Figure 12	– Coding of Date type data	53

Figure 13 – Client state machine.....	58
Figure 14 – Server state machine	60
Figure A.1 – Loop current saturation and alarm levels.....	65
Figure B.1 – Device and Dynamic variables	66
Figure B.2 – Primary variable domains.....	67
Figure B.3 – Device variable status.....	69
Table 1 – Conventions used for state machines	19
Table 2 – Response code values	20
Table 3 – Application process status values.....	21
Table 4 – Extended status values	21
Table 5 – Identify request APDU	24
Table 6 – Identify response value field.....	25
Table 7 – Identify command specific response codes.....	25
Table 8 – Read primary variable response value field	26
Table 9 – Read primary variable command specific response codes	26
Table 10 – Read loop current and percent of range value field.....	26
Table 11 – Read loop current and percent of range command specific response codes	27
Table 12 – Read dynamic variables and loop current value field	27
Table 13 – Read dynamic variables and loop current command specific response codes.....	27
Table 14 – Write loop configuration value field.....	28
Table 15 – Write loop configuration command specific response codes.....	28
Table 16 – Read loop configuration value field.....	29
Table 17 – Read loop configuration command specific response codes	29
Table 18 – Read dynamic variable families classifications value field.....	29
Table 19 – Read dynamic variable families classifications command specific response codes.....	29
Table 20 – Read device variables with status request value field	30
Table 21 – Read device variables with status value field.....	30
Table 22 – Read device variables with status command specific response codes.....	31
Table 23 – Read message response value field	32
Table 24 – Read message command specific response codes	32
Table 25 – Read tag, descriptor, date response value field	33
Table 26 – Read tag, descriptor, date command specific response codes	33
Table 27 – Read primary variable transducer information response value field.....	33
Table 28 – Read primary variable transducer information command specific response codes.....	34
Table 29 – Read device information response value field	34
Table 30 – Read device information command specific response codes.....	35
Table 31 – Read final assembly number response value field	35
Table 32 – Read final assembly number command specific response codes	35
Table 33 – Write message value field.....	35
Table 34 – Write message command specific response codes	36

Table 35 – Write tag, descriptor, date value field	36
Table 36 – Write tag, descriptor, date command specific response codes	36
Table 37 – Write final assembly number value field	37
Table 38 – Write final assembly number command specific response codes	37
Table 39 – Read long tag response value field	37
Table 40 – Read long tag command-specific response codes	37
Table 41 – Write long tag value field	38
Table 42 – Write long tag command specific Response codes	38
Table 43 – Write primary variable range value field	39
Table 44 – Write primary variable range command specific response codes	39
Table 45 – Enter-exit fixed current mode request value field	40
Table 46 – Enter-exit fixed current mode response value field	40
Table 47 – Enter-exit fixed current mode command specific response codes	40
Table 48 – Write primary variable unit value field	41
Table 49 – Write primary variable unit command specific response codes	41
Table 50 – Trim loop current zero request value field	41
Table 51 – Trim loop current zero command specific response codes	41
Table 52 – Trim loop current gain request value field	42
Table 53 – Trim loop current gain command specific response codes	42
Table 54 – Read dynamic variable assignment response value field	43
Table 55 – Read dynamic variable assignment command specific response codes	43
Table 56 – Write dynamic variable assignment value field	44
Table 57 – Write dynamic variable assignment command specific response codes	44
Table 58 – Write number of response preambles value field	45
Table 59 – Write number of response preambles command specific response codes	45
Table 60 – Read device variable trim points request value field	45
Table 61 – Read device variable trim points response value field	46
Table 62 – Read device variable trim points command specific response codes	46
Table 63 – Read device variable trim guidelines request value field	46
Table 64 – Read device variable trim guidelines response value field	46
Table 65 – Read device variable trim points command specific response codes	47
Table 66 – Write device variable trim point value field	47
Table 67 – Write device variable trim point command specific response codes	48
Table 68 – Reset device variable trim value field	48
Table 69 – Reset device variable trim command specific response codes	49
Table 70 – Aggregated command specific response codes	50
Table 71 – Coding for Date type	53
Table 72 – Coding for one octet Enumerated Type	54
Table 73 – One octet bit field	54
Table 74 – Packed ASCII character set	55
Table 75 – Acceptable subset of ISO Latin-1 characters	56
Table 76 – Client machine state transitions	59
Table 77 – Server machine state transitions	61

Table 78 – Function FormReqAdu 61

Table 79 – Function Command 61

Table 80 – Function CommErr..... 61

Table 81 – Function RespCode 62

Table 82 – Function Commcode..... 62

Table 83 – Function ApStatus 62

Table 84 – Function Value 62

Table A.1 – Commands that cause configuration change 63

Table C.1 – Transfer function codes 71

Table C.2 – Alarm Selection codes 72

Table C.3 – Write Protect codes 72

Table C.4 – Physical layer signalling codes 72

Table C.5 – Flag Assignment codes 73

Table C.6 – Loop current mode codes..... 73

Table C.7 – Trim point codes 73

Table C.8 – Analog channel flag codes 73

Table C.9 – Device variable codes 74

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[IEC 61158-6-20:2014](https://standards.iteh.ai/catalog/standards/sist/9531d37d-1359-4906-83d8-d88fd74fb03e/iec-61158-6-20-2014)

<https://standards.iteh.ai/catalog/standards/sist/9531d37d-1359-4906-83d8-d88fd74fb03e/iec-61158-6-20-2014>

INTERNATIONAL ELECTROTECHNICAL COMMISSION

**INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –****Part 6-20: Application layer protocol specification –
Type 20 elements**

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as “IEC Publication(s)”). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

Attention is drawn to the fact that the use of the associated protocol type is restricted by its intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a layer protocol type to be used with other layer protocols of the same type, or in other type combinations explicitly authorized by its intellectual-property-right holders.

NOTE Combinations of protocol types are specified in IEC 61784-1 and IEC 61784-2.

International Standard IEC 61158-6-20 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This third edition cancels and replaces the second edition published in 2010. This edition constitutes a technical revision.

The main changes with respect to the previous edition are listed below:

- a) added protocol for new services that are added to IEC 61158-5-20;
- b) added normative annexes;
- c) updated then references, terms, definitions, symbols, abbreviations;
- d) corrected the editorial errors and the text.

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/764/FDIS	65C/774/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or [IEC 61158-6-20:2014](#)
- amended. <https://standards.iteh.ai/catalog/standards/sist/9531d37d-1359-4906-83d8-d88fd74fb03e/iec-61158-6-20-2014>

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the “three-layer” fieldbus reference model described in IEC 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementors and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admittance of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[IEC 61158-6-20:2014](#)

<https://standards.iteh.ai/catalog/standards/sist/9531d37d-1359-4906-83d8-d88fd74fb03e/iec-61158-6-20-2014>

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-20: Application layer protocol specification – Type 20 elements

1 Scope

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a “window between corresponding application programs.”

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment and material specific to Type 20 fieldbus. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions are required to be completed with some defined level of certainty. Failure to complete specified actions within the time window risks failure of the applications requesting the actions, with attendant risk to equipment, plant and possibly human life.

This standard defines in an abstract way the externally visible behavior provided by the Type 20 of the fieldbus Application Layer in terms of

- a) the abstract syntax defining the application layer protocol data units conveyed between communicating application entities;
- b) the transfer syntax defining the application layer protocol data units conveyed between communicating application entities;
- c) the application context state machine defining the application service behavior visible between communicating application entities; and
- d) the application relationship state machines defining the communication behavior visible between communicating application entities; and.

The purpose of this standard is to define the protocol provided to define

- a) the wire-representation of the service primitives defined in IEC 61158-5-20, and
- b) the externally visible behavior associated with their transfer.

This standard specifies the protocol of the Type 20 IEC fieldbus application layer, in conformance with the OSI Basic Reference Model (ISO/IEC 7498-1) and the OSI Application Layer Structure (ISO/IEC 9545).

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE All parts of the IEC 61158 series, as well as IEC 61784-1 and IEC 61784-2 are maintained simultaneously. Cross-references to these documents within the text therefore refer to the editions as dated in this list of normative references.

IEC 61158-1:2014, *Industrial communication networks – Fieldbus specifications – Part 1: Overview and guidance for the IEC 61158 and IEC 61784 series*

IEC 61158-5-20:2014, *Industrial communication networks – Fieldbus specifications – Part 5-20: Application layer service definition – Type 20 elements*

IEC 62591:2010, *Industrial communication networks – Wireless communication network and communication profiles – WirelessHART™*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 8859-1, *Information technology – 8-bit single-byte coded graphic character sets – Part 1: Latin alphabet No. 1*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application Layer structure*

ISO/IEC/IEEE 60559, *Information technology – Microprocessor Systems – Floating-Point arithmetic*

IEEE 802.15.4: *IEEE Standard for Local and metropolitan area networks – Part 15.4: Low-Rate Wireless Personal Area Networks (LR-WPANs)*

iTeh STANDARD PREVIEW

3 Terms, definitions, symbols, abbreviations and conventions

For the purposes of this document, the following terms, definitions, symbols, abbreviations and conventions apply.

<https://standards.iteh.ai/catalog/standards/sist/9531d37d-1359-4906-83d8-d88fd74fb03e/iec-61158-6-20-2014>

3.1 Terms and definitions from other ISO/IEC standards

3.1.1 Terms and definitions from ISO/IEC 7498-1

- a) abstract syntax
- b) application entity
- c) application process
- d) application protocol data unit
- e) application service element
- f) application entity invocation
- g) application process invocation
- h) transfer syntax

3.1.2 Terms and definitions from ISO/IEC 9545

- a) application-entity-invocation
- b) application-process-invocation
- c) application-service-element

3.1.3 Terms and definitions from ISO/IEC 8824-1

- a) object identifier
- b) type
- c) value
- d) simple type

- e) structured type
- f) component type
- g) tag
- h) true
- i) false
- j) integer type
- k) octet string type
- m) null type

3.1.4 Terms and definitions from ISO/IEC 8825-1

- a) encoding (of a data value)
- b) data value
- c) identifier octets (the singular form is used in this standard)
- d) length octet(s) (both singular and plural forms are used in this standard)
- e) contents octets

3.2 IEC 61158-1 terms

3.2.1

application

function or data structure for which data is consumed or produced

3.2.2

application object

object class that manages and provides the run time exchange of messages across the network and within the network device

Note 1 to entry: Multiple types of application object classes may be defined.

3.2.3

application process

part of a distributed application on a network, which is located on one device and unambiguously addressed

3.2.4

application process object

component of an application process that is identifiable and accessible through an FAL application relationship

Note 1 to entry: Application process object definitions are composed of a set of values for the attributes of their class (see the definition for Application Process Object Class Definition). Application process object definitions may be accessed remotely using the services of the FAL Object Management ASE. FAL Object Management services can be used to load or update object definitions, to read object definitions, and to dynamically create and delete application objects and their corresponding definitions.

3.2.5

application process object class

class of application process objects defined in terms of the set of their network-accessible attributes and services

3.2.6

application relationship

cooperative association between two or more application-entity-invocations for the purpose of exchange of information and coordination of their joint operation

Note 1 to entry: This relationship is activated either by the exchange of application-protocol-data-units or as a result of pre-configuration activities.

3.2.7 application relationship endpoint

context and behavior of an application relationship as seen and maintained by one of the application processes involved in the application relationship

Note 1 to entry: Each application process involved in the application relationship maintains its own application relationship endpoint.

3.2.8 attribute

description of an externally visible characteristic or feature of an object

Note 1 to entry: The attributes of an object contain information about variable portions of an object. Typically, they provide status information or govern the operation of an object. Attributes may also affect the behaviour of an object. Attributes are divided into class attributes and instance attributes.

3.2.9 behaviour

indication of how the object responds to particular events

Note 1 to entry: Its description includes the relationship between attribute values and services.

3.2.10 class

set of objects, all of which represent the same kind of system component

Note 1 to entry: A class is a generalisation of the object; a template for defining variables and methods. All objects in a class are identical in form and behaviour, but usually contain different data in their attributes.

3.2.11 class attributes

attribute that is shared by all objects within the same class

3.2.12 class code

unique identifier assigned to each object class

3.2.13 class specific service

service defined by a particular object class to perform a required function which is not performed by a common service

Note 1 to entry: A class specific object is unique to the object class which defines it.

3.2.14 client

- (a) an object which uses the services of another (server) object to perform a task
- (b) an initiator of a message to which a server reacts, such as the role of an AR endpoint in which it issues confirmed service request APDUs to a single AR endpoint acting as a server

3.2.15 comm error

detectable error in receiving a PhPDU or DLPDU, also 'Communication error code' octet of APDU

3.2.16 conveyance path

unidirectional flow of APDUs across an application relationship