



SLOVENSKI STANDARD
SIST-TP CEN/TR 15990:2010
01-oktober-2010

Podatki - Preskušanje materialov za obutev in preskušanje lepil

Data Sheets - Footwear Tests Materials and Test Adhesives

Datenblätter - Schuh-Testwerkstoffe und Schuh-Testklebstoffe

Fiches techniques - Matériaux et colles pour essais des articles chaussants

Ta slovenski standard je istoveten z: CEN/TR 15990:2010

[SIST-TP CEN/TR 15990:2010](https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010)

<https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010>

ICS:

61.060	Obuvala	Footwear
83.180	Lepila	Adhesives

SIST-TP CEN/TR 15990:2010 **en,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TP CEN/TR 15990:2010](https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010)

<https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010>

TECHNICAL REPORT
RAPPORT TECHNIQUE
TECHNISCHER BERICHT

CEN/TR 15990

July 2010

ICS 61.060; 83.180

English Version

Data Sheets - Footwear Tests Materials and Test Adhesives

Fiches techniques - Matériaux et colles pour essais des articles chaussants

Datenblätter - Schuh-Testwerkstoffe und Schuh-Testklebstoffe

This Technical Report was approved by CEN on 28 December 2009. It has been drawn up by the Technical Committee CEN/TC 193.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST-TP CEN/TR 15990:2010](https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010)

<https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
Introduction	4
1 Scope	6
2 Normative references	6
3 Test materials.....	7
3.1 Test material L1.....	7
3.2 Test material L2.....	7
3.3 Test material SBR.....	8
3.4 Test material NBR.....	9
3.5 Test material SBS.....	10
3.6 Test material PVC.....	11
3.7 Test material EVA.....	11
4 Test adhesives	12
4.1 Test adhesive CR1.....	12
4.2 Test adhesive CR2.....	13
4.3 Test adhesive PU1.....	14
4.4 Test adhesive PU2.....	14
4.5 Test adhesive PUD1.....	15
4.6 Test adhesive PUD2.....	15

[SIST-TP CEN/TR 15990:2010](https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010)

<https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010>

Foreword

This document (CEN/TR 15990:2010) has been prepared by Technical Committee CEN/TC 193 “Adhesives”, the secretariat of which is held by AENOR.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST-TP CEN/TR 15990:2010](https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010)

<https://standards.iteh.ai/catalog/standards/sist/d0835873-c498-4c0a-adad-fc7a206bc032/sist-tp-cen-tr-15990-2010>

CEN/TR 15990:2010 (E)**Introduction**

For testing adhesive bonds some important European Standards have been developed by CEN/TC 193/Working Group 5 "Adhesives for Leather and Footwear" in close cooperation with European Shoe Institutes and the "Association of European Adhesive and Sealant Manufacturers (FEICA)":

EN 1392:2006, *Adhesives for leather and footwear materials — Solvent-based and dispersion adhesives — Testing of bond strength under specified conditions*

EN 15062:2006, *Adhesives for leather and footwear materials — Solvent-based and dispersion adhesives — Testing ageing of bonds under specified conditions*

EN 15307:2007, *Adhesives for leather and footwear materials — Sole-upper bonds — Minimum strength requirement*

These European Standards intend to serve:

- the manufactures of shoe materials for testing the bondability of their products;
- the adhesive manufactures to determine the bond properties of their adhesives;
- the shoe industry to test the suitability of the materials and/or adhesives before applying in their production line and for quality control.

In the footwear industry a large number of different solvent or dispersion adhesives are applied for sole-upper bonding offering a broad range of technical effects. The most important and most often adhesives used are based on polyurethane and polychloroprene. For research, development and quality certification purposes some simply formulated 1- and 2-part "reference test adhesives" have been developed which can be considered as typical adhesives of these types. In footwear manufacture also a great number of the different sole and upper materials are used. From the most important and most often applied some materials have been selected as "reference test materials".

The annexed data sheets offer for each of these reference test adhesives and reference test materials some information and specify some properties. CEN/TC193 Working Group 5 takes care for a continuous updating of these data sheets. For further information on a reference test adhesive or a reference test material (e.g. on availability and supply) please contact the European Shoe Institute mentioned in its data sheet:

INSTITUTO TECNOLÓGICO DEL CALZADO Y CONEXAS (INESCOP)

Polig. Ind. Campo Alto - Apto. 253

03600 Elda- Alicante – España

Phone: +34 965 39 52 13; Fax: +34 965 38 10 45

E-Mail: inescop@inescop.es

or respectively

PRÜF- UND FORSCHUNGSINSTITUT e.V. (PFI)

Marie-Curie-Straße 19

D-66953 Pirmasens

Phone: +49 6331 24900; Fax: +49 6331 249060

E-Mail: info@pfi-pirmasens.de

or respectively

Lederinstitut Gerberschule Reutlingen

Erwin-Seiz-Str. 9, D-72764 Reutlingen

Phone: +49 7121 16230; Fax: +49 7121 45493

SAFETY STATEMENT— Persons using this document should be familiar with the normal laboratory practice, if applicable. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any regulatory conditions.

ENVIRONMENTAL STATEMENT — It is understood that some of the material permitted in this standard may have negative environmental impact. As technological advantages lead to acceptable alternatives for these materials, they will be eliminated from this standard to the extent possible.

At the end of the test, the user of the standard shall take care to carry out an appropriate disposal of the wastes, according to local regulation.

CEN/TR 15990:2010 (E)

1 Scope

For research, development and quality certification purposes, some simply formulated 1- and 2-part "reference test adhesives" have been developed and, from the most important and most often applied, some materials have been selected as "reference test materials". This technical report offers for each of these reference test adhesives and reference test materials some information and specify some properties. CEN/TC 193/WG 5 takes care for a continuous updating of these data sheets.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1392, *Adhesives for leather and footwear materials — Solvent-based and dispersion adhesives — Testing of bond strength under specified conditions*

EN 12092, *Adhesives — Determination of viscosity*

EN ISO 868, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness) (ISO 868:2003)*

EN ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1:2004)*

EN ISO 2420, *Leather — Physical and mechanical tests — Determination of apparent density (ISO 2420:2002)*

EN ISO 3376, *Leather — Physical and mechanical tests — Determination of tensile strength and percentage extension (ISO 3376:2002)*

EN ISO 4045, *Leather — Chemical tests — Determination of pH (ISO 4045:2008)*

EN ISO 4047, *Leather — Determination of sulphated total ash and sulphated water-insoluble ash (ISO 4047:1977)*

EN ISO 4048, *Leather — Chemical tests — Determination of matter soluble in dichloromethane and free fatty acid content (ISO 4048:2008)*

EN ISO 5398-3, *Leather — Chemical determination of chromic oxide content — Part 3: Quantification by atomic absorption spectrometry (ISO 5398-3:2007)*

ISO 34 (all parts), *Rubber, vulcanized or thermoplastic — Determination of tear strength*

ISO 37, *Rubber, vulcanized or thermoplastic — Determination of tensile stress-strain properties*

ISO 247, *Rubber — Determination of ash*

ISO 1407, *Rubber — Determination of solvent extract*

ISO 2781, *Rubber, vulcanized or thermoplastic — Determination of density*

ISO 4649, *Rubber, vulcanized or thermoplastic — Determination of abrasion resistance using a rotating cylindrical drum device*

ISO 7619, *Rubber, vulcanized or thermoplastic — Determination of indentation hardness*

3 Test materials

3.1 Test material L1

Description Chrome tanned cowhide upper leather, full grain

Information Lederinstitut Gerberschule Reutlingen

Erwin-Seiz-Str. 9, D-72764 Reutlingen

Phone: +49 7121 16230; Fax: +49 7121 162311

Designation Test upper leather L 1

Thickness: 1,5 mm to 1,8 mm

Colour: green brown

Formulation Raw material: Cowhides of South Germany,

weight class 25 kg to 29,5 kg

Manufacturing method: specified by

Lederinstitut Gerberschule Reutlingen

Table 1 – Technical Data of Test Material L1

Technical Data	Unit	Nominal	± Tolerance	Standard
Apparent density	g/m ³	0,7	0,1	EN ISO 2420
Tensile strength	N/mm ²	> 350	-	EN ISO 3376
Elongation at break	%	Max. 80	-	EN ISO 3376
Ashes at 950 °C	%	6,0	1,0	EN ISO 4047
Chrome oxide	%		-	EN ISO 5398-3
pH-value	-	> 3,5	-	EN ISO 4045
Dichloro methane extract	%	8,0	2,0	EN ISO 4048

Bonding properties: Test Adhesives PU 1, PU 2, CR 1, CR 2, PUD 1 and PUD 2 (according to EN 1392)

3.2 Test material L2

Description Vegetably tanned soling leather, butt

Information Lederinstitut Gerberschule Reutlingen

Erwin-Seiz-Str. 9, D-72764 Reutlingen

Phone: +49 7121 16230; Fax: +49 7121 162311

Designation Test upper leather L 2