



**Universal Mobile Telecommunications System (UMTS);  
LTE;  
UICC-terminal interface;  
Universal Subscriber Identity Module (USIM)  
application test specification  
(3GPP TS 31.121 version 15.4.0 Release 15)**

# **The Telecommunications System LTE; JICC-terminal interface; Subscriber Identity Modul lication test specification 31.121 version 15.4.0 Rel**



---

Reference

RTS/TSGC-0631121vf40

---

Keywords

LTE,UMTS

***ETSI***

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

---

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

***Important notice***

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the prevailing version of an ETSI deliverable is the one made publicly available in PDF format at [www.etsi.org/deliver](http://www.etsi.org/deliver).

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at

<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

***Copyright Notification***

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© ETSI 2019.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are trademarks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are trademarks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.

**oneM2M™** logo is a trademark of ETSI registered for the benefit of its Members and  
of the oneM2M Partners.

**GSM®** and the GSM logo are trademarks registered and owned by the GSM Association.

---

# Intellectual Property Rights

## Essential patents

IPRs essential or potentially essential to normative deliverables may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Trademarks

The present document may include trademarks and/or tradenames which are asserted and/or registered by their owners. ETSI claims no ownership of these except for any which are indicated as being the property of ETSI, and conveys no right to use or reproduce any trademark and/or tradename. Mention of those trademarks in the present document does not constitute an endorsement by ETSI of products, services or organizations associated with those trademarks.

---

# Legal Notice

This Technical Specification (TS) has been produced by ETSI 3rd Generation Partnership Project (3GPP).

The present document may refer to technical specifications or reports using their 3GPP identities. These shall be interpreted as being references to the corresponding ETSI deliverables.

The cross reference between 3GPP and ETSI identities can be found under <http://webapp.etsi.org/key/queryform.asp>.

---

# Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

# Contents

Intellectual Property Rights .....	2
Legal Notice .....	2
Modal verbs terminology.....	2
Foreword.....	21
Introduction .....	21
1    Scope .....	22
2    References .....	22
3    Definitions, symbols, abbreviations and coding.....	24
3.1    Definitions .....	24
3.2    Symbols.....	25
3.3    Abbreviations .....	25
3.4    Coding Conventions .....	27
3.5    Generic procedures for E-UTRAN/UTRAN/GERAN/IMS/NB-IoT/5G-NR.....	27
3.6    Applicability.....	28
3.6.1    Applicability of the present document .....	28
3.6.2    Applicability to terminal equipment .....	28
3.6.3    Applicability of the individual tests .....	28
3.7    Table of optional features.....	29
3.8    Applicability table .....	33
4    Default Values.....	60
4.1    Definition of default values for USIM-Terminal interface testing (Default UICC) .....	60
4.1.1    Values of the EF's (Default UICC) .....	60
4.1.1.1    EF <sub>IMSI</sub> (IMSI) .....	60
4.1.1.2    EF <sub>AD</sub> (Administrative Data) .....	60
4.1.1.3    EF <sub>LOCI</sub> (Location Information) .....	60
4.1.1.4    EF <sub>Keys</sub> (Ciphering and Integrity Keys) .....	61
4.1.1.5    EF <sub>KeysPS</sub> (Ciphering and Integrity Keys for Packet Switched domain).....	61
4.1.1.6    EF <sub>ACC</sub> (Access Control Class).....	61
4.1.1.7    EF <sub>FPLMN</sub> (Forbidden PLMNs).....	61
4.1.1.8    EF <sub>UST</sub> (USIM Service Table) .....	61
4.1.1.9    EF <sub>EST</sub> (Enable Service Table).....	62
4.1.1.10    EF <sub>ADN</sub> (Abbreviated Dialling Number) .....	62
4.1.1.11    EF <sub>PLMNwACT</sub> (User Controlled PLMN Selector with Access Technology) .....	62
4.1.1.12    EF <sub>OPLMNwACT</sub> (Operator Controlled PLMN Selector with Access Technology).....	63
4.1.1.13    Void.....	63
4.1.1.14    PIN .....	63
4.1.1.15    PIN2 .....	64
4.1.1.16    Unblock PIN .....	64
4.1.1.17    Unblock PIN2 .....	64
4.1.1.18    Other Values of the USIM .....	64
4.1.1.19    EF <sub>PSLOCI</sub> (Packet Switch Location Information).....	64
4.1.1.20    Universal PIN.....	64
4.1.1.21    Unblock Universal PIN .....	65
4.2    Definition of FDN UICC.....	65
4.2.1    Values of the EF's (FDN UICC) .....	65
4.2.1.1    EF <sub>UST</sub> (USIM Service Table) .....	65
4.2.1.2    EF <sub>EST</sub> (Enable Service Table).....	65
4.2.1.3    EF <sub>FDN</sub> (Fixed Dialling Numbers) .....	65
4.2.1.4    EF <sub>ECC</sub> (Emergency Call Codes).....	66
4.2.1.5    Other Values of the USIM .....	66
4.3    Void.....	67
4.4    Definition of E-UTRAN/EPC UICC.....	67
4.4.1    EF <sub>UST</sub> (USIM Service Table) .....	67

4.4.2	EF <sub>EPSLOCI</sub> (EPS Information) .....	67
4.4.3	EF <sub>PLMNwACT</sub> (User Controlled PLMN Selector with Access Technology) .....	67
4.4.4	EF <sub>OPLMNwACT</sub> (Operator Controlled PLMN Selector with Access Technology) .....	68
4.4.5	EF <sub>ACSGL</sub> (Allowed CSG Lists) .....	69
4.4.6	EF <sub>CSGT</sub> (CSG Type) .....	69
4.4.7	EF <sub>HNBN</sub> (Home (e)NodeB Name) .....	71
4.4.8	EF <sub>EPSNSC</sub> (EPS NAS Security Context) .....	72
4.5	Definition of E-UTRAN/EPC ISIM-UICC .....	73
4.5.1	Applications on the E-UTRAN/EPC ISIM-UICC .....	73
4.5.2	Default USIM values on E-UTRAN/EPC ISIM-UICC .....	73
4.5.3	Default ISIM values on E-UTRAN/EPC ISIM-UICC .....	73
4.5.3.1	EF <sub>AD</sub> (Administrative Data) .....	73
4.5.3.2	EF <sub>IST</sub> (ISIM Service Table) .....	73
4.5.3.3	EF <sub>IMPI</sub> (IMS private user identity) .....	73
4.5.3.4	EF <sub>DOMAIN</sub> (Home Network Domain Name) .....	74
4.5.3.5	EF <sub>IMPU</sub> (IMS public user identity) .....	74
4.5.3.6	EF <sub>P-CSCF</sub> (P-CSCF ADDRESS) .....	75
4.5.3.7	EF <sub>SMS</sub> (Short Message Service) .....	75
4.5.3.8	EF <sub>SMSR</sub> (Short message status reports) .....	75
4.5.3.9	EF <sub>SMSP</sub> (Short message service parameters) .....	76
4.5.3.10	EF <sub>SMSS</sub> (SMS Status) .....	76
4.5.4	Default values at DF_TELECOM .....	76
4.5.4.1	EF <sub>PSISMSC</sub> (Public Service Identity of the SM-SC) .....	76
4.6	Definition of ACSGL/OCSGL E-UTRAN/EPC UICC .....	77
4.6.1	EF <sub>UST</sub> (USIM Service Table) .....	77
4.6.2	EF <sub>AD</sub> (Administrative Data) .....	77
4.6.3	EF <sub>OCSGL</sub> (Operator CSG Lists) .....	77
4.6.4	EF <sub>OCSGT</sub> (Operator CSG Type) .....	78
4.6.5	EF <sub>OHNBN</sub> (Operator Home (e)NodeB Name) .....	79
4.7.1	Values of the EFs .....	81
4.7.1.1	EF <sub>UST</sub> (USIM Service Table) .....	81
4.7.1.2	EF <sub>NASCONFIG</sub> (Non Access Stratum Configuration) .....	81
5	Subscription related tests .....	89
5.1	IMSI / TMSI handling .....	89
5.1.1	UE identification by short IMSI .....	89
5.1.1.1	Definition and applicability .....	89
5.1.1.2	Conformance requirement .....	89
5.1.1.3	Test purpose .....	89
5.1.1.4	Method of test .....	90
5.1.1.4.1	Initial conditions .....	90
5.1.1.4.2	Procedure .....	90
5.1.1.5	Acceptance criteria .....	90
5.1.2	UE identification by short IMSI using a 2 digit MNC .....	90
5.1.2.1	Definition and applicability .....	90
5.1.2.2	Conformance requirement .....	90
5.1.2.3	Test purpose .....	91
5.1.2.4	Method of test .....	91
5.1.2.4.1	Initial conditions .....	91
5.1.2.4.2	Procedure .....	91
5.1.2.5	Acceptance criteria .....	92
5.1.3	UE identification by "short" TMSI .....	92
5.1.3.1	Definition and applicability .....	92
5.1.3.2	Conformance requirement .....	92
5.1.3.3	Test purpose .....	92
5.1.3.4	Method of test .....	93
5.1.3.4.1	Initial conditions .....	93
5.1.3.4.2	Procedure .....	93
5.1.3.5	Acceptance criteria .....	93
5.1.4	UE identification by "long" TMSI .....	94
5.1.4.1	Definition and applicability .....	94
5.1.4.2	Conformance requirement .....	94

5.1.4.3	Test purpose .....	94
5.1.4.4	Method of test .....	94
5.1.4.4.1	Initial conditions.....	94
5.1.4.4.2	Procedure.....	95
5.1.4.5	Acceptance criteria.....	95
5.1.5	UE identification by long IMSI, TMSI updating and key set identifier assignment.....	95
5.1.5.1	Definition and applicability.....	95
5.1.5.2	Conformance requirement.....	96
5.1.5.3	Test purpose .....	96
5.1.5.4	Method of test .....	96
5.1.5.4.1	Initial conditions.....	96
5.1.5.4.2	Procedure.....	97
5.1.5.5	Acceptance criteria.....	98
5.1.6	UE identification by short IMSI when accessing E-UTRAN/EPC.....	98
5.1.6.1	Definition and applicability.....	98
5.1.6.2	Conformance requirement.....	98
5.1.6.3	Test purpose .....	99
5.1.6.4	Method of test .....	99
5.1.6.4.1	Initial conditions.....	99
5.1.6.4.2	Procedure.....	99
5.1.6.5	Acceptance criteria.....	99
5.1.7	UE identification by short IMSI using a 2 digit MNC when accessing E-UTRAN/EPC.....	100
5.1.7.1	Definition and applicability.....	100
5.1.7.2	Conformance requirement.....	100
5.1.7.3	Test purpose .....	100
5.1.7.4	Method of test .....	100
5.1.7.4.1	Initial conditions.....	100
5.1.7.4.2	Procedure.....	101
5.1.7.5	Acceptance criteria.....	101
5.1.8	UE identification after changed IMSI with service "EMM Information" not available .....	101
5.1.8.2	Conformance requirement.....	101
5.1.8.3	Test purpose .....	102
5.1.8.4	Method of test .....	102
5.1.8.4.1	Initial conditions.....	102
5.1.8.4.2	Procedure.....	102
5.1.8.5	Acceptance criteria.....	102
5.1.9	UE identification by GUTI when using USIM with service "EMM Information" not available.....	103
5.1.9.2	Conformance requirement.....	103
5.1.9.3	Test purpose .....	103
5.1.9.4	Method of test .....	103
5.1.9.4.1	Initial conditions.....	103
5.1.9.4.2	Procedure.....	103
5.1.9.5	Acceptance criteria.....	104
5.1.10	UE identification by GUTI when using USIM with service "EMM Information" available.....	104
5.1.10.1	Definition and applicability.....	104
5.1.10.2	Conformance requirement.....	104
5.1.10.3	Test purpose .....	105
5.1.10.4	Method of test .....	105
5.1.10.4.1	Initial conditions.....	105
5.1.10.4.2	Procedure.....	105
5.1.10.5	Acceptance criteria.....	105
5.2	Access Control handling .....	106
5.2.1	Access Control information handling .....	106
5.2.1.1	Definition and applicability.....	106
5.2.1.2	Conformance requirement.....	106
5.2.1.3	Test purpose .....	107
5.2.1.4	Method of test .....	107
5.2.1.4.1	Initial conditions.....	107
5.2.1.4.2	Coding details.....	107
5.2.1.4.3	Procedure.....	108
5.2.1.5	Acceptance criteria.....	108
5.2.2	Access Control information handling for E-UTRAN/EPC.....	120

5.2.2.1	Definition and applicability.....	120
5.2.2.2	Conformance requirement.....	120
5.2.2.3	Test purpose .....	120
5.2.2.4	Method of test .....	120
5.2.2.4.1	Initial conditions.....	120
5.2.2.4.2	Coding details.....	121
5.2.2.4.3	Procedure.....	121
5.2.2.5	Acceptance criteria.....	121
5.3	Handling subscription identifier privacy for 5G.....	147
5.3.1	UE identification by SUCI during initial registration – SUCI calculation by ME using null scheme .....	147
5.3.2	UE identification by SUCI during initial registration – SUCI calculation by ME using profile B or profile A.....	147
5.3.3	UE identification by SUCI during initial registration – SUCI calculation by USIM.....	147
5.3.4	UE identification by SUCI in response to IDENTITY REQUEST message.....	147
5.3.4.1	Definition and applicability.....	147
5.3.4.2	Conformance requirement.....	147
5.3.4.3	Test purpose .....	148
5.3.4.4	Method of test .....	148
5.3.4.4.1	Initial conditions.....	148
5.3.4.4.2	Procedure.....	148
5.3.4.5	Acceptance criteria.....	149
5.3.5	UE identification by SUCI in response to IDENTITY REQUEST message with T3519 timer expiry .....	149
5.3.5.1	Definition and applicability.....	149
5.3.5.3	Test purpose .....	150
5.3.5.4	Method of test .....	150
5.3.5.4.1	Initial conditions.....	150
5.3.5.4.2	Procedure.....	151
5.3.5.5	Acceptance criteria.....	151
5.3.6	UE identification by SUCI in response to IDENTITY REQUEST message and AUTHENTICATION REJECT .....	151
5.3.6.1	Definition and applicability.....	151
5.3.6.2	Conformance requirement.....	152
5.3.6.3	Test purpose .....	152
5.3.6.4	Method of test .....	152
5.3.6.4.1	Initial conditions.....	152
5.3.6.4.2	Procedure.....	153
5.3.6.5	Acceptance criteria.....	153
5.3.7	UE identification by IMSI– no subscription identifier privacy support by the USIM .....	153
5.3.8	UE identification by 5G-GUTI – Last Registered TAI stored on USIM .....	154
5.3.8.1	Definition and applicability.....	154
5.3.8.2	Conformance requirement.....	154
5.3.8.3	Test purpose .....	154
5.3.8.4	Method of test .....	154
5.3.8.4.1	Initial conditions.....	154
5.3.8.4.2	Procedure.....	155
5.3.8.5	Acceptance criteria.....	155
5.3.9	UE identification by 5G-GUTI – Last Registered TAI stored by ME .....	155
5.3.9.1	Definition and applicability.....	155
5.3.9.3	Test purpose .....	155
5.3.9.4	Method of test .....	156
5.3.9.4.1	Initial conditions.....	156
5.3.9.4.2	Procedure.....	156
5.3.9.5	Acceptance criteria.....	156
5.3.10	UE identification after SUPI is changed .....	157
5.3.10.1	Definition and applicability.....	157
5.3.10.2	Conformance requirement.....	157
5.3.10.3	Test purpose .....	157
5.3.10.4	Method of test .....	157
5.3.10.4.1	Initial conditions.....	157
5.3.10.4.2	Procedure.....	157
5.3.10.5	Acceptance criteria.....	158

6	Security related Tests .....	158
6.1	PIN handling .....	158
6.1.1	Entry of PIN.....	158
6.1.1.1	Definition and applicability.....	158
6.1.1.2	Conformance requirement.....	158
6.1.1.3	Test purpose .....	158
6.1.1.4	Method of test .....	158
6.1.1.4.1	Initial conditions.....	158
6.1.1.4.2	Procedure.....	159
6.1.1.5	Acceptance criteria.....	159
6.1.2	Change of PIN .....	159
6.1.2.1	Definition and applicability.....	159
6.1.2.2	Conformance requirement.....	159
6.1.2.3	Test purpose .....	159
6.1.2.4	Method of test .....	159
6.1.2.4.1	Initial conditions.....	159
6.1.2.4.2	Procedure.....	159
6.1.2.5	Acceptance criteria.....	159
6.1.3	Unblock PIN .....	160
6.1.3.1	Definition and applicability.....	160
6.1.3.2	Conformance requirement.....	160
6.1.3.3	Test purpose .....	160
6.1.3.4	Method of test .....	160
6.1.3.4.1	Initial conditions.....	160
6.1.3.4.2	Procedure.....	160
6.1.3.5	Acceptance criteria.....	161
6.1.4	Entry of PIN2.....	161
6.1.4.1	Definition and applicability.....	161
6.1.4.2	Conformance requirement.....	161
6.1.4.3	Test purpose .....	161
6.1.4.4	Method of test .....	162
6.1.4.4.1	Initial conditions.....	162
6.1.4.4.2	Procedure.....	162
6.1.4.5	Acceptance criteria.....	162
6.1.5	Change of PIN2 .....	162
6.1.5.1	Definition and applicability.....	162
6.1.5.2	Conformance requirement.....	162
6.1.5.3	Test purpose .....	162
6.1.5.4	Method of test .....	162
6.1.5.4.1	Initial conditions.....	162
6.1.5.4.2	Procedure.....	163
6.1.5.5	Acceptance criteria.....	163
6.1.6	Unblock PIN2 .....	163
6.1.6.1	Definition and applicability.....	163
6.1.6.2	Conformance requirement.....	163
6.1.6.3	Test purpose .....	163
6.1.6.4	Method of test .....	163
6.1.6.4.1	Initial conditions.....	163
6.1.6.4.2	Procedure.....	164
6.1.6.5	Acceptance criterias .....	164
6.1.7	Replacement of PIN.....	165
6.1.7.1	Definition and applicability.....	165
6.1.7.2	Conformance requirement.....	165
6.1.7.3	Test purpose .....	165
6.1.7.4	Method of test .....	165
6.1.7.4.1	Initial conditions.....	165
6.1.7.4.2	Procedure.....	165
6.1.7.5	Acceptance criteria.....	165
6.1.8	Change of Universal PIN .....	166
6.1.8.1	Definition and applicability.....	166
6.1.8.2	Conformance requirement.....	166
6.1.8.3	Test purpose .....	166

6.1.8.4	Method of test .....	166
6.1.8.4.1	Initial conditions.....	166
6.1.8.4.2	Procedure.....	166
6.1.8.5	Acceptance criteria.....	167
6.1.9	Unblock Universal PIN.....	167
6.1.9.1	Definition and applicability.....	167
6.1.9.2	Conformance requirement.....	167
6.1.9.3	Test purpose .....	167
6.1.9.4	Method of test .....	167
6.1.9.4.1	Initial conditions.....	167
6.1.9.4.2	Procedure.....	167
6.1.9.5	Acceptance criteria.....	168
6.1.10	Entry of PIN on multi-verification capable UICCs.....	168
6.1.10.1	Definition and applicability.....	168
6.1.10.2	Conformance requirement.....	168
6.1.10.3	Test purpose .....	168
6.1.10.4	Method of test .....	168
6.1.10.4.1	Initial conditions.....	168
6.1.10.4.2	Procedure.....	169
6.1.10.5	Acceptance criteria.....	169
6.1.11	Change of PIN on multi-verification capable UICCs .....	169
6.1.11.1	Definition and applicability.....	169
6.1.11.2	Conformance requirement.....	169
6.1.11.3	Test purpose .....	170
6.1.11.4	Method of test .....	170
6.1.11.4.1	Initial conditions.....	170
6.1.11.4.2	Procedure.....	170
6.1.11.5	Acceptance criteria.....	171
6.1.12	Unblock PIN on multi-verification capable UICCs.....	171
6.1.12.1	Definition and applicability.....	171
6.1.12.2	Conformance requirement.....	171
6.1.12.3	Test purpose .....	171
6.1.12.4	Method of test .....	171
6.1.12.4.1	Initial conditions.....	171
6.1.12.4.2	Procedure.....	172
6.1.12.5	Acceptance criteria.....	173
6.1.13	Entry of PIN2 on multi-verification capable UICCs.....	173
6.1.13.1	Definition and applicability.....	173
6.1.13.2	Conformance requirement.....	173
6.1.13.3	Test purpose .....	173
6.1.13.4	Method of test .....	173
6.1.13.4.1	Initial conditions.....	173
6.1.13.4.2	Procedure.....	174
6.1.13.5	Acceptance criteria.....	174
6.1.14	Change of PIN2 on multi-verification capable UICCs .....	175
6.1.14.1	Definition and applicability.....	175
6.1.14.2	Conformance requirement.....	175
6.1.14.3	Test purpose .....	175
6.1.14.4	Method of test .....	175
6.1.14.4.1	Initial conditions.....	175
6.1.14.4.2	Procedure.....	176
6.1.14.5	Acceptance criteria.....	176
6.1.15	Unblock PIN2 on multi-verification capable UICCs.....	176
6.1.15.1	Definition and applicability.....	176
6.1.15.2	Conformance requirement.....	176
6.1.15.3	Test purpose .....	177
6.1.15.4	Method of test .....	177
6.1.15.4.1	Initial conditions.....	177
6.1.15.4.2	Procedure.....	178
6.1.15.5	Acceptance criterias .....	178
6.1.16	Replacement of PIN with key reference "07" .....	179
6.1.16.1	Definition and applicability.....	179

6.1.16.2	Conformance requirement.....	179
6.1.16.3	Test purpose .....	179
6.1.16.4	Method of test .....	179
6.1.16.4.1	Initial conditions.....	179
6.1.16.4.2	Procedure.....	180
6.1.16.5	Acceptance criteria.....	180
6.2	Fixed Dialling Numbers (FDN) handling.....	181
6.2.1	Terminal and USIM with FDN enabled, EF <sub>ADN</sub> readable and updateable .....	181
6.2.1.1	Definition and applicability.....	181
6.2.1.2	Conformance requirement.....	181
6.2.1.3	Test purpose .....	181
6.2.1.4	Method of test .....	182
6.2.1.4.1	Initial conditions.....	182
6.2.1.4.2	Procedure.....	182
6.2.1.5	Acceptance criteria.....	182
6.2.2	Terminal and USIM with FDN disabled.....	183
6.2.2.1	Definition and applicability.....	183
6.2.2.2	Conformance requirement.....	183
6.2.2.3	Test purpose .....	183
6.2.2.4	Method of test .....	183
6.2.2.4.1	Initial conditions.....	183
6.2.2.4.2	Procedure.....	184
6.2.2.5	Acceptance criteria.....	184
6.2.3	Enabling, disabling and updating of FDN .....	184
6.2.3.1	Definition and applicability.....	184
6.2.3.2	Conformance requirement.....	184
6.2.3.3	Test purpose .....	184
6.2.3.4	Method of test .....	185
6.2.3.4.1	Initial conditions.....	185
6.2.3.4.2	Procedure.....	185
6.2.3.5	Acceptance criteria.....	185
6.2.4	Terminal and USIM with FDN enabled, EF <sub>ADN</sub> readable and updateable (Rel-4 and onwards) .....	185
6.2.4.1	Definition and applicability.....	185
6.2.4.2	Conformance requirement.....	185
6.2.4.3	Test purpose .....	186
6.2.4.4	Method of test .....	186
6.2.4.4.1	Initial conditions.....	186
6.2.4.4.2	Procedure.....	186
6.2.4.5	Acceptance criteria.....	187
6.3	Void.....	187
6.4	Advice of charge (AoC) handling .....	187
6.4.1	AoC not supported by USIM .....	187
6.4.1.1	Definition and applicability.....	187
6.4.1.2	Conformance requirement.....	187
6.4.1.3	Test purpose .....	188
6.4.1.4	Method of test .....	188
6.4.1.4.1	Initial conditions.....	188
6.4.1.4.2	Procedure.....	188
6.4.1.5	Acceptance criteria.....	189
6.4.2	Maximum frequency of ACM updating.....	189
6.4.2.1	Definition and applicability.....	189
6.4.2.2	Conformance requirement.....	189
6.4.2.3	Test purpose .....	189
6.4.2.4	Method of test .....	189
6.4.2.4.1	Initial conditions.....	189
6.4.2.4.2	Procedure.....	190
6.4.2.5	Acceptance criteria.....	192
6.4.3	Call terminated when ACM greater than ACMmax .....	192
6.4.3.1	Definition and applicability.....	192
6.4.3.2	Conformance requirement.....	192
6.4.3.3	Test purpose .....	192
6.4.3.4	Method of test .....	193

6.4.3.4.1	Initial conditions.....	193
6.4.3.4.2	Procedure.....	193
6.4.3.5	Acceptance criteria.....	195
6.4.4	Response codes of increase command of ACM.....	195
6.4.4.1	Definition and applicability.....	195
6.4.4.2	Conformance requirement.....	196
6.4.4.3	Test purpose .....	196
6.4.4.4	Method of test .....	196
6.4.4.4.1	Initial conditions.....	196
6.4.4.4.2	Procedure.....	197
6.4.4.5	Acceptance criteria.....	199
<b>7</b>	<b>PLMN related tests.....</b>	<b>200</b>
7.1	FPLMN handling.....	200
7.1.1	Adding FPLMN to the Forbidden PLMN list.....	200
7.1.1.1	Definition and applicability.....	200
7.1.1.2	Conformance requirement.....	200
7.1.1.3	Test purpose .....	202
7.1.1.4	Method of test .....	202
7.1.1.4.1	Initial conditions.....	202
7.1.1.4.2	Procedure.....	203
7.1.1.5	Acceptance criteria.....	206
7.1.2	UE updating forbidden PLMNs.....	208
7.1.2.1	Definition and applicability.....	208
7.1.2.2	Conformance requirement.....	209
7.1.2.3	Test purpose .....	209
7.1.2.4	Method of test .....	209
7.1.2.4.1	Initial conditions.....	209
7.1.2.4.2	Procedure.....	210
7.1.2.5	Acceptance criteria.....	211
7.1.3	UE deleting forbidden PLMNs.....	211
7.1.3.1	Definition and applicability.....	211
7.1.3.2	Conformance requirement.....	212
7.1.3.3	Test purpose .....	212
7.1.3.4	Method of test .....	213
7.1.3.4.1	Initial conditions.....	213
7.1.3.4.2	Procedure.....	213
7.1.3.5	Acceptance criteria.....	214
7.1.4	Adding FPLMN to the forbidden PLMN list when accessing E-UTRAN.....	215
7.1.4.1	Definition and applicability.....	215
7.1.4.2	Conformance requirement.....	216
7.1.4.3	Test purpose .....	216
7.1.4.4	Method of test .....	216
7.1.4.4.1	Initial conditions.....	216
7.1.4.4.2	Procedure.....	217
7.1.4.5	Acceptance criteria.....	218
7.1.5	UE updating forbidden PLMNs when accessing E-UTRAN.....	218
7.1.5.1	Definition and applicability.....	218
7.1.5.2	Conformance requirement.....	218
7.1.5.3	Test purpose .....	219
7.1.5.4	Method of test .....	219
7.1.5.4.1	Initial conditions.....	219
7.1.5.4.2	Procedure.....	219
7.1.5.5	Acceptance criteria.....	219
7.1.6	UE deleting forbidden PLMNs when accessing E-UTRAN .....	220
7.1.6.1	Definition and applicability.....	220
7.1.6.2	Conformance requirement.....	220
7.1.6.3	Test purpose .....	220
7.1.6.4	Method of test .....	221
7.1.6.4.1	Initial conditions.....	221
7.1.6.4.2	Procedure.....	221
7.1.6.5	Acceptance criteria.....	221

7.1.7	Updating the Forbidden PLMN list after receiving non-integrity protected reject message – UTRAN .....	222
7.1.7.1	Definition and applicability.....	222
7.1.7.2	Conformance requirement.....	222
7.1.7.3	Test purpose .....	223
7.1.7.4	Method of test .....	223
7.1.7.4.1	Initial conditions.....	223
7.1.7.4.2	Procedure.....	223
7.1.7.5	Acceptance criteria.....	224
7.1.8	Updating the Forbidden PLMN list after receiving non-integrity protected reject message – E-UTRAN .....	224
7.1.8.1	Definition and applicability.....	224
7.1.8.2	Conformance requirement.....	224
7.1.8.3	Test purpose .....	225
7.1.8.4	Method of test .....	225
7.1.8.4.1	Initial conditions.....	225
7.1.8.4.2	Procedure.....	226
7.1.8.5	Acceptance criteria.....	226
7.2	User controlled PLMN selector handling .....	227
7.2.1	UE updating the User controlled PLMN selector list .....	227
7.2.1.1	Definition and applicability.....	227
7.2.1.2	Conformance requirement.....	227
7.2.1.3	Test purpose .....	227
7.2.1.4	Method of test .....	227
7.2.1.4.1	Initial conditions.....	227
7.2.1.4.2	Procedure.....	227
7.2.1.5	Acceptance criteria.....	227
7.2.2	UE recognising the priority order of the User controlled PLMN selector list with the same access technology.....	228
7.2.2.1	Definition and applicability.....	228
7.2.2.2	Conformance requirement.....	228
7.2.2.3	Test purpose .....	228
7.2.2.4	Method of test .....	228
7.2.2.4.1	Initial conditions.....	228
7.2.2.4.2	Procedure.....	229
7.2.2.5	Acceptance criteria.....	231
7.2.3	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference .....	232
7.2.3.1	Definition and applicability.....	232
7.2.3.2	Conformance requirement.....	232
7.2.3.3	Test purpose .....	232
7.2.3.4	Method of test .....	232
7.2.3.4.1	Initial conditions.....	232
7.2.3.4.2	Procedure.....	232
7.2.3.5	Acceptance criteria.....	233
7.2.4	Void .....	233
7.2.5	UE updating the User controlled PLMN selector list for E-UTRAN .....	233
7.2.5.1	Definition and applicability.....	233
7.2.5.2	Conformance requirement.....	234
7.2.5.3	Test purpose .....	234
7.2.5.4	Method of test .....	234
7.2.5.4.1	Initial conditions.....	234
7.2.5.4.2	Procedure.....	234
7.2.5.5	Acceptance criteria.....	234
7.2.6	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference- UTRAN/E-UTRAN .....	235
7.2.6.1	Definition and applicability.....	235
7.2.6.2	Conformance requirement.....	235
7.2.6.3	Test purpose .....	235
7.2.6.4	Method of test .....	235
7.2.6.4.1	Initial conditions.....	235
7.2.6.4.2	Procedure.....	236
7.2.6.5	Acceptance criteria.....	236

7.2.7	UE recognising the priority order of the User controlled PLMN selector list using an ACT preference- GSM/E-UTRAN .....	236
7.2.7.1	Definition and applicability.....	236
7.2.7.2	Conformance requirement.....	237
7.2.7.3	Test purpose .....	237
7.2.7.4	Method of test .....	237
7.2.7.4.1	Initial conditions.....	237
7.2.7.4.2	Procedure.....	237
7.2.7.5	Acceptance criteria.....	237
7.3	Operator controlled PLMN selector handling .....	243
7.3.1	UE recognising the priority order of the Operator controlled PLMN selector list.....	243
7.3.1.1	Definition and applicability.....	243
7.3.1.2	Conformance requirement.....	243
7.3.1.3	Test purpose .....	243
7.3.1.4	Method of test .....	243
7.3.1.4.1	Initial conditions.....	243
7.3.1.4.2	Procedure.....	245
7.3.1.5	Acceptance criteria.....	246
7.3.2	UE recognising the priority order of the User controlled PLMN selector over the Operator controlled PLMN selector list.....	247
7.3.2.1	Definition and applicability.....	247
7.3.2.2	Conformance requirement.....	247
7.3.2.3	Test purpose .....	247
7.3.2.4	Method of test .....	248
7.3.2.4.1	Initial conditions.....	248
7.3.2.4.2	Procedure.....	249
7.3.2.5	Acceptance criteria.....	250
7.3.3	UE recognising the priority order of the Operator controlled PLMN selector list when accessing E-UTRAN .....	251
7.3.3.1	Definition and applicability.....	251
7.3.3.2	Conformance requirement.....	251
7.3.3.3	Test purpose .....	251
7.3.3.4	Method of test .....	251
7.3.3.4.1	Initial conditions.....	251
7.3.3.4.2	Procedure.....	253
7.3.3.5	Acceptance criteria.....	253
7.3.4	UE recognising the priority order of the User controlled PLMN selector over the Operator controlled PLMN selector list – E-UTRAN.....	254
7.3.4.1	Definition and applicability.....	254
7.3.4.2	Conformance requirement.....	254
7.3.4.3	Test purpose .....	254
7.3.4.4	Method of test .....	254
7.3.4.4.1	Initial conditions.....	254
7.3.4.4.2	Procedure.....	255
7.3.4.5	Acceptance criteria.....	255
7.4	Higher priority PLMN search handling.....	267
7.4.1	UE recognising the search period of the Higher priority PLMN .....	267
7.4.1.1	Definition and applicability.....	267
7.4.1.2	Conformance requirement.....	267
7.4.1.3	Test purpose .....	268
7.4.1.4	Method of test .....	268
7.4.1.4.1	Initial conditions.....	268
7.4.1.4.2	Procedure.....	268
7.4.1.5	Acceptance criteria.....	271
7.4.2	GSM/Umts dual mode UEs recognising the search period of the Higher priority PLMN.....	272
7.4.2.1	Definition and applicability.....	272
7.4.2.2	Conformance requirement.....	272
7.4.2.3	Test purpose .....	272
7.4.2.4	Method of test .....	272
7.4.2.4.1	Initial conditions.....	272
7.4.2.4.2	Procedure.....	273
7.4.2.5	Acceptance criteria.....	275