



**SLOVENSKI STANDARD**  
**SIST EN IEC 60947-5-2:2020**

**01-junij-2020**

**Nadomešča:**

**SIST EN 60947-5-2:2009**

**SIST EN 60947-5-2:2009/A1:2013**

---

**Nizkonapetostne stikalne in krmilne naprave - 5-2. del: Krmilne naprave in stikalni elementi - Približevalna stikala (IEC 60947-5-2:2019)**

Low-voltage switchgear and controlgear - Part 5-2: Control circuit devices and switching elements - Proximity switches (IEC 60947-5-2:2019)

**iTeh STANDARD PREVIEW**

Niederspannungsschaltgeräte - Teil 5-2: Steuergeräte und Schaltelemente - Näherungsschalter (IEC 60947-5-2:2019)

[SIST EN IEC 60947-5-2:2020](#)

Appareillage à basse tension - Partie 5-2: Appareils et éléments de commutation pour circuits de commande - Détecteurs de proximité (IEC 60947-5-2:2019)

**Ta slovenski standard je istoveten z: EN IEC 60947-5-2:2020**

---

**ICS:**

29.130.20	Nizkonapetostne stikalne in krmilne naprave	Low voltage switchgear and controlgear
-----------	---	--

**SIST EN IEC 60947-5-2:2020**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN IEC 60947-5-2:2020](https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020>

EUROPEAN STANDARD

**EN IEC 60947-5-2**

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2020

ICS 29.120.40; 29.130.20

Supersedes EN 60947-5-2:2007 and all of its  
amendments and corrigenda (if any)

English Version

**Low-voltage switchgear and controlgear - Part 5-2: Control  
circuit devices and switching elements - Proximity switches  
(IEC 60947-5-2:2019)**Appareillage à basse tension - Partie 5-2: Appareils et  
éléments de commutation pour circuits de commande -  
DéTECTEURS DE PROXIMITÉ  
(IEC 60947-5-2:2019)Niederspannungsschaltgeräte - Teil 5-2: Steuergeräte und  
Schaltelemente - Näherungsschalter  
(IEC 60947-5-2:2019)

This European Standard was approved by CENELEC on 2019-11-22. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

[SIST EN IEC 60947-5-2:2020](https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9004-201904040004)

[https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-](https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9004-201904040004)

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.



European Committee for Electrotechnical Standardization  
Comité Européen de Normalisation Electrotechnique  
Europäisches Komitee für Elektrotechnische Normung

**CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels**

**EN IEC 60947-5-2:2020 (E)****European foreword**

The text of document 121A/313/FDIS, future edition 4 of IEC 60947-5-2, prepared by SC 121A "Low-voltage switchgear and controlgear" of IEC/TC 121 "Switchgear and controlgear and their assemblies for low voltage" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN IEC 60947-5-2:2020.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2020-09-27
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2023-03-27

This document supersedes EN 60947-5-2:2007 and all of its amendments and corrigenda (if any).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CENELEC by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For the relationship with EU Directives see informative Annexes ZZA and ZZB, which are an integral part of this document.

<https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020>

**Endorsement notice**

The text of the International Standard IEC 60947-5-2:2019 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60825 (series)	NOTE	Harmonized as EN 60825 (series)
IEC 61000-3-2:2018	NOTE	Harmonized as EN IEC 61000-3-2:2019 (not modified)
IEC 61000-3-3:2013	NOTE	Harmonized as EN 61000-3-3:2013 (not modified)
IEC 61000-3-3:2013/A1:2017	NOTE	Harmonized as EN 61000-3-3:2013/A1:2019 (not modified)
IEC 61076-2-101	NOTE	Harmonized as EN 61076-2-101
IEC 61076-2-104	NOTE	Harmonized as EN 61076-2-104
IEC 61076-2-105	NOTE	Harmonized as EN 61076-2-105
IEC 62471:2006	NOTE	Harmonized as EN 62471:2008 (modified)
IEC 62683-1:2017	NOTE	Harmonized as EN 62683-1:2017 (not modified)
ISO 7010	NOTE	Harmonized as EN ISO 7010

## Annex ZA (normative)

### Normative references to international publications with their corresponding European publications

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE 1 Where an International Publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

NOTE 2 Up-to-date information on the latest versions of the European Standards listed in this annex is available here: [www.cenelec.eu](http://www.cenelec.eu).

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60068-2-6	2007	Environmental testing – Part 2-6: Tests – Test Fc: Vibration (sinusoidal)	EN 60068-2-6	2008
IEC 60068-2-14	2009	Environmental testing – Part 2-14: Tests – Test N: Change of temperature	EN 60068-2-14	2009
IEC 60068-2-27	2008	Environmental testing – Part 2-27: Tests – Test Ea and guidance: Shock	EN 60068-2-27	2009
IEC 60068-2-30	2005	Environmental testing – Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)	EN 60068-2-30	2005
IEC 60364	series	Low-voltage electrical installations	HD 60364	series
IEC 60445	2017	Basic and safety principles for man-machine interface, marking and identification – Identification of equipment terminals, conductor terminations and conductors	EN 60445	2017
IEC 60695-2-10	2013	Fire hazard testing - Part 2-10: Glowing/hot-wire based test methods - Glow-wire apparatus and common test procedure	EN 60695-2-10	2013
IEC 60695-2-11	2014	Fire hazard testing - Part 2-11: Glowing/hot-wire based test methods - Glow-wire flammability test method for end-products (GWEPT)	EN 60695-2-11	2014
IEC 60695-2-12	2010	Fire hazard testing - Part 2-12: Glowing/hot-wire based test methods - Glow-wire flammability index (GWFI) test method for materials	EN 60695-2-12	2010
+ A1	2014		+ A1	2014

## EN IEC 60947-5-2:2020 (E)

Publication	Year	Title	EN/HD	Year
IEC 60825-1	2014	Safety of laser products - Part 1: Equipment classification and requirements	EN 60825-1	2014
			+ AC	2017
IEC 60947-1	2007	Low-voltage switchgear and controlgear - Part 1: General rules	EN 60947-1	2007
+ A1	2010		+ A1	2011
+ A2	2014		+ A2	2014
IEC 61000-4-2	2008	Electromagnetic compatibility (EMC) - Part 4-2: Testing and measurement techniques - Electrostatic discharge immunity test	EN 61000-4-2	2009
IEC 61000-4-3	2006	Electromagnetic compatibility (EMC) - Part 4-3: Testing and measurement techniques - Radiated, radio-frequency, electromagnetic field immunity test	EN 61000-4-3	2006
+ A1	2007		+ A1	2008
+ A2	2010		+ A2	2010
IEC 61000-4-4	2012	Electromagnetic compatibility (EMC) - Part 4-4: Testing and measurement techniques - Electrical fast transient/burst immunity test	EN 61000-4-4	2012
IEC 61000-4-6	2013	Electromagnetic compatibility (EMC) - Part 4-6: Testing and measurement techniques - Immunity to conducted disturbances, induced by radio- frequency fields	EN 61000-4-6	2014
		<a href="https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020">https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020</a>	+ AC	2015
IEC 61000-4-8	2009	Electromagnetic compatibility (EMC) - Part 4-8: Testing and measurement techniques - Power frequency magnetic field immunity test	EC 61000-4-8	2010
IEC 61000-4-11	2004	Electromagnetic compatibility (EMC) - Part 4-11: Testing and measurement techniques - Voltage dips, short interruptions and voltage variations immunity tests	EN 61000-4-11	2004
+ A1	2017		+ A1	2017
IEC 61000-4-13	2002	Electromagnetic compatibility (EMC) - Part 4-13: Testing and measurement techniques - Harmonics and interharmonics including mains signalling at a.c. power port, low frequency immunity tests	EN 61000-4-13	2002
+ A1	2009		+ A1	2009
+ A2	2015		+ A2	2016
IEC 61076-2	series	Connectors for electronic equipment – Product requirements – Part 2: Circular connectors	EN 61076-2	series
IEC 61140	-	Protection against electric shock - Common aspects for installation and equipment	EN 61140	2016

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 62443	series	Security for industrial automation and control systems	EN 62443	series
IEC 62471	series	Photobiological safety of lamps and lamp systems	EN 62471	series
IEC TR 62471-2	2009	Photobiological safety of lamps and lamp systems - Part 2: Guidance on manufacturing requirements relating to non-laser optical radiation safety	-	-
CISPR 11 (mod)	2015	Industrial, scientific and medical equipment – Radio-frequency disturbance characteristics – Limits and methods of measurement	EN 55011	2016
+ A1	2016		+ A1	2017
IEC Guide 117	2010	Electrotechnical equipment - Temperatures of touchable hot surfaces	CLC Guide 29	2007

## iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN IEC 60947-5-2:2020](https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020)

<https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020>

## Annex ZZA (informative)

### Relationship between this European standard and the essential requirements of Directive 2014/30/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under the European Commission standardisation request C(2016) 7641 final of 30.11.2016<sup>1</sup>, ('M/552'), as regards harmonised standards in support of Directive 2014/30/EU relating to electromagnetic compatibility, to provide one voluntary means of conforming to essential requirements of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZA.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding essential requirements of that Directive, and associated EFTA regulations.

**Table ZZA.1 — Correspondence between this European standard and the Essential Requirements set out in Directive 2014/30/EU [2014 OJ L96]**

Essential requirements of Directive 2014/30/EU	Clause(s) / sub-clause(s) of this EN	Remarks / Notes
Annex I. 1(a) Electromagnetic disturbances	8.2.6.1, 8.2.6.2, 8.2.6.3, 9.6.1, 9.6.3	
Annex I. 1(b) Electromagnetic immunity	8.2.6.1, 8.2.6.2, 9.6.1, 9.6.2	Full coverage of requirements for conducted and radiated disturbances in the range 150 kHz to 6 GHz

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

<sup>1</sup> COMMISSION IMPLEMENTING DECISION C(2016) 7641 final of 30.11.2016 on a standardisation request to the European Committee for Standardisation, to the European Committee for Electrotechnical Standardisation and to the European Telecommunications Standards Institute as regards harmonised standards in support of Directive 2014/30/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to electromagnetic compatibility.



## Annex ZZB (informative)

### Relationship between this European standard and the safety objectives of Directive 2014/35/EU [2014 OJ L96] aimed to be covered

This European standard has been prepared under a Commission's standardisation request relating to harmonised standards in the field of the Low Voltage Directive, M/511, to provide one voluntary means of conforming to safety objectives of Directive 2014/35/EU of the European Parliament and of the Council of 26 February 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits [2014 OJ L96].

Once this standard is cited in the Official Journal of the European Union under that Directive, compliance with the normative clauses of this standard given in Table ZZB.1 confers, within the limits of the scope of this standard, a presumption of conformity with the corresponding safety objectives of that Directive, and associated EFTA regulations.

**Table ZZB.1 — Correspondence between this European standard and Annex I of Directive 2014/35/EU [2014 OJ L96]**

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
1 a)	1, 2, 3, 4, 5.3, 5.4, 6.1, 6.2, 6.3, 6.4, 7.1, 8.1, 8.2, 9.1, 9.2, 9.3, ANNEX B	
1 b)	1, 2, 3, 4, 5, 6.1, 6.2, 6.3, 7, 8.1, 8.2 ANNEX B	
1 c)	1, 2, 3, 4, 5, 6, 7, 8 Also refer to 2 a) to 2 d) and 3 a) to 3 c) in this table	
2 a)	1, 2, 3, 4, 5.3, 6.1, 8.1, 8.2, 8.4, 9.1, 9.2, 9.3, ANNEX B, ANNEX C	
2 b)	1, 2, 3, 4, 5.3, 5.4, 6.1, 6.3, 7.1, 8.1, 8.2, 9.2, 9.3	This document does not deal with any specific requirement on acoustic noise.  Photobiological radiation risk (8.1) is covered by using the standard informed (EN 60825- 1/EN 62471 (all parts)).
2 c)	1, 2, 3, 4, 5, 6.4, 7, 8.1, 8.4, 9.1, ANNEX B, ANNEX C	

## EN IEC 60947-5-2:2020 (E)

Safety objectives of Directive 2014/35/EU	Clause(s) / sub-clause(s) of this EN	Remarks/note
2 d)	1, 2, 3, 4, 5.3, 5.4, 6.1 7, 8.1, 8.2, 9.1, 9.2, 9.3, ANNEX B	
3 a)	1, 2, 3, 4, 5, 7, 8.4, 9.1, ANNEX B, ANNEX C	
3 b)	1, 2, 3, 4, 5, 8.1	In reference to the scope of this document the risk about biological/chemical effects and chemical stress (8.1) is not recognized and therefore not covered.
3 c)	1, 2, 3, 4, 5, 7.1, 8.1, 8.2, 9.3	

**WARNING 1:** Presumption of conformity stays valid only as long as a reference to this European standard is maintained in the list published in the Official Journal of the European Union. Users of this standard should consult frequently the latest list published in the Official Journal of the European Union.

**WARNING 2:** Other Union legislation may be applicable to the product(s) falling within the scope of this standard.

**iTeh STANDARD PREVIEW**  
(standards.iteh.ai)

SIST EN IEC 60947-5-2:2020

<https://standards.iteh.ai/catalog/standards/sist/2b74569b-477d-468b-9968-6fe8771b2513/sist-en-iec-60947-5-2-2020>



IEC 60947-5-2

Edition 4.0 2019-10

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



**Low-voltage switchgear and controlgear –  
Part 5-2: Control circuit devices and switching elements – Proximity switches**

**Appareillage à basse tension –  
Partie 5-2: Appareils et éléments de commutation pour circuits de commande –  
DéTECTEURS DE PROXIMITÉ**

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

COMMISSION  
ELECTROTECHNIQUE  
INTERNATIONALE

ICS 29.120.40; 29.130.20

ISBN 978-2-8322-7445-3

**Warning! Make sure that you obtained this publication from an authorized distributor.  
Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.**

## CONTENTS

FOREWORD .....	9
1 Scope .....	12
2 Normative references .....	13
3 Terms and definitions .....	14
3.1 Basic terms and definitions .....	17
3.2 Parts of a proximity switch .....	18
3.3 Operation of a proximity switch .....	20
3.4 Switching element characteristics .....	22
4 Classification .....	24
4.1 General .....	24
4.2 Classification according to sensing means .....	26
4.3 Classification according to the mechanical installation .....	26
4.4 Classification according to the construction form and size .....	26
4.5 Classification according to switching element function .....	26
4.6 Classification according to type of output .....	26
4.7 Classification according to method of connection .....	26
5 Characteristics .....	26
5.1 General .....	26
5.1.1 Summary of characteristics .....	26
5.1.2 Operation of an inductive or capacitive proximity switch .....	26
5.1.3 Operation of an ultrasonic proximity switch .....	27
5.1.4 Operation of a photoelectric proximity switch .....	27
5.1.5 Operation of a magnetic proximity switch .....	27
5.2 Operating conditions .....	27
5.2.1 Operating conditions of inductive and capacitive proximity switches .....	27
5.2.2 Operating distance (s) of an ultrasonic proximity switch .....	28
5.2.3 Operating distance (s) of a photoelectric proximity switch .....	29
5.3 Rated and limiting values for the proximity switch and switching element(s) .....	31
5.3.1 Voltages .....	31
5.3.2 Currents .....	31
5.3.3 Rated supply frequency .....	32
5.3.4 Frequency of operating cycles ( $f$ ) .....	32
5.3.5 Normal load and abnormal load characteristics .....	32
5.3.6 Short-circuit characteristics .....	32
5.4 Utilization categories for the switching element .....	32
6 Product information .....	33
6.1 Nature of information – Identification .....	33
6.2 Marking .....	34
6.2.1 General .....	34
6.2.2 Terminal identification and marking .....	34
6.2.3 Functional markings .....	34
6.3 Instructions for installation, operation and maintenance .....	34
6.4 Environmental information .....	35
6.4.1 Environmentally conscious design process (ECD process) .....	35

6.4.2	Procedure to establish material declaration .....	35
7	Normal service, mounting and transport conditions .....	35
7.1	Normal service conditions .....	35
7.1.1	General .....	35
7.1.2	Ambient air temperature .....	35
7.1.3	Altitude .....	36
7.1.4	Climatic conditions .....	36
7.2	Conditions during transport and storage .....	36
7.3	Mounting .....	36
8	Constructional and performance requirements .....	36
8.1	Constructional requirements .....	36
8.1.1	Materials .....	36
8.1.2	Current-carrying parts and their connections .....	37
8.1.3	Clearances and creepage distances .....	38
8.1.4	Actuation .....	38
8.1.5	Void .....	38
8.1.6	Void .....	38
8.1.7	Terminals .....	38
8.1.8	Void .....	40
8.1.9	Provisions for protective earthing .....	40
8.1.10	Degree of protection .....	40
8.1.11	Requirements for proximity switches with integrally connected cables .....	40
8.1.12	Class II proximity switches .....	41
8.1.13	Chemical stress .....	41
8.1.14	Equipment design .....	41
8.1.15	Protection against artificial optical radiation .....	41
8.1.16	Biological and chemical effects .....	42
8.1.17	Unattended operation .....	42
8.1.18	Safety related security .....	42
8.1.19	Requirements for embedded software .....	42
8.2	Performance requirements .....	42
8.2.1	Operating conditions .....	42
8.2.2	Temperature-rise .....	46
8.2.3	Dielectric properties .....	47
8.2.4	Ability to make and break under normal load and abnormal load conditions .....	48
8.2.5	Conditional short-circuit current .....	49
8.2.6	Electromagnetic compatibility (EMC) .....	49
8.3	Physical dimensions .....	53
8.4	Shock and vibration and special environmental conditions .....	53
8.4.1	Shock .....	53
8.4.2	Vibration .....	53
8.4.3	Results to be obtained .....	53
8.4.4	Special environmental conditions – damp heat, salt mist, vibration and shock .....	54
9	Tests .....	54
9.1	Kinds of tests .....	54
9.1.1	General .....	54
9.1.2	Type tests .....	54

9.1.3	Routine tests .....	54
9.1.4	Sampling tests .....	54
9.1.5	Special tests .....	54
9.2	Compliance with constructional requirements .....	55
9.2.1	General .....	55
9.2.2	Materials .....	55
9.3	Performances .....	55
9.3.1	Test sequences .....	55
9.3.2	General test conditions .....	56
9.3.3	Performance under no load, normal load and abnormal load condition.....	58
9.3.4	Performance under short-circuit current conditions .....	64
9.4	Testing of operating distances .....	65
9.4.1	Inductive, capacitive, non-mechanical magnetic and ultrasonic proximity switches .....	65
9.4.2	Photoelectric proximity switches .....	66
9.5	Testing for the frequency of operating cycles .....	69
9.5.1	General .....	69
9.5.2	Method for measuring the frequency of operating cycles.....	70
9.5.3	Results to be obtained .....	72
9.5.4	Photoelectric proximity switches .....	72
9.6	Verification of the electromagnetic compatibility.....	74
9.6.1	General .....	74
9.6.2	Immunity.....	74
9.6.3	Emission.....	75
9.7	Test results and test report.....	75
Annex A (informative)	Typical dimensions and operating distances of proximity switches.....	76
A.1	MODEL IA, IB – INDUCTIVE CYLINDRICAL PROXIMITY SWITCHES WITH THREADED BARREL (IA) OR SMOOTH BARREL (IB) WITH CABLE OR CONNECTOR .....	76
A.1.1	(IA, IB) Dimensions .....	76
A.1.2	(IA, IB) Rated operating distances .....	79
A.1.3	(IA, IB) Installation (mounting) threaded barrel (IA) and smooth barrel (IB).....	80
A.1.4	(IA, IB) Frequency of operating cycles ( <i>f</i> ).....	80
A.2	MODEL IC – INDUCTIVE RECTANGULAR PROXIMITY SWITCHES WITH SQUARE CROSS-SECTION .....	81
A.2.1	(IC) Dimensions.....	81
A.2.2	(IC) Rated operating distance .....	83
A.2.3	(IC) Installation (mounting).....	84
A.2.4	(IC) Frequency of operating cycles ( <i>f</i> ).....	85
A.3	MODEL ID – INDUCTIVE RECTANGULAR PROXIMITY SWITCHES WITH RECTANGULAR CROSS-SECTION.....	86
A.3.1	(ID) Dimensions .....	86
A.3.2	(ID) Installation (mounting).....	87
A.3.3	(IC) Frequency of operating cycles ( <i>f</i> ).....	88
A.4	MODEL IX (IN, IS, FLATPACK, CUBICAL INDUCTIVE RECTANGULAR AND CUBICAL PROXIMITY SWITCHES WITH SMALL SIZES) .....	88

A.4.1	(IX) Dimensions .....	88
A.4.2	(Flatpack) Dimensions .....	89
A.4.3	(Cubical) Dimensions .....	90
A.4.4	(IX) Rated operating distance .....	92
A.4.5	(IX) Installation (mounting) .....	92
A.4.6	(IX) Frequency of operating cycles ( $f$ ) .....	92
A.5	MODEL CA – CAPACITIVE CYLINDRICAL PROXIMITY SWITCHES WITH THREADED BARREL .....	93
A.5.1	(CA) Dimensions .....	93
A.5.2	(CA) Rated operating distance ( $s_n$ ) .....	94
A.5.3	(CA) Installation (mounting) .....	94
A.5.4	(CA) Frequency of operating cycles ( $f$ ) .....	95
A.6	MODEL CB – CAPACITIVE PROXIMITY SWITCHES WITH SMOOTH BARREL .....	95
A.7	MODEL CC – CAPACITIVE RECTANGULAR PROXIMITY SWITCHES WITH SQUARE CROSS-SECTION .....	95
A.7.1	(CC) Dimensions .....	95
A.7.2	(CC) Rated operating distances ( $s_n$ ) .....	96
A.7.3	(CC) Installation (mounting) .....	97
A.7.4	(CC) Frequency of operating cycles ( $f$ ) .....	97
A.8	MODEL CD – CAPACITIVE RECTANGULAR PROXIMITY SWITCHES WITH RECTANGULAR CROSS-SECTION .....	98
A.8.1	(CD) Dimensions .....	98
A.8.2	(CD) Rated operating distance ( $s_n$ ) .....	98
A.8.3	(CD) Installation (mounting) .....	98
A.8.4	(CD) Frequency of operating cycles ( $f$ ) .....	99
A.9	MODEL CX – CAPACITIVE PROXIMITY SWITCHES WITH OTHER FORMS, DIMENSIONS AND SMALL SIZES .....	99
A.10	MODEL UA – THREADED BARREL ULTRASONIC CYLINDRICAL PROXIMITY SWITCHES .....	99
A.10.1	(UA) Dimensions .....	99
A.10.2	(UA) Sensing range .....	100
A.10.3	(UA) Installation (mounting) .....	100
A.10.4	(UA) Frequency of operating cycles ( $f$ ) .....	100
A.11	MODEL UD – ULTRASONIC RECTANGULAR PROXIMITY SWITCHES WITH RECTANGULAR CROSS-SECTION .....	101
A.11.1	(UD) Dimensions .....	101
A.11.2	(UD) Sensing range .....	101
A.11.3	(UD) Installation (mounting) .....	101
A.11.4	(UD) Frequency of operating cycles ( $f$ ) .....	101
Annex B (normative)	Class II proximity switches insulated by encapsulation – Requirements and tests .....	102
B.1	General .....	102
B.2	Terms and definitions .....	102
B.6	Marking .....	102
B.8	Constructional and functional requirements .....	103
B.9	Tests .....	103
Annex C (normative)	Additional requirements for proximity switches with integrally connected cables .....	106
C.1	General .....	106