
**Implants for surgery — Metallic
materials —**

**Part 11:
Wrought titanium 6-aluminium
7-niobium alloy**

iTeh STANDARD PREVIEW
Implants chirurgicaux — Produits à base de métaux —
(standards.iteh.ai) **Partie 11: Alliage à forger à base de titane, d'aluminium 6 et de niobium 7**

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>



iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Normative references.....	1
3 Chemical composition.....	1
4 Microstructure.....	2
5 Mechanical properties.....	2
6 Test methods.....	2

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: Foreword - Supplementary information

The committee responsible for this document is ISO/TC 150, *Implants for surgery*, Subcommittee SC 1, *Materials*.

This second edition cancels and replaces the first edition (ISO 5832-11:1994), which has been technically revised.

ISO 5832 consists of the following parts, under the general title *Implants for surgery — Metallic materials*:

- Part 1: *Wrought stainless steel*
- Part 2: *Unalloyed titanium*
- Part 3: *Wrought titanium 6-aluminium 4-vanadium alloy*
- Part 4: *Cobalt-chromium-molybdenum casting alloy*
- Part 5: *Wrought cobalt-chromium-tungsten-nickel alloy*
- Part 6: *Wrought cobalt-nickel-chromium-molybdenum alloy*
- Part 7: *Forgeable and cold-formed cobalt-chromium-nickel-molybdenum-iron alloy*
- Part 8: *Wrought cobalt-nickel-chromium-molybdenum-tungsten-iron alloy*
- Part 9: *Wrought high nitrogen stainless steel*
- Part 11: *Wrought titanium 6-aluminium 7-niobium alloy*
- Part 12: *Wrought cobalt-chromium-molybdenum alloy*
- Part 14: *Wrought titanium 15-molybdenum 5-zirconium 3-aluminium alloy*

Introduction

No known surgical implant material has ever been shown to be completely free of adverse reactions in the human body. However, long-term clinical experience of the use of the material referred to in this part of ISO 5832 has shown that an acceptable level of biological response can be expected, when the material is used in appropriate applications.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>

Implants for surgery — Metallic materials —

Part 11:

Wrought titanium 6-aluminium 7-niobium alloy

1 Scope

This part of ISO 5832 specifies the characteristics of, and corresponding test methods for, the wrought titanium alloy known as titanium 6-aluminium 7-niobium alloy (Ti-6-Al 7-Nb) for use in the manufacture of surgical implants.

NOTE The mechanical properties of a sample obtained from a finished product made of this alloy might not necessarily comply with those specified in this part of ISO 5832.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature*

ISO 20160:2006, *Implants for surgery — Metallic materials — Classification of microstructures for alpha+beta titanium alloy bars*

ISO 5832-11:2014

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>

3 Chemical composition

The heat analysis shall conform to the requirements as to the chemical composition prescribed in [Table 1](#). Ingot analysis can be used for reporting all chemical requirements except hydrogen, which shall be determined after the heat treatment and pickling procedure.

Table 1

Element	Compositional limits % (m/m)
Aluminium	5,5 to 6,5
Niobium	6,5 to 7,5
Tantalum	0,50 max.
Iron	0,25 max.
Oxygen	0,20 max.
Carbon	0,08 max.
Nitrogen	0,05 max.
Hydrogen	0,009 max.
Titanium	Balance

4 Microstructure

The microstructure, when examined as indicated in [Table 3](#), shall be alpha + beta, and shall correspond to ISO 20160:2006, micrograph A 1 to micrograph A 9, for annealed material.

5 Mechanical properties

The tensile properties of the alloy, determined as specified in [Clause 6](#), shall be in accordance with the requirements of [Table 2](#).

Table 2 — Mechanical properties of alloy in annealed condition

Form of alloy	Tensile strength min. MPa	Proof stress of non-proportional elongation min. MPa	Percentage elonga- tion min. %	Reduction of area min. %
Bar ^a	900	800	10	25
^a Maximum diameter or thickness = 100 mm.				

Should any of the pieces not meet the specified requirements or should they break outside the gauge limits, two further test pieces representative of the same batch shall be tested in the same manner. The alloy shall be deemed to comply only if both additional test pieces meet the specified requirements.

If any of the retests fail to meet the appropriate requirements, the product represented shall be deemed not to comply with this part of ISO 5832.

iTech STANDARD PREVIEW
(standards.iteh.ai)

6 Test methods

ISO 5832-11:2014

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf->

The test methods to be used in determining compliance with the requirements of this part of ISO 5832 shall be those given in [Table 3](#).

Representative test pieces for the determination of mechanical properties shall be prepared in accordance with the provisions of ISO 6892-1.

Table 3 — Test methods

Requirement	Relevant clause	Test methods
Chemical composition	3	Recognized analytical procedures (International Standards where these exist)
Microstructure	4	ISO 20160
Mechanical properties	5	
— Tensile strength		ISO 6892-1
— Proof stress of non-proportional elongation		ISO 6892-1
— Percentage elongation		ISO 6892-1
— Reduction of area		ISO 6892-1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 5832-11:2014](https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014)

<https://standards.iteh.ai/catalog/standards/sist/d5e89b2c-f20a-48a3-9dbf-4b536f0f64ee/iso-5832-11-2014>