



# SLOVENSKI STANDARD SIST ISO/IEC 14496-10:2018

01-september-2018

Nadomešča:

SIST ISO/IEC 14496-10:2010

---

**Informacijska tehnologija - Kodiranje avdio-vizualnih objektov - 10. del: Napredno video kodiranje za splošne avdiovizualne storitve**

Information technology -- Coding of audio-visual objects -- Part 10: Advanced Video Coding

## iTeh STANDARD PREVIEW (standards.iteh.ai)

Technologies de l'information -- Codage des objets audiovisuels -- Partie 10: Codage visuel avancé

[SIST ISO/IEC 14496-10:2018](https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018)

<https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018>

**Ta slovenski standard je istoveten z: ISO/IEC 14496-10:2014**

---

**ICS:**

35.040.40	Kodiranje avdio, video, multimedijskih in hipermedijskih informacij	Coding of audio, video, multimedia and hypermedia information
-----------	---	---

**SIST ISO/IEC 14496-10:2018**

**en,fr,de**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO/IEC 14496-10:2018](https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018)

<https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018>

INTERNATIONAL  
STANDARD

ISO/IEC  
14496-10

Eighth edition  
2014-09-01

---

---

Information technology — Coding of  
audio-visual objects —

Part 10:  
Advanced Video Coding

*Technologies de l'information — Codage des objets audiovisuels —*

*Partie 10: Codage visuel avancé*  
**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST ISO/IEC 14496-10:2018](https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018)

<https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018>

---

---

Reference number  
ISO/IEC 14496-10:2014(E)



## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO/IEC 14496-10:2018

<https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018>



### **COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

<b>0</b>	<b>Introduction</b>	<b>xvii</b>
0.1	Prologue	xvii
0.2	Purpose	xvii
0.3	Applications	xvii
0.4	Publication and versions of this Specification	xvii
0.5	Profiles and levels	xviii
0.6	Overview of the design characteristics	xix
0.6.1	Predictive coding	xix
0.6.2	Coding of progressive and interlaced video	xx
0.6.3	Picture partitioning into macroblocks and smaller partitions	xx
0.6.4	Spatial redundancy reduction	xx
0.7	How to read this Specification	xx
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Definitions</b>	<b>1</b>
<b>4</b>	<b>Abbreviations</b>	<b>9</b>
<b>5</b>	<b>Conventions</b>	<b>10</b>
5.1	Arithmetic operators	10
5.2	Logical operators	11
5.3	Relational operators	11
5.4	Bit-wise operators	11
5.5	Assignment operators	11
5.6	Range notation	12
5.7	Mathematical functions	12
5.8	Order of operation precedence	13
5.9	Variables, syntax elements, and tables	14
5.10	Text description of logical operations	14
5.11	Processes	15
<b>6</b>	<b>Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships</b>	<b>16</b>
6.1	Bitstream formats	16
6.2	Source, decoded, and output picture formats	16
6.3	Spatial subdivision of pictures and slices	21
6.4	Inverse scanning processes and derivation processes for neighbours	22
6.4.1	Inverse macroblock scanning process	22
6.4.2	Inverse macroblock partition and sub-macroblock partition scanning process	23
6.4.3	Inverse 4x4 luma block scanning process	25
6.4.4	Inverse 4x4 Cb or Cr block scanning process for ChromaArrayType equal to 3	25
6.4.5	Inverse 8x8 luma block scanning process	25
6.4.6	Inverse 8x8 Cb or Cr block scanning process for ChromaArrayType equal to 3	26
6.4.7	Inverse 4x4 chroma block scanning process	26
6.4.8	Derivation process of the availability for macroblock addresses	26
6.4.9	Derivation process for neighbouring macroblock addresses and their availability	26
6.4.10	Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames	27
6.4.11	Derivation processes for neighbouring macroblocks, blocks, and partitions	28
6.4.12	Derivation process for neighbouring locations	33
6.4.13	Derivation processes for block and partition indices	35
<b>7</b>	<b>Syntax and semantics</b>	<b>37</b>
7.1	Method of specifying syntax in tabular form	37
7.2	Specification of syntax functions, categories, and descriptors	38
7.3	Syntax in tabular form	40
7.3.1	NAL unit syntax	40

## ISO/IEC 14496-10:2014(E)

7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax.....	40
7.3.3	Slice header syntax .....	49
7.3.4	Slice data syntax .....	54
7.3.5	Macroblock layer syntax.....	55
7.4	Semantics.....	62
7.4.1	NAL unit semantics .....	62
7.4.2	Raw byte sequence payloads and RBSP trailing bits semantics .....	72
7.4.3	Slice header semantics .....	86
7.4.4	Slice data semantics .....	98
7.4.5	Macroblock layer semantics.....	98
<b>8</b>	<b>Decoding process.....</b>	<b>111</b>
8.1	NAL unit decoding process .....	112
8.2	Slice decoding process.....	113
8.2.1	Decoding process for picture order count .....	113
8.2.2	Decoding process for macroblock to slice group map .....	117
8.2.3	Decoding process for slice data partitions .....	121
8.2.4	Decoding process for reference picture lists construction.....	121
8.2.5	Decoded reference picture marking process .....	128
8.3	Intra prediction process.....	133
8.3.1	Intra_4x4 prediction process for luma samples.....	133
8.3.2	Intra_8x8 prediction process for luma samples.....	140
8.3.3	Intra_16x16 prediction process for luma samples.....	148
8.3.4	Intra prediction process for chroma samples.....	150
8.3.5	Sample construction process for I_PCM macroblocks .....	154
8.4	Inter prediction process.....	155
8.4.1	Derivation process for motion vector components and reference indices.....	158
8.4.2	Decoding process for Inter prediction samples .....	170
8.4.3	Derivation process for prediction weights .....	179
8.5	Transform coefficient decoding process and picture construction process prior to deblocking filter process..	182
8.5.1	Specification of transform decoding process for 4x4 luma residual blocks.....	182
8.5.2	Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode .....	183
8.5.3	Specification of transform decoding process for 8x8 luma residual blocks.....	184
8.5.4	Specification of transform decoding process for chroma samples.....	184
8.5.5	Specification of transform decoding process for chroma samples with ChromaArrayType equal to 3 ....	186
8.5.6	Inverse scanning process for 4x4 transform coefficients and scaling lists.....	186
8.5.7	Inverse scanning process for 8x8 transform coefficients and scaling lists.....	187
8.5.8	Derivation process for chroma quantisation parameters .....	189
8.5.9	Derivation process for scaling functions.....	189
8.5.10	Scaling and transformation process for DC transform coefficients for Intra_16x16 macroblock type....	191
8.5.11	Scaling and transformation process for chroma DC transform coefficients .....	191
8.5.12	Scaling and transformation process for residual 4x4 blocks.....	193
8.5.13	Scaling and transformation process for residual 8x8 blocks.....	196
8.5.14	Picture construction process prior to deblocking filter process.....	200
8.5.15	Intra residual transform-bypass decoding process .....	201
8.6	Decoding process for P macroblocks in SP slices or SI macroblocks .....	202
8.6.1	SP decoding process for non-switching pictures.....	202
8.6.2	SP and SI slice decoding process for switching pictures .....	205
8.7	Deblocking filter process .....	207
8.7.1	Filtering process for block edges .....	211
8.7.2	Filtering process for a set of samples across a horizontal or vertical block edge.....	213
<b>9</b>	<b>Parsing process .....</b>	<b>219</b>
9.1	Parsing process for Exp-Golomb codes .....	219
9.1.1	Mapping process for signed Exp-Golomb codes .....	221
9.1.2	Mapping process for coded block pattern .....	221
9.2	CAVLC parsing process for transform coefficient levels .....	224
9.2.1	Parsing process for total number of non-zero transform coefficient levels and number of trailing ones..	225
9.2.2	Parsing process for level information .....	229
9.2.3	Parsing process for run information.....	230

9.2.4	Combining level and run information .....	233
9.3	CABAC parsing process for slice data .....	233
9.3.1	Initialisation process .....	235
9.3.2	Binarization process .....	259
9.3.3	Decoding process flow .....	268
9.3.4	Arithmetic encoding process (informative) .....	290
<b>Annex A (normative) Profiles and levels .....</b>		<b>298</b>
A.1	Requirements on video decoder capability .....	298
A.2	Profiles .....	298
A.2.1	Baseline profile .....	298
A.2.2	Main profile .....	299
A.2.3	Extended profile .....	299
A.2.4	High profile .....	300
A.2.5	High 10 profile .....	301
A.2.6	High 4:2:2 profile .....	301
A.2.7	High 4:4:4 Predictive profile .....	302
A.2.8	High 10 Intra profile .....	302
A.2.9	High 4:2:2 Intra profile .....	303
A.2.10	High 4:4:4 Intra profile .....	303
A.2.11	CAVLC 4:4:4 Intra profile .....	304
A.3	Levels .....	304
A.3.1	Level limits common to the Baseline, Constrained Baseline, Main, and Extended profiles .....	304
A.3.2	Level limits common to the High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profiles .....	307
A.3.3	Profile-specific level limits .....	309
A.3.4	Effect of level limits on frame rate (informative) .....	314
A.3.5	Effect of level limits on maximum DPB size in units of frames (informative) .....	317
<b>Annex B (normative) Byte stream format .....</b>		<b>319</b>
B.1	Byte stream NAL unit syntax and semantics .....	319
B.1.1	Byte stream NAL unit syntax .....	319
B.1.2	Byte stream NAL unit semantics .....	319
B.2	Byte stream NAL unit decoding process .....	320
B.3	Decoder byte-alignment recovery (informative) .....	320
<b>Annex C (normative) Hypothetical reference decoder .....</b>		<b>322</b>
C.1	Operation of coded picture buffer (CPB) .....	326
C.1.1	Timing of bitstream arrival .....	326
C.1.2	Timing of coded picture removal .....	327
C.2	Operation of the decoded picture buffer (DPB) .....	328
C.2.1	Decoding of gaps in frame_num and storage of "non-existing" frames .....	329
C.2.2	Picture decoding and output .....	329
C.2.3	Removal of pictures from the DPB before possible insertion of the current picture .....	330
C.2.4	Current decoded picture marking and storage .....	331
C.3	Bitstream conformance .....	332
C.4	Decoder conformance .....	334
C.4.1	Operation of the output order DPB .....	335
C.4.2	Decoding of gaps in frame_num and storage of "non-existing" pictures .....	335
C.4.3	Picture decoding .....	335
C.4.4	Removal of pictures from the DPB before possible insertion of the current picture .....	336
C.4.5	Current decoded picture marking and storage .....	337
<b>Annex D (normative) Supplemental enhancement information .....</b>		<b>341</b>
D.1	SEI payload syntax .....	342
D.1.1	Buffering period SEI message syntax .....	344
D.1.2	Picture timing SEI message syntax .....	344
D.1.3	Pan-scan rectangle SEI message syntax .....	345
D.1.4	Filler payload SEI message syntax .....	346
D.1.5	User data registered by ITU-T Rec. T.35 SEI message syntax .....	346
D.1.6	User data unregistered SEI message syntax .....	346
D.1.7	Recovery point SEI message syntax .....	346
D.1.8	Decoded reference picture marking repetition SEI message syntax .....	347

## ISO/IEC 14496-10:2014(E)

D.1.9	Spare picture SEI message syntax .....	347
D.1.10	Scene information SEI message syntax .....	348
D.1.11	Sub-sequence information SEI message syntax .....	348
D.1.12	Sub-sequence layer characteristics SEI message syntax .....	348
D.1.13	Sub-sequence characteristics SEI message syntax .....	349
D.1.14	Full-frame freeze SEI message syntax .....	349
D.1.15	Full-frame freeze release SEI message syntax .....	349
D.1.16	Full-frame snapshot SEI message syntax .....	349
D.1.17	Progressive refinement segment start SEI message syntax .....	350
D.1.18	Progressive refinement segment end SEI message syntax .....	350
D.1.19	Motion-constrained slice group set SEI message syntax .....	350
D.1.20	Film grain characteristics SEI message syntax .....	351
D.1.21	Deblocking filter display preference SEI message syntax .....	351
D.1.22	Stereo video information SEI message syntax .....	352
D.1.23	Post-filter hint SEI message syntax .....	352
D.1.24	Tone mapping information SEI message syntax .....	353
D.1.25	Frame packing arrangement SEI message syntax .....	354
D.1.26	Reserved SEI message syntax .....	354
D.2	SEI payload semantics .....	354
D.2.1	Buffering period SEI message semantics .....	354
D.2.2	Picture timing SEI message semantics .....	355
D.2.3	Pan-scan rectangle SEI message semantics .....	360
D.2.4	Filler payload SEI message semantics .....	361
D.2.5	User data registered by ITU-T Rec. T.35 SEI message semantics .....	361
D.2.6	User data unregistered SEI message semantics .....	362
D.2.7	Recovery point SEI message semantics .....	362
D.2.8	Decoded reference picture marking repetition SEI message semantics .....	364
D.2.9	Spare picture SEI message semantics .....	364
D.2.10	Scene information SEI message semantics .....	366
D.2.11	Sub-sequence information SEI message semantics .....	368
D.2.12	Sub-sequence layer characteristics SEI message semantics .....	369
D.2.13	Sub-sequence characteristics SEI message semantics .....	370
D.2.14	Full-frame freeze SEI message semantics .....	372
D.2.15	Full-frame freeze release SEI message semantics .....	372
D.2.16	Full-frame snapshot SEI message semantics .....	372
D.2.17	Progressive refinement segment start SEI message semantics .....	372
D.2.18	Progressive refinement segment end SEI message semantics .....	373
D.2.19	Motion-constrained slice group set SEI message semantics .....	373
D.2.20	Film grain characteristics SEI message semantics .....	374
D.2.21	Deblocking filter display preference SEI message semantics .....	380
D.2.22	Stereo video information SEI message semantics .....	382
D.2.23	Post-filter hint SEI message semantics .....	382
D.2.24	Tone mapping information SEI message semantics .....	383
D.2.25	Frame packing arrangement SEI message semantics .....	385
D.2.26	Reserved SEI message semantics .....	395
<b>Annex E (normative) Video usability information .....</b>	<b>396</b>	
E.1	VUI syntax .....	397
E.1.1	VUI parameters syntax .....	397
E.1.2	HRD parameters syntax .....	398
E.2	VUI semantics .....	398
E.2.1	VUI parameters semantics .....	398
E.2.2	HRD parameters semantics .....	411
<b>Annex F (informative) Patent Rights .....</b>	<b>413</b>	
<b>Annex G (normative) Scalable video coding .....</b>	<b>415</b>	
G.1	Scope .....	415
G.2	Normative references .....	415
G.3	Definitions .....	415
G.4	Abbreviations .....	419
G.5	Conventions .....	419



G.6	Source, coded, decoded and output data formats, scanning processes, neighbouring and reference layer relationships .....	419
G.6.1	Derivation process for reference layer macroblocks .....	419
G.6.2	Derivation process for reference layer partitions.....	422
G.6.3	Derivation process for reference layer sample locations in resampling .....	423
G.6.4	SVC derivation process for macroblock and sub-macroblock partition indices.....	425
G.7	Syntax and semantics .....	425
G.7.1	Method of specifying syntax in tabular form .....	425
G.7.2	Specification of syntax functions, categories, and descriptors .....	425
G.7.3	Syntax in tabular form .....	425
G.7.4	Semantics .....	437
G.8	SVC decoding process .....	471
G.8.1	SVC initialisation and decoding processes.....	472
G.8.2	SVC reference picture lists construction and decoded reference picture marking process .....	492
G.8.3	SVC intra decoding processes .....	503
G.8.4	SVC Inter prediction process.....	513
G.8.5	SVC transform coefficient decoding and sample array construction processes .....	526
G.8.6	Resampling processes for prediction data, intra samples, and residual samples .....	543
G.8.7	SVC deblocking filter processes .....	573
G.8.8	Specification of bitstream subsets .....	585
G.9	Parsing process .....	586
G.9.1	Alternative parsing process for coded block pattern .....	587
G.9.2	Alternative CAVLC parsing process for transform coefficient levels.....	588
G.9.3	Alternative CABAC parsing process for slice data in scalable extension .....	592
G.10	Profiles and levels .....	595
G.10.1	Profiles .....	595
G.10.2	Levels .....	598
G.11	Byte stream format .....	603
G.12	Hypothetical reference decoder .....	603
G.13	Supplemental enhancement information .....	603
G.13.1	SEI payload syntax .....	604
G.13.2	SEI payload semantics .....	610
G.14	Video usability information .....	638
G.14.1	SVC VUI parameters extension syntax .....	639
G.14.2	SVC VUI parameters extension semantics.....	639
<b>Annex H (normative)</b>	<b>Multiview video coding.....</b>	<b>642</b>
H.1	Scope .....	642
H.2	Normative references .....	642
H.3	Definitions .....	642
H.4	Abbreviations .....	644
H.5	Conventions.....	644
H.6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships.....	644
H.7	Syntax and semantics .....	645
H.7.1	Method of specifying syntax in tabular form .....	645
H.7.2	Specification of syntax functions, categories, and descriptors .....	645
H.7.3	Syntax in tabular form .....	645
H.7.4	Semantics .....	649
H.8	MVC decoding process .....	663
H.8.1	MVC decoding process for picture order count .....	663
H.8.2	MVC decoding process for reference picture lists construction.....	664
H.8.3	MVC decoded reference picture marking process.....	668
H.8.4	MVC inter prediction and inter-view prediction process .....	668
H.8.5	Specification of bitstream subsets .....	669
H.9	Parsing process .....	673
H.10	Profiles and levels .....	673
H.10.1	Profiles .....	673
H.10.2	Levels .....	674
H.11	Byte stream format .....	678
H.12	MVC hypothetical reference decoder.....	678
H.13	MVC SEI messages.....	678

## ISO/IEC 14496-10:2014(E)

H.13.1	SEI message syntax.....	678
H.13.2	SEI message semantics .....	684
H.14	Video usability information .....	696
H.14.1	MVC VUI parameters extension syntax .....	697
H.14.2	MVC VUI parameters extension semantics .....	697

## LIST OF FIGURES

Figure 6-1	– Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame.....	18
Figure 6-2	– Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields.....	19
Figure 6-3	– Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame.....	19
Figure 6-4	– Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields.....	20
Figure 6-5	– Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame.....	20
Figure 6-6	– Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields.....	21
Figure 6-7	– A picture with 11 by 9 macroblocks that is partitioned into two slices.....	22
Figure 6-8	– Partitioning of the decoded frame into macroblock pairs .....	22
Figure 6-9	– Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans .....	24
Figure 6-10	– Scan for 4x4 luma blocks.....	25
Figure 6-11	– Scan for 8x8 luma blocks.....	25
Figure 6-12	– Neighbouring macroblocks for a given macroblock.....	27
Figure 6-13	– Neighbouring macroblocks for a given macroblock in MBAFF frames.....	28
Figure 6-14	– Determination of the neighbouring macroblock, blocks, and partitions (informative).....	29
Figure 7-1	– Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive.....	70
Figure 8-1	– Intra_4x4 prediction mode directions (informative) .....	135
Figure 8-2	– Example for temporal direct-mode motion vector inference (informative) .....	167
Figure 8-3	– Directional segmentation prediction (informative).....	168
Figure 8-4	– Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation .....	174
Figure 8-5	– Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D .....	177
Figure 8-6	– Assignment of the indices of dcY to luma4x4BlkIdx .....	183
Figure 8-7	– Assignment of the indices of dcC to chroma4x4BlkIdx: (a) ChromaArrayType equal to 1, (b) ChromaArrayType equal to 2.....	185
Figure 8-8	– 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative).....	187
Figure 8-9	– 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative).....	188
Figure 8-10	– Boundaries in a macroblock to be filtered .....	208
Figure 8-11	– Convention for describing samples across a 4x4 block horizontal or vertical boundary .....	212
Figure 9-1	– Illustration of CABAC parsing process for a syntax element SE (informative) .....	235
Figure 9-2	– Overview of the arithmetic decoding process for a single bin (informative).....	284
Figure 9-3	– Flowchart for decoding a decision .....	285

Figure 9-4 – Flowchart of renormalization .....	288
Figure 9-5 – Flowchart of bypass decoding process .....	289
Figure 9-6 – Flowchart of decoding a decision before termination .....	290
Figure 9-7 – Flowchart for encoding a decision.....	292
Figure 9-8 – Flowchart of renormalization in the encoder.....	293
Figure 9-9 – Flowchart of PutBit(B).....	294
Figure 9-10 – Flowchart of encoding bypass .....	295
Figure 9-11 – Flowchart of encoding a decision before termination .....	296
Figure 9-12 – Flowchart of flushing at termination .....	296
Figure C-1 – Structure of byte streams and NAL unit streams for HRD conformance checks.....	322
Figure C-2 – HRD buffer model .....	324
Figure D-1 – Rearrangement and upconversion of checkerboard interleaving (frame_packing_arrangement_type equal to 0).....	390
Figure D-2 – Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames .....	390
Figure D-3 – Rearrangement and upconversion of column interleaving with frame_packing_arrangement_type equal to 1, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (4, 8) for constituent frame 0 and (x, y) equal to (12, 8) for constituent frame 1 .....	391
Figure D-4 – Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames .....	391
Figure D-5 – Rearrangement and upconversion of row interleaving with frame_packing_arrangement_type equal to 2, quincunx_sampling_flag equal to 0, (x, y) equal to (0, 0) or (8, 4) for constituent frame 0, and (x, y) equal to (8, 12) for constituent frame 1 .....	392
Figure D-6 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (4, 8) for both constituent frames.....	392
Figure D-7 – Rearrangement and upconversion of side-by-side packing arrangement with frame_packing_arrangement_type equal to 3, quincunx_sampling_flag equal to 0, (x, y) equal to (12, 8) for constituent frame 0, and (x, y) equal to (0, 0) or (4, 8) for constituent frame 1 .....	393
Figure D-8 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, and (x, y) equal to (0, 0) or (8, 4) for both constituent frames.....	393
Figure D-9 – Rearrangement and upconversion of top-bottom packing arrangement with frame_packing_arrangement_type equal to 4, quincunx_sampling_flag equal to 0, (x, y) equal to (8, 12) for constituent frame 0, and (x, y) equal to (0, 0) or (8, 4) for constituent frame 1 .....	394
Figure D-10 – Rearrangement and upconversion of side-by-side packing arrangement with quincunx sampling (frame_packing_arrangement_type equal to 3 with quincunx_sampling_flag equal to 1).....	394
Figure D-11 – Rearrangement of a temporal interleaving frame arrangement (frame_packing_arrangement_type equal to 5) .....	395
Figure E-1 – Location of chroma samples for top and bottom fields for chroma_format_idc equal to 1 (4:2:0 chroma format) as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field .....	407

## LIST OF TABLES

Table 5-1 – Operation precedence from highest (at top of table) to lowest (at bottom of table).....	13
Table 6-1 – SubWidthC, and SubHeightC values derived from chroma_format_idc and separate_colour_plane_flag....	17
Table 6-2 – Specification of input and output assignments for subclauses 6.4.11.1 to 6.4.11.7.....	29
Table 6-3 – Specification of mbAddrN .....	34
Table 6-4 – Specification of mbAddrN and yM.....	35
Table 7-1 – NAL unit type codes, syntax element categories, and NAL unit type classes.....	63
Table 7-2 – Assignment of mnemonic names to scaling list indices and specification of fall-back rule.....	75
Table 7-3 – Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter .....	75
Table 7-4 – Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter .....	76
Table 7-5 – Meaning of primary_pic_type .....	84
Table 7-6 – Name association to slice_type .....	87
Table 7-7 – modification_of_pic_nums_idc operations for modification of reference picture lists.....	93
Table 7-8 – Interpretation of adaptive_ref_pic_marking_mode_flag.....	95
Table 7-9 – Memory management control operation (memory_management_control_operation) values .....	96
Table 7-10 – Allowed collective macroblock types for slice_type.....	99
Table 7-11 – Macroblock types for I slices.....	100
Table 7-12 – Macroblock type with value 0 for SI slices.....	101
Table 7-13 – Macroblock type values 0 to 4 for P and SP slices.....	102
Table 7-14 – Macroblock type values 0 to 22 for B slices.....	103
Table 7-15 – Specification of CodedBlockPatternChroma values.....	105
Table 7-16 – Relationship between intra_chroma_pred_mode and spatial prediction modes.....	106
Table 7-17 – Sub-macroblock types in P macroblocks .....	107
Table 7-18 – Sub-macroblock types in B macroblocks .....	108
Table 8-1 – Refined slice group map type.....	118
Table 8-2 – Specification of Intra4x4PredMode[ luma4x4BlkIdx ] and associated names.....	134
Table 8-3 – Specification of Intra8x8PredMode[ luma8x8BlkIdx ] and associated names.....	141
Table 8-4 – Specification of Intra16x16PredMode and associated names .....	148
Table 8-5 – Specification of Intra chroma prediction modes and associated names .....	151
Table 8-6 – Specification of the variable colPic.....	160
Table 8-7 – Specification of PicCodingStruct( X ).....	160
Table 8-8 – Specification of mbAddrCol, yM, and vertMvScale.....	162
Table 8-9 – Assignment of prediction utilization flags .....	164
Table 8-10 – Derivation of the vertical component of the chroma vector in field coding mode.....	170
Table 8-11 – Differential full-sample luma locations.....	175
Table 8-12 – Assignment of the luma prediction sample predPartLX <sub>L</sub> [ x <sub>L</sub> , y <sub>L</sub> ] .....	176
Table 8-13 – Specification of mapping of idx to c <sub>ij</sub> for zig-zag and field scan.....	187
Table 8-14 – Specification of mapping of idx to c <sub>ij</sub> for 8x8 zig-zag and 8x8 field scan.....	188

Table 8-15 – Specification of $QP_C$ as a function of $qP_1$ .....	189
Table 8-16 – Derivation of offset dependent threshold variables $\alpha'$ and $\beta'$ from indexA and indexB.....	216
Table 8-17 – Value of variable $t'_{CO}$ as a function of indexA and bS .....	217
Table 9-1 – Bit strings with "prefix" and "suffix" bits and assignment to codeNum ranges (informative) .....	220
Table 9-2 – Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative).....	220
Table 9-3 – Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v).....	221
Table 9-4 – Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes.....	222
Table 9-5 – coeff_token mapping to TotalCoeff( coeff_token ) and TrailingOnes( coeff_token ).....	227
Table 9-6 – Codeword table for level_prefix (informative).....	230
Table 9-7 – total_zeros tables for 4x4 blocks with tzVlcIndex 1 to 7.....	231
Table 9-8 – total_zeros tables for 4x4 blocks with tzVlcIndex 8 to 15.....	232
Table 9-9 – total_zeros tables for chroma DC 2x2 and 2x4 blocks .....	232
Table 9-10 – Tables for run_before.....	233
Table 9-11 – Association of ctxIdx and syntax elements for each slice type in the initialisation process .....	236
Table 9-12 – Values of variables m and n for ctxIdx from 0 to 10 .....	237
Table 9-13 – Values of variables m and n for ctxIdx from 11 to 23 .....	238
Table 9-14 – Values of variables m and n for ctxIdx from 24 to 39 .....	238
Table 9-15 – Values of variables m and n for ctxIdx from 40 to 53 .....	238
Table 9-16 – Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401.....	239
Table 9-17 – Values of variables m and n for ctxIdx from 60 to 69 .....	239
Table 9-18 – Values of variables m and n for ctxIdx from 70 to 104 .....	240
Table 9-19 – Values of variables m and n for ctxIdx from 105 to 165 .....	241
Table 9-20 – Values of variables m and n for ctxIdx from 166 to 226 .....	242
Table 9-21 – Values of variables m and n for ctxIdx from 227 to 275 .....	243
Table 9-22 – Values of variables m and n for ctxIdx from 277 to 337 .....	244
Table 9-23 – Values of variables m and n for ctxIdx from 338 to 398 .....	245
Table 9-24 – Values of variables m and n for ctxIdx from 402 to 459 .....	246
Table 9-25 – Values of variables m and n for ctxIdx from 460 to 483 .....	247
Table 9-26 – Values of variables m and n for ctxIdx from 484 to 571 .....	248
Table 9-27 – Values of variables m and n for ctxIdx from 572 to 659 .....	250
Table 9-28 – Values of variables m and n for ctxIdx from 660 to 717 .....	252
Table 9-29 – Values of variables m and n for ctxIdx from 718 to 775 .....	253
Table 9-30 – Values of variables m and n for ctxIdx from 776 to 863 .....	254
Table 9-31 – Values of variables m and n for ctxIdx from 864 to 951 .....	256
Table 9-32 – Values of variables m and n for ctxIdx from 952 to 1011 .....	258
Table 9-33 – Values of variables m and n for ctxIdx from 1012 to 1023 .....	259
Table 9-34 – Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset.....	261
Table 9-35 – Bin string of the unary binarization (informative).....	264

## ISO/IEC 14496-10:2014(E)

Table 9-36 – Binarization for macroblock types in I slices .....	266
Table 9-37 – Binarization for macroblock types in P, SP, and B slices .....	267
Table 9-38 – Binarization for sub-macroblock types in P, SP, and B slices.....	268
Table 9-39 – Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1.....	270
Table 9-40 – Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1 .....	271
Table 9-41 – Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx.....	280
Table 9-42 – Specification of ctxBlockCat for the different blocks .....	281
Table 9-43 – Mapping of scanning position to ctxIdxInc for ctxBlockCat = 5, 9, or 13.....	282
Table 9-44 – Specification of rangeTabLPS depending on pStateIdx and qCodIRangeIdx.....	286
Table 9-45 – State transition table .....	287
Table A-1 – Level limits.....	307
Table A-2 – Specification of cpbBrVclFactor and cpbBrNalFactor.....	310
Table A-3 – Baseline and Constrained Baseline profile level limits .....	311
Table A-4 – Main, High, Progressive High, High 10, High 4:2:2, High 4:4:4 Predictive, High 10 Intra, High 4:2:2 Intra, High 4:4:4 Intra, and CAVLC 4:4:4 Intra profile level limits .....	312
Table A-5 – Extended profile level limits .....	313
Table A-6 – Maximum frame rates (frames per second) for some example frame sizes.....	314
Table A-7 – Maximum DPB size (frames) for some example frame sizes.....	317
Table D-1 – Interpretation of pic_struct .....	357
Table D-2 – Mapping of ct_type to source picture scan .....	358
Table D-3 – Definition of counting_type values .....	359
Table D-4 – scene_transition_type values .....	367
Table D-5 – model_id values.....	375
Table D-6 – blending_mode_id values.....	376
Table D-7 – filter_hint_type values.....	383
Table D-8 – Definition of frame_packing_arrangement_type.....	386
Table D-9 – Definition of content_interpretation_type .....	387
Table E-1 – Meaning of sample aspect ratio indicator .....	399
Table E-2 – Meaning of video_format .....	400
Table E-3 – Colour primaries .....	401
Table E-4 – Transfer characteristics .....	402
Table E-5 – Matrix coefficients.....	405
Table E-6 – Divisor for computation of $\Delta t_{fi,dpb}(n)$ .....	408
Table F-1 – Organisations providing patent rights licensing notices.....	413
Table G-1 – Name association to slice_type for NAL units with nal_unit_type equal to 20. ....	456
Table G-2 – Interpretation of adaptive_ref_base_pic_marking_mode_flag.....	465
Table G-3 – Memory management base control operation (memory_management_base_control_operation) values .....	466



Table G-4 – Allowed collective macroblock types for slice_type. ....	469
Table G-5 – Inferred macroblock type I_BL for EI slices. ....	469
Table G-6 – Scale values cS for transform coefficient level scaling.....	534
Table G-7 – Macroblock type predictors mbTypeILPred .....	552
Table G-8 – Sub-macroblock type predictors subMbTypeILPred[ mbPartIdx ].....	552
Table G-9 – 16-phase luma interpolation filter for resampling in Intra_Base prediction .....	562
Table G-10 – Mapping of ( nX, nY ) to coeffTokenIdx and vice versa .....	589
Table G-11 – Association of ctxIdx and syntax elements for each slice type in the initialisation process .....	593
Table G-12 – Values of variables m and n for ctxIdx from 1024 to 1026 .....	593
Table G-13 – Values of variables m and n for ctxIdx from 1027 to 1030 .....	593
Table G-14 – Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset .....	594
Table G-15 – Assignment of ctxIdxInc to binIdx for the ctxIdxOffset values related to the syntax elements base_mode_flag and residual_prediction_flag .....	594
Table G-16 – Scalable Baseline profile level limits.....	603
Table G-17 – Specification of cpbBrVclFactor and cpbBrNalFactor .....	603
Table H-1 – modification_of_pic_nums_idc operations for modification of reference picture lists.....	662
Table H-2 – Association between camera parameter variables and syntax elements .....	694

ITeH STANDARD PREVIEW  
(standards.iteh.ai)

[SIST ISO/IEC 14496-10:2018](https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018)

<https://standards.iteh.ai/catalog/standards/sist/66ee0dd7-b247-4adb-84b0-0c0ef02e430a/sist-iso-iec-14496-10-2018>