
Zrak na delovnem mestu - Določevanje kovin in polkovin v lebdečih delcih z atomsko emisijsko spektrometrijo z induktivno sklopljeno plazmo - 1. del: Vzorčenje

Workplace air - Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry - Part 1: Sampling

Air des lieux de travail - Détermination des métaux et métalloïdes dans les particules en suspension dans l'air par spectrométrie d'émission atomique avec plasma à couplage inductif - Partie 1: Échantillonnage

Ta slovenski standard je istoveten z: ISO 15202-1:2020

ICS:

13.040.30 Kakovost zraka na delovnem mestu Workplace atmospheres

oSIST ISO 15202-1:2020**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/8cc18de2-c800-41d0-863f-2bcab0b067cc/osist-iso-15202-1-2020>

INTERNATIONAL
STANDARD

ISO
15202-1

Third edition
2020-06

**Workplace air — Determination of
metals and metalloids in airborne
particulate matter by inductively
coupled plasma atomic emission
spectrometry —**

**Part 1:
Sampling**

*Air des lieux de travail — Détermination des métaux et métalloïdes
dans les particules en suspension dans l'air par spectrométrie
d'émission atomique avec plasma à couplage inductif —*

Partie 1: Prélèvement d'échantillons



Reference number
ISO 15202-1:2020(E)

© ISO 2020

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/8cc18de2-c800-41d0-863f-2bcab0b067cc/osist-iso-15202-1-2020>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents		Page
Foreword		iv
Introduction		v
1 Scope		1
2 Normative references		1
3 Terms and definitions		2
4 Principle		2
5 Requirement		2
6 Sampling equipment		2
6.1 Samplers.....		2
6.2 Filters.....		3
6.3 Sampling pumps.....		3
6.4 Flowmeter.....		3
6.5 Ancillary equipment.....		3
7 Occupational exposure assessment		4
7.1 General.....		4
7.2 Personal sampling.....		4
7.3 Static sampling.....		4
7.4 Selection of measurement conditions and measurement pattern.....		4
7.4.1 General.....		4
7.4.2 Screening measurements of variation of concentration in time/and or space.....		4
7.4.3 Screening measurements of time-weighted average concentration and reasonable worst-case measurements.....		5
7.4.4 Measurements near an emission source.....		5
7.4.5 Measurements for comparison with limit values and periodic measurements.....		5
8 Sampling method		5
8.1 Preliminary considerations.....		5
8.1.1 Selection and use of samplers.....		5
8.1.2 Sampling period.....		6
8.1.3 Temperature and pressure effects.....		6
8.1.4 Handling of collection substrates.....		7
8.2 Preparation for sampling.....		7
8.2.1 Cleaning of samplers.....		7
8.2.2 Loading the samplers with collection substrates.....		7
8.2.3 Setting the volumetric flow rate.....		7
8.2.4 Field blanks.....		7
8.3 Sampling position.....		7
8.3.1 Personal sampling.....		7
8.3.2 Static sampling.....		8
8.4 Collection of samples.....		8
8.5 Transportation.....		9
9 Documentation		9
9.1 Sampling information.....		9
9.2 Information to accompany the request for analytical services.....		10
Annex A (informative) Sampler wall deposits		11
Annex B (informative) Guidance on filter selection		13
Annex C (informative) Temperature and pressure correction for the indicated volumetric flow rate		16
Bibliography		17

ISO 15202-1:2020(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 2, *Workplace atmospheres*.

This third edition cancels and replaces the second edition (ISO 15202-1:2012), which has been technically revised. The main changes compared to the previous edition are as follows:

- definitions that appear in ISO 18158 have been removed from this document, with ISO 18158 being added as a reference (replacing references to EN 1540);
- references to EN 482 have been replaced with ISO 20581, and references to EN 13890 have been replaced with ISO 21832;
- information regarding sampling pumps has been replaced with ISO 13137;
- the text has been editorially updated.

A list of all parts in the ISO 15202 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The health of workers in many industries is at risk through exposure by inhalation of toxic metals and metalloids. Industrial hygienists and other public health professionals need to determine the effectiveness of measures taken to control workers' exposure, and this is generally achieved by taking workplace air measurements. This document has been published in order to make available a method for making valid exposure measurements for a wide range of metals and metalloids in use in industry. It will be of benefit to: agencies concerned with health and safety at work; industrial hygienists and other public health professionals; analytical laboratories; industrial users of metals and metalloids and their workers, etc.

This document specifies a generic sampling method for subsequent determination of the mass concentration of metals and metalloids in workplace air using inductively coupled plasma atomic emission spectrometry (ICP-AES). Samples obtained using the method described herein can also be subsequently analysed by other instrumental methods, such as atomic absorption spectrometry (AAS) or inductively coupled plasma mass spectrometry (ICP-MS).

This document gives details of relevant International, European and National Standards which specify characteristics, performance requirements and test methods relating to sampling equipment. It augments guidance provided elsewhere on assessment strategy and measurement strategy and specifies a method for collecting samples of airborne particulate matter for subsequent chemical analysis.

ISO 15202-2 describes a number of procedures for preparing sample solutions for analysis by ICP-AES.

ISO 15202-3 gives requirements and test methods for analysis of sample solutions by ICP-AES.

It has been assumed in the drafting of this document the execution of its provisions, and the interpretation of the results obtained, is entrusted to appropriately qualified and experienced people.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/8cc18de2-c800-41d0-863f-2bcab0b067cc/osist-iso-15202-1-2020>

Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry —

Part 1: Sampling

1 Scope

This document specifies a method for collecting samples of airborne particulate matter for subsequent determination of metals and metalloids using inductively coupled plasma — atomic emission spectrometry (ICP-AES). Samples obtained using the method described herein can also be subsequently analysed for elemental composition by other instrumental methods, such as atomic absorption spectrometry (AAS) or inductively coupled plasma mass spectrometry (ICP-MS).

The method is not applicable to the sampling of mercury, which is present in air in the vapour phase at ambient temperatures; inorganic compounds of metals and metalloids that are permanent gases, e.g. arsine (AsH_3); or inorganic compounds of metals and metalloids that are present in the vapour phase at ambient temperatures, e.g. arsenic trioxide (As_2O_3).

NOTE Although the method does not describe a means of collecting inorganic compounds of metals and metalloids that are present in the vapour phase, in most instances this is relatively easily to achieve by using a back-up filter which has been pre-treated to trap the compound(s) of interest, e.g. a back-up paper pad impregnated with sodium carbonate is suitable for collecting arsenic trioxide (see ISO 11041^[2]).

The method is applicable to personal sampling of the inhalable, thoracic or respirable fraction of airborne particles, as defined in ISO 7708, and to static sampling.

This document excludes sampling of surfaces or bulk materials. Guidance on collection of samples for surfaces may be found in ASTM D7659^[2].

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7708:1995, *Air quality — Particle size fraction definitions for health-related sampling*

ISO 15202-2, *Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry — Part 2: Sample preparation*

ISO 15202-3, *Workplace air — Determination of metals and metalloids in airborne particulate matter by inductively coupled plasma atomic emission spectrometry — Part 3: Analysis*

ISO 18158, *Workplace air — Terminology*

ISO 13137, *Workplace atmospheres — Pumps for personal sampling of chemical and biological agents — Requirements and test methods*

ISO 21832, *Workplace air — Metals and metalloids in airborne particles — Requirements for evaluation of measuring procedures*

ISO 15202-1:2020(E)

ISO 20581, *Workplace air — General requirements for the performance of procedures for the measurement of chemical agents*

EN 13205-1, *Workplace exposure — Assessment of sampler performance for measurement of airborne particle concentrations — Part 1: General requirements*

EN 13890, *Workplace atmospheres — Procedures for measuring metals and metalloids in airborne particles — Requirements and test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 18158 apply.

ISO and IEC maintain terminological databases for use in standardization at the addresses:

- ISO Online browsing platform: available at <http://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Principle

4.1 Airborne particles containing metals and metalloids are collected by drawing a measured volume of air through a collection substrate (e.g. filter or foam) mounted in a sampler designed to collect an appropriate size fraction of airborne particles (see 8.1.1.1).

4.2 The sample and collection substrate are then treated to dissolve the metals and metalloids of interest using one or more of the sample preparation methods prescribed in ISO 15202-2.

4.3 The resultant solution is subsequently analysed for the metals and metalloids of interest using inductively coupled plasma-atomic emission spectrometry, as described in ISO 15202-3.

5 Requirement

The measuring procedure as a whole shall be as covered by this document, ISO 15202-2 and ISO 15202-3, and should consider any relevant International, European or National Standard that specifies performance requirements for procedures for measuring chemical agents in workplace air (e.g. ISO 20581, ISO 21832 and EN 13890).

6 Sampling equipment

6.1 Samplers

6.1.1 Inhalable samplers, designed to collect the inhalable fraction of airborne particles, complying with the provisions of EN 13205-1, for use when the limit value(s) for metals and metalloids of interest apply to the inhalable fraction of airborne particles.

NOTE 1 In general, personal samplers for collection of the inhalable fraction of airborne particles do not exhibit the same size selective characteristics if used for static sampling.

NOTE 2 Some inhalable samplers are designed to collect the inhalable fraction of airborne particles on the collection substrate, and any particulate matter deposited on the internal surfaces of the sampler is not of interest. Other inhalable samplers are designed such that airborne particles which pass through the entry orifice(s) match the inhalable convention, in which case particulate matter deposited on the internal surfaces of the sampler does form part of the sample. For many samplers, particulate matter deposited on the internal surfaces of the sampler or insert is included as part of the sample. For more information on the issue of internal wall deposits, see [Annex A](#).