



Guide 98-1

Guide to the expression of uncertainty in measurement —

Part 1: Introduction

Guide pour l'expression de l'incertitude de mesure —

Partie 1: Introduction

Second edition
2024-02

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/IEC Guide 98-1:2024](https://standards.itih.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024)

<https://standards.itih.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024>

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/IEC Guide 98-1:2024](https://standards.iteh.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024)

<https://standards.iteh.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024>



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

ISO/IEC Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives or www.iec.ch/members_experts/refdocs).

ISO and IEC draw attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO and IEC take no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO and IEC had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at www.iso.org/patents and <https://patents.iec.ch>. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html. In the IEC, see www.iec.ch/understanding-standards.

This document was prepared by Working Group 1 of the Joint Committee for Guides in Metrology (as JCGM GUM-1:2023) and was adopted by the national bodies of ISO and IEC.

This second edition cancels and replaces the first edition (ISO/IEC Guide 98-1:2009), which has been technically revised.

The main changes are as follows:

- the document has been redrafted as an introduction to the revised ISO/IEC Guide 98 series;
- most conceptual and technical aspects have been removed.

A list of all parts in the ISO/IEC Guide 98 series can be found on the ISO and IEC websites.

Given that this document is identical in content to JCGM GUM-1:2023, the decimal symbol is a point on the line.

Annex ZZ has been appended to provide a list of corresponding ISO/IEC Guides and JCGM guidance documents for which equivalents are not given in the text.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html and www.iec.ch/national-committees.

**Guide to the expression of uncertainty in measurement
— Part 1: Introduction**

Guide pour l'expression de l'incertitude de mesure — Partie 1:
Introduction

**(<https://standards.iteh.ai>)
Document Preview**

JCGM GUM-1:2023

<https://standards.iteh.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024>

© JCGM 2023

Copyright of this JCGM guidance document is shared jointly by the JCGM member organizations (BIPM, IEC, IFCC, ILAC, ISO, IUPAC, IUPAP and OIML).

Copyright

Even if electronic versions are available free of charge on the website of one or more of the JCGM member organizations, economic and moral copyrights related to all JCGM publications are internationally protected. The JCGM does not, without its written authorization, permit third parties to rewrite or re-brand issues, to sell copies to the public, or to broadcast or use on-line its publications. Equally, the JCGM also objects to distortion, augmentation or mutilation of its publications, including its titles, slogans and logos, and those of its member organizations.

Official versions and translations

The only official versions of documents are those published by the JCGM, in their original languages.

The JCGM's publications may be translated into languages other than those in which the documents were originally published by the JCGM. Permission must be obtained from the JCGM before a translation can be made. All translations should respect the original and official format of the formulae and units (without any conversion to other formulae or units), and contain the following statement (to be translated into the chosen language):

All JCGM's products are internationally protected by copyright. This translation of the original JCGM document has been produced with the permission of the JCGM. The JCGM retains full internationally protected copyright on the design and content of this document and on the JCGM's titles, slogan and logos. The member organizations of the JCGM also retain full internationally protected right on their titles, slogans and logos included in the JCGM's publications. The only official version is the document published by the JCGM, in the original languages.

The JCGM does not accept any liability for the relevance, accuracy, completeness or quality of the information and materials offered in any translation. A copy of the translation shall be provided to the JCGM at the time of publication. <https://standards.iso.org/standards/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024>

Reproduction

The JCGM's publications may be reproduced, provided written permission has been granted by the JCGM. A sample of any reproduced document shall be provided to the JCGM at the time of reproduction and contain the following statement:

This document is reproduced with the permission of the JCGM, which retains full internationally protected copyright on the design and content of this document and on the JCGM's titles, slogans and logos. The member organizations of the JCGM also retain full internationally protected right on their titles, slogans and logos included in the JCGM's publications. The only official versions are the original versions of the documents published by the JCGM.

Disclaimer

The JCGM and its member organizations have published this document to enhance access to information about metrology. They endeavor to update it on a regular basis, but cannot guarantee the accuracy at all times and shall not be responsible for any direct or indirect damage that may result from its use. Any reference to products of any kind (including but not restricted to any software, data or hardware) or links to websites, over which the JCGM and its member organizations have no control and for which they assume no responsibility, does not imply any approval, endorsement or recommendation by the JCGM and its member organizations.

Contents

	Page
Foreword	iv
1 Scope	1
2 Rationale	1
3 Measurement	2
4 Guidance on evaluating measurement uncertainty	3
5 Parts of the GUM	5
5.1 Using the law of propagation of uncertainty (JCGM 100:2008)	5
5.2 Conformity assessment (JCGM 106:2012)	6
5.3 Measurement models (JCGM GUM-6)	7
5.4 Propagation of distributions (JCGM 101:2008)	7
5.5 Extension to any number of output quantities (JCGM 102:2011)	8
Annexes	9
A Overview of the parts of the GUM	9
References	10

iTeh Standards
(<https://standards.itih.ai>)
Document Preview

[ISO/IEC Guide 98-1:2024](https://standards.itih.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024)

<https://standards.itih.ai/catalog/standards/iso/b7074661-131a-4c19-bf24-3522d821961e/iso-iec-guide-98-1-2024>

Foreword

In 1997 a Joint Committee for Guides in Metrology (JCGM), chaired by the Director of the Bureau International des Poids et Mesures (BIPM), was created by the seven international organizations that had originally in 1993 prepared the 'Guide to the expression of uncertainty in measurement' and the 'International vocabulary of basic and general terms in metrology'. The JCGM assumed responsibility for these two documents from the Technical Advisory Group 4 of the International Organization for Standardization (ISO/TAG4).

The Joint Committee is formed by the BIPM with the International Electrotechnical Commission (IEC), the International Federation of Clinical Chemistry and Laboratory Medicine (IFCC), the International Laboratory Accreditation Cooperation (ILAC), the International Organization for Standardization (ISO), the International Union of Pure and Applied Chemistry (IUPAC), the International Union of Pure and Applied Physics (IUPAP) and the International Organization of Legal Metrology (OIML).

JCGM has two Working Groups. Working Group 1, 'Expression of uncertainty in measurement', has the task to promote the use of the 'Guide to the expression of uncertainty in measurement' and to prepare documents for its broad application. Working Group 2, 'Working Group on International vocabulary of basic and general terms in metrology', has the task to revise and promote the use of the 'International vocabulary of basic and general terms in metrology' (the 'VIM').

In 2008 the JCGM made available a slightly revised version (mainly correcting minor errors) of the 'Guide to the expression of uncertainty in measurement', labelling the document 'JCGM 100:2008'.

In 2017 the JCGM rebranded the documents in its portfolio that have been produced by Working Group 1 or are to be developed by that Group. The whole suite of documents is now known as the 'Guide to the expression of uncertainty in measurement' or 'GUM', and is concerned with the evaluation and expression of measurement uncertainty, as well as its application in science, trade, health, safety and other societal activities.

This part of the suite introduces the processes involved and the subsequent parts in this suite giving specific guidance on these processes. This document replaces JCGM 104:2009.

This document has been prepared by Working Group 1 of the JCGM, and has benefited from detailed reviews undertaken by member organizations of the JCGM and National Metrology Institutes.

Guide to the expression of uncertainty in measurement — Part 1: Introduction

1 Scope

The ‘Guide to the expression of uncertainty in measurement’ (GUM) establishes general rules for evaluating and expressing uncertainty in measurement from the shop floor to fundamental research. Therefore, the principles of this suite of documents are intended to be applicable to a broad spectrum of measurements and their applications. An overview of the parts of the GUM is given in table A.1 in Annex A.

NOTE Where the acronym GUM is used in this document, it refers to the suite of documents. An individual part of the GUM is referred to by its corresponding JCGM numbering (e.g., part 6 of the GUM is JCGM GUM-6:2020).

This document gives a rationale for evaluating, expressing and using measurement uncertainty (Clause 2). A brief introduction is given to measurement (Clause 3) and to the decisions involved when evaluating measurement uncertainty (Clause 4). In Clause 5, a brief description of the contents of the parts of the GUM is given. In each of these clauses, the relevant parts of the GUM are identified for further guidance.

2 Rationale

2.1 Measurement [12, Definition 2.1] is one of the most common processes in human activity. Measured values of quantities [12, Definition 2.10] are required for a diverse range of applications and, for each of these values, a statement is needed about its credibility. Such a statement is usually expressed in terms of measurement uncertainty [12, Definition 2.26]. The two components, the measured value and the associated uncertainty, together constitute the most common way of reporting a measurement result [12, Definition 2.9]. In cases where values for more than one quantity are provided by the measurement, a more elaborate statement of the uncertainty is often required (Clause 5.5; see also Clause 3.1).

2.2 Measurements are performed in many branches of society for widely different purposes. Many measurements performed on a daily basis, often in automated processes, concern trade and commerce. Reliable measurement results are also needed for making informed decisions in for example health, safety, weather forecasts, law enforcement and science. Measurements are performed by for example greengrocers, technicians, engineers, laboratory staff, health care professionals, scientists and individuals at home, in very different contexts.

2.3 Many measurements are made for the purpose of comparison of results with specifications. Such a comparison can be made for widely different purposes. This activity is generally known as conformity assessment [3, Definition 4.1] [10, Definition 3.3.1]; see also Clause 5.2.

2.4 Comparison of measurement results is an essential activity in science, calibration and testing. Compatibility of measurement results [12, Definition 2.47] is the basis for being able to reproduce scientific findings, performing quality assurance and quality control, and providing the interpretation of measurement results and informed decision making. Many standards that set requirements for demonstrating competence in measurement require evaluating measurement uncertainty and identifying the major sources of uncertainty, for example ISO/IEC 17025 (calibration and testing laboratories) [4], ISO 17034 (reference material producers) [5], ISO/IEC 17043 (proficiency testing) [6] and ISO 15189 (medical laboratories) [2].

2.5 Measurement uncertainty is of importance in various situations, including but not limited to:

- comparison of measurement results,
- comparison of a measured value with specification limits (conformity assessment),
- establishing metrological traceability [12, Definition 2.41],
- applying a decision rule [10, Definition 3.3.12],
- calculating risks and risk assessment,
- comparison of model outputs and experiments,
- evaluating the validity of models,
- setting limits for the values of physical quantities,
- validating or developing scientific theories, and
- propagation of uncertainty from one measurement to another.

2.6 The GUM substantially contributes to the harmonization of methods for the evaluation, expression and use of measurement uncertainty. It supports the mutual recognition of calibration certificates and laboratory accreditations. The principles and methods of the GUM have been adopted in many documentary standards of ISO, IEC and other standards development organizations. Much software used by laboratories worldwide is based on the provisions of the GUM.

3 Measurement

3.1 The quantity intended to be measured is called the measurand [12, Definition 2.3]. A measurement can have the objective of determining values and associated uncertainties for a set of output quantities, rather than a single quantity. Then the measurand is said to be multivariate. The measurement result is represented by the measured values and the measurement uncertainty.

3.2 Measurement [12, Definition 2.1] can be described as an experimental or computational process that, by comparison with a measurement standard [12, Definition 5.1], produces an estimate of the true value [12, Definition 2.11] of a property, together with a statement of the uncertainty associated with that estimate, and intended for use in support of decision making. This property can be of a material or virtual object or collection of objects, or of a process, event or series of events [19].