



FINAL DRAFT

International Standard

ISO/FDIS 18669-2

Internal combustion engines — Piston pins —

Part 2: Inspection measuring principles

Moteurs à combustion interne — Axes de pistons —

Partie 2: Principes de mesure pour le contrôle

ISO/TC 22/SC 34

Secretariat: ANSI

Voting begins on:
2024-10-09

Voting terminates on:
2024-12-04

[ISO/FDIS 18669-2](https://standards.iteh.ai/catalog/standards/iso/925fb8aa-9cb5-440c-86b7-429a86773547/iso-fdis-18669-2)

<https://standards.iteh.ai/catalog/standards/iso/925fb8aa-9cb5-440c-86b7-429a86773547/iso-fdis-18669-2>

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards
(<https://standards.iteh.ai>)
Document Preview

[ISO/FDIS 18669-2](https://standards.iteh.ai/catalog/standards/iso/925fb8aa-9cb5-440c-86b7-429a86773547/iso-fdis-18669-2)

<https://standards.iteh.ai/catalog/standards/iso/925fb8aa-9cb5-440c-86b7-429a86773547/iso-fdis-18669-2>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Measurement principles.....	4
4.1 General measuring conditions.....	4
4.2 Characteristics and measurement principles.....	4
4.2.1 Outside diameter, d_1	4
4.2.2 Cylindricity of the outside diameter, d_1	5
4.2.3 Circularity of the outside diameter, d_1	5
4.2.4 Circumferential waviness.....	5
4.2.5 Edge drop-off, b, c	6
4.2.6 Inside diameter, d_2, d_4	6
4.2.7 Concentricity of inside diameter (ID) relative to outside diameter (OD).....	6
4.2.8 Length, l_1	6
4.2.9 Gauge length, l_5	7
4.2.10 Runout of the end faces, s	7
4.2.11 End face concavity, h_1 , and end face step, h_2	7
4.2.12 End face diameter, d_6	8
4.2.13 Outside-edge profile.....	8
4.2.14 Inside chamfer, t_1	8
4.2.15 Tapered bore diameter, d_3	8
4.2.16 Tapered bore angle, α	8
4.2.17 Runout tapered bore, e	8
4.2.18 Roughness.....	9
4.2.19 Carburised and nitrided case depth.....	9
4.2.20 Core hardness.....	9
4.2.21 Peripheral surface hardness.....	10
4.2.22 Volume change.....	10
4.2.23 Material defects.....	10
4.2.24 Residual magnetism.....	12
4.2.25 Visual defects.....	12
4.2.26 Grinder burn.....	12
4.2.27 Streaks on bore surface.....	12
Bibliography.....	13

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 34, *Propulsion, powertrain and powertrain fluids*.

This third edition cancels and replaces the second edition (ISO 18669-2:2020), which has been technically revised.

The main changes are as follows:

— the reference for material defects by eddy current inspection has been updated to align with ISO 18669-1.

A list of all parts in the ISO 18669 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Internal combustion engines — Piston pins —

Part 2: Inspection measuring principles

1 Scope

This document defines the measuring principles used for measuring piston pins. It applies to piston pins with a nominal outer diameter from 8 mm up to and including 100 mm, for reciprocating internal combustion engines for road vehicles and other applications.

In certain applications, except road vehicles, and provided that the purchaser and the manufacturer agree, this document can be used with suitable modifications.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 21920-1, *Geometrical Product Specifications (GPS) — Surface texture: Profile — Part 1: Indication of surface texture*

ISO 21920-2, *Geometrical Product Specifications (GPS) — Surface texture: Profile— Terms, definitions and surface texture parameters*

ISO 21920-3, *Geometrical Product Specifications (GPS) — Surface texture: Profile— Part 3: Specification operators*

ISO 9934 (all parts), *Non-destructive testing — Magnetic particle testing*

ISO 6506 (all parts), *Metallic materials — Brinell hardness test*

ISO 6507 (all parts), *Metallic materials — Vickers hardness test*

ISO 6508 (all parts), *Metallic materials — Rockwell hardness test*

ISO 8015, *Geometrical product specifications (GPS) — Fundamentals — Concepts, principles and rules*

ISO 12180-2, *Geometrical product specifications (GPS) — Cylindricity — Part*

ISO 12181-2, *Geometrical product specifications (GPS) — Roundness — Part*

ISO 14104:2017, *Gears — Surface temper etch inspection after grinding, chemical method*

ISO 14253 (all parts), *Geometrical product specifications (GPS) — Inspection by measurement of workpieces and measuring equipment*

ISO 15548 (all parts), *Non-destructive testing — Equipment for eddy current examination*

ISO 16810, *Non-destructive testing — Ultrasonic testing — General principles*

ISO 18203, *Steel — Determination of the thickness of surface-hardened layers*

ISO 18265, *Metallic materials — Conversion of hardness values*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

3.1 outside diameter

OD

d_1
diameter of the outer surface measured at any point excluding areas of *edge drop-off (b)* (3.5)

Note 1 to entry: See ISO 18669-1:2021, Figure 12.

3.2 cylindricity of the outside diameter

CYL_t

peak-to-valley cylindricity deviation; geometric form of the peripheral surface excluding areas of *edge drop-off (b)* (3.5)

Note 1 to entry: Characteristics measured in the axial direction are taper, convexity, concavity and waviness.

Note 2 to entry: See ISO 1101.

3.3 circularity of the outside diameter

peak-to-valley roundness deviation; deviations of the peripheral surface from circularity such as waviness, ovality and spherical-triangular forms

Note 1 to entry: See ISO 1101.

3.4 circumferential waviness

undulations of the peripheral surface from circularity in a waveform

3.5 edge drop-off

b

c

geometric form of the peripheral surface at the outside edges

3.6 inside diameter

ID

d_2

d_4

diameter of the bore measured at any point

3.7 concentricity of inside diameter relative to outside diameter

difference between the maximum and minimum dimensions of the wall thickness (a) as measured in a plane perpendicular to the peripheral surface

Note 1 to entry: See ISO 1101.