



# FINAL DRAFT International Standard

## ISO/FDIS 22014

### Library objects for architecture, engineering, construction and use

*Objets de bibliothèque pour l'architecture, l'ingénierie, la  
construction et l'utilisation*

ISO/TC 10/SC 8

Secretariat: **SN**

Voting begins on:  
**2024-01-24**

Voting terminates on:  
**2024-03-20**

iTeh Standards  
(<https://standards.itih.ai>)  
Document Preview

[ISO/FDIS 22014](#)

<https://standards.itih.ai/catalog/standards/iso/3a01c584-2afb-49c7-9235-7220f5f95655/iso-fdis-22014>

**ISO/CEN PARALLEL PROCESSING**

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

iTeh Standards  
(<https://standards.iteh.ai>)  
Document Preview

ISO/FDIS 22014

<https://standards.iteh.ai/catalog/standards/iso/3a01c584-2afb-49e7-9235-7220f5f95655/iso-fdis-22014>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2024

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>vi</b>
<b>Introduction</b> .....	<b>vii</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Applications</b> .....	<b>4</b>
4.1 General.....	4
4.2 Template objects.....	4
4.3 Generic objects.....	4
4.4 Product objects.....	5
4.4.1 General.....	5
4.4.2 Catalogue product objects.....	5
4.4.3 Parametric series product objects.....	5
4.4.4 Engineered-to-order product objects.....	5
<b>5 Principles</b> .....	<b>6</b>
<b>6 Identification and origination of library objects</b> .....	<b>7</b>
6.1 General.....	7
6.2 Format.....	7
6.3 Object definition.....	7
6.4 Identification.....	7
6.4.1 Clear naming.....	7
6.4.2 Unique naming.....	7
6.4.3 Naming (data file and object).....	8
6.4.4 Description.....	9
6.4.5 Unique identifier.....	9
6.4.6 Other identifiers.....	9
6.5 Origination.....	9
6.5.1 General.....	9
6.5.2 Source.....	9
6.5.3 Library object version and date.....	10
6.5.4 Product version and date.....	10
6.5.5 Further information (references or links).....	10
6.5.6 Updates (references or links).....	10
6.5.7 Software.....	10
6.6 Classification.....	10
6.6.1 General.....	10
6.6.2 Classification schemes.....	10
6.6.3 Multiple classifications.....	11
6.7 Occurrence information.....	11
6.7.1 General.....	11
6.7.2 Reference designations.....	12
<b>7 Graphical symbols and simplified representation</b> .....	<b>12</b>
7.1 General.....	12
7.2 Defining factors for graphical presentations.....	14
7.2.1 General.....	14
7.2.2 Presentation contents.....	14
7.2.3 Dimension.....	14
7.2.4 Projection method.....	14
7.2.5 Scale.....	15
7.2.6 Presentation style.....	15
7.3 Features.....	16
7.3.1 General.....	16

	7.3.2	Limited indication of the features of an object	16
	7.3.3	Symbolic indication of objects	16
7.4		Graphic simplicity	16
7.5		Graphical symbols (including elements of symbols)	17
	7.5.1	General	17
	7.5.2	Symbols sharing common subsidiary features	17
	7.5.3	Constant size	17
	7.5.4	Fixed orientation	17
7.6		Graphics	17
<b>8</b>		<b>Shapes and measurements</b>	<b>17</b>
8.1		General	17
8.2		Detail	18
	8.2.1	General	18
	8.2.2	Low detail	18
	8.2.3	Medium detail	19
	8.2.4	High detail	19
	8.2.5	Library object types and detail	19
	8.2.6	Orientation	19
	8.2.7	Insertion points and principal dimensions	20
	8.2.8	Behaviour	20
8.3		Levels of measurement	21
	8.3.1	General	21
	8.3.2	Characteristic measurement	21
	8.3.3	Standard measurement	21
	8.3.4	Method-based measurement	21
	8.3.5	Measurements for library objects	21
<b>9</b>		<b>Properties</b>	<b>22</b>
9.1		General	22
9.2		Example purposes	22
	9.2.1	General	22
	9.2.2	Specification and selection	22
	9.2.3	Performance analysis and simulation	22
	9.2.4	Costing	22
	9.2.5	Environmental impacts and recycling	23
	9.2.6	Procurement, work planning and execution	23
	9.2.7	Commissioning, operation and use	23
	9.2.8	Expected life and replacement	23
	9.2.9	Declarations and third-party information	23
9.3		Property identification	23
9.4		Choice of properties	24
	9.4.1	General	24
	9.4.2	Specification properties	24
	9.4.3	Assessment properties	24
	9.4.4	Simulation properties	24
9.5		Use of properties	24
	9.5.1	General	24
	9.5.2	Library object types	25
9.6		Occurrence within projects and use	25
<b>10</b>		<b>Assemblies</b>	<b>25</b>
10.1		General	25
10.2		Uses	25
	10.2.1	General	25
	10.2.2	Repetitive facility types	26
	10.2.3	Prefabricated products	26
	10.2.4	Details and connections	26
	10.2.5	Fabrication and manufacturing	26
	10.2.6	Layered constructions	26

## ISO/FDIS 22014:2024(en)

10.3	Processes.....	27
10.3.1	Preparation and publication.....	27
10.3.2	Design and development.....	27
10.3.3	Measurement.....	27
10.3.4	Use in asset management.....	27
10.4	Implementation.....	27
10.5	Identification and grouping of assemblies.....	28
10.5.1	General.....	28
10.5.2	Graphical symbols.....	28
10.5.3	Shape and measurement.....	28
10.5.4	Properties.....	29
10.5.5	Composition.....	29
<b>Annex A</b>	<b>(informative) Examples.....</b>	<b>30</b>
<b>Annex B</b>	<b>(informative) Localization.....</b>	<b>35</b>
<b>Bibliography</b>	<b>.....</b>	<b>36</b>

# iTeh Standards (<https://standards.iteh.ai>) Document Preview

[ISO/FDIS 22014](https://standards.iteh.ai/catalog/standards/iso/3a01c584-2afb-49e7-9235-7220f5f95655/iso-fdis-22014)

<https://standards.iteh.ai/catalog/standards/iso/3a01c584-2afb-49e7-9235-7220f5f95655/iso-fdis-22014>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

ISO draws attention to the possibility that the implementation of this document may involve the use of (a) patent(s). ISO takes no position concerning the evidence, validity or applicability of any claimed patent rights in respect thereof. As of the date of publication of this document, ISO had not received notice of (a) patent(s) which may be required to implement this document. However, implementers are cautioned that this may not represent the latest information, which may be obtained from the patent database available at [www.iso.org/patents](http://www.iso.org/patents). ISO shall not be held responsible for identifying any or all such patent rights.

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 10, *Technical product documentation*, Subcommittee SC 8, *Construction documentation*, in collaboration with the European Committee for Standardization (CEN) Technical Committee CEN/TC 442, *Building Information Modelling (BIM)*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

<https://standards.iteh.ai/catalog/standards/iso/3a01c584-2a1b-49e7-9235-7220f5f95655/iso-fdis-22014>

## Introduction

### 0.1 General

This document describes best practice for the development and application of library objects to support building information modelling (BIM)-based design, specification, construction and operational processes, including giving additional recommendations for specific use cases such as assemblies.

A library object is intended for reuse within project teams and across organizations. This serves to improve accuracy and constructability of designs and to improve the handover of information through the supply chain to the owner or operator. Objects in a digital format combining properties, shape and graphical symbols offer scope for greater accuracy and efficiency.

This document includes principles and definitions for the symbolic and simplified visual presentation of library objects in connection with BIM and their organization into libraries.

### 0.2 Purpose and justification

The purpose of this document is to offer a standard for developers, library providers, designers and manufacturers to improve the exchange and reuse of library objects.

Library objects and their corresponding graphical symbols are now commonly provided in a digital format by model authoring software. Traditional paper-based methods for graphical symbols have therefore become less useful and are in some cases outdated. Several national standards have been withdrawn due to lack of maintenance and conflicting International Standards. Still, documentation of complex entities such as buildings and civil engineering works requires clear and uniform presentation so as to be legible and easily understood. This document is intended to give a framework for the presentation of library objects, with respect to those purposes, and also the structuring of graphical symbols into libraries.

Library objects, by combining properties, shape and graphical symbols, offer scope for greater accuracy and efficiency. Current technology gives the opportunity to adjust the views of library objects (content and visual presentation) to the many purposes that occur during the life cycle of a building information model and to connect symbol graphics to library objects.

### 0.3 Relationship to other standards

The increased adoption of data dictionaries, along with ISO 23386 and ISO 23387, is expected to facilitate the preparation of data templates with properties for the non-graphical aspects of library objects and ISO 7817 to facilitate specifying the level of information need for geometrical and alphanumeric information and documentation.

The ISO 7817 concepts and principles can be applied for a general information exchange and, while in progress, for a generally agreed way of information exchange between parties in a collaborative work process, as well as for an appointment with specified information delivery. Therefore, ISO 7817 concepts and principles support the preparation of libraries outside of any individual project and are applied in this document.

This document recommends that ISO 16739-1 is used as a basis for the naming of objects.

Project and asset information references provided by the appointing party, such as object libraries, are covered in ISO 19650-2:2018, 5.1.6, and ISO 19650-3:2020, 5.1.8.

Guidance on graphical presentation for specific types of construction objects is provided by ISO 7519.





# Library objects for architecture, engineering, construction and use

## 1 Scope

This document specifies requirements for defining structure and content for library objects to support project inception, brief, design, tendering, construction, operations, use and demolition, supporting the development of information throughout the process, in connection with building information modelling (BIM) and the organization of the objects into libraries.

This document does the following:

- Establishes requirements for defining template objects, generic objects and product objects in data-driven library and design processes.
- Establishes requirements for graphical symbols and other graphic conventions for use on drawings for the built environment, giving principles and definitions for the symbolic and simplified visual presentation of objects. It also describes a rationale of symbolism which establishes rules for the design of graphical symbols and other graphic conventions and gives recommendations for the application of those rules and the ways in which symbolism should be used.
- Defines the purposes of characterizing the shape and measurement of library objects.
- Defines the purposes of specifying and assessing properties for library objects. It defines the information appropriate for specific uses, including specification of the desired outcome (typically by designers and engineers) and the selection of identified products (typically by contractors and subcontractors). It also gives recommendations for the application of assemblies in integrated BIM working.
- Refers to the Industry Foundation Classes (IFC) schema as a common object model.

This document is applicable to all professionals and service providers who produce and use library objects with generic and product-specific information. This group includes, but is not limited to, product manufacturers and suppliers, library authors, designers and engineers, contractors, owners, maintainers and commissioners.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 13567-1, *Technical product documentation — Organization and naming of layers for CAD — Part 1: Overview and principles*

ISO 13567-2, *Technical product documentation — Organization and naming of layers for CAD — Part 2: Concepts, format and codes used in construction documentation*

ISO 16739-1, *Industry Foundation Classes (IFC) for data sharing in the construction and facility management industries — Part 1: Data schema*

ISO 23386, *Building information modelling and other digital processes used in construction — Methodology to describe, author and maintain properties in interconnected data dictionaries*

ISO 23387, *Building information modelling (BIM) — Data templates for construction objects used in the life cycle of built assets — Concepts and principles*

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

#### 3.1

##### **library object type object**

representation of an object, being maintained as part of a collection with common features

Note 1 to entry: A library object can be a *template object* (3.2), *generic object* (3.3) or *product object* (3.4).

Note 2 to entry: A library object is independent of any occurrence and has no placement in space.

Note 3 to entry: A library object can be referred to as a type object or class.

Note 4 to entry: See [Figure 1](#).




Figure 1 — Relationship between library objects

#### 3.2

##### **template object**

*library object* (3.1) used as a guide to produce *generic objects* (3.3) and *product objects* (3.4)

Note 1 to entry: A template object typically provides schedules of classification values and a minimum set of properties. The measurement type (e.g. “area”) of properties (e.g. “Effective Area”) are specified, but the values and units (e.g. “0,300” and “m<sup>2</sup>”) are not.

Note 2 to entry: Data templates containing recommended properties and set(s) of properties can be available to support the development of template objects.

### 3.3

#### **generic object**

*library object* (3.1) used as a generalization

Note 1 to entry: A generic object is intended for use prior to being resolved into a *product* (3.5).

Note 2 to entry: Typically, shape and *graphical symbols* (3.6) will be provided and some property values with units.

### 3.4

#### **product object**

*library object* (3.1) used to represent a *product* (3.5)

Note 1 to entry: A product object is specific to a manufacturer and model identity.

### 3.5

#### **product**

item manufactured or processed for incorporation into construction works

[SOURCE: ISO 6707-3:2022, 3.3.1, modified — Admitted term “construction product” deleted. Note 1 to entry deleted.]

### 3.6

#### **graphical symbol**

visually perceptible figure with a particular meaning used to transmit information independently of language

Note 1 to entry: The graphical symbol may represent objects of interest, such as *products* (3.5), functions or requirements for manufacturing, quality control, etc.

Note 2 to entry: A graphical symbol is not to be confused with the *simplified representation* (3.10) of products which is normally drawn to scale and which can look like a graphical symbol.

Note 3 to entry: Typically, a graphical symbol is a graphic entity independent of scale, used:

- a) on a drawing to indicate the occurrence and/or location of a *library object* (3.1);
- b) in an annotation to indicate one or more of the *properties* (3.9) of a library object.

[SOURCE: ISO 81714-1:2010, 3.1, modified — Note 3 to entry added.]

### 3.7

#### **graphical symbol element**

part of a *graphical symbol* (3.6) with a particular meaning

[SOURCE: ISO 22727:2007, 3.5]

### 3.8

#### **assembly**

set of related types or components attached to each other

Note 1 to entry: Typically, an assembly is a partial model where both the overall assembly and the constituent parts are managed during design, construction or use, and the constituent parts are located relative to the overall assembly.

[SOURCE: ISO 6707-1:2020, 3.3.5.5, modified — “types or” and Note 1 to entry added.]

### 3.9

#### **property**

data element for the computer-sensible description of a property, a relation or a class

3.10

**simplified representation**

representation drawn in accordance with the valid rules of projection and on which individual elements of the *product* (3.5) are not shown, provided this does not present difficulties in understanding the drawing


[SOURCE: ISO/TS 128-71:2010, 3.2]

**4 Applications**

**4.1 General**

Library objects shall support the entire life cycle of the digital representation of the built assets, including buildings and infrastructure.

Use of consistent template, generic and product objects can add efficiency and reduce risks associated with information loss or misinterpretation. See [Figure 2](#) for an example upgrade process.



**Figure 2 — Example of upgrading a library object**

**4.2 Template objects**

Template objects shall be:

- created and shared, to guide library developers;
- used to illustrate best practice, define expectations for completeness and test generic and product library objects.

Template objects provide guidance for developers of generic objects and product objects and should contain only identification information and, wherever possible, properties without value. Shape and symbolic presentations are optional. Priority should be given to template objects created by international and regional bodies, professional and trade associations, and other consensus-based bodies, in particular those which conform to ISO 23386, ISO 23387 and ISO 12006-3.

**4.3 Generic objects**

Generic objects shall be:

- based on published template objects, where available;
- created and shared, for example, by application vendors and in-house application support teams;
- used from the earlier stages of design and specification;