

INTERNATIONAL STANDARD

IEC 60598-1

Edition 6.1
2006-09

Edition 6:2003 consolidated with amendment 1:2006

Luminaires –

Part 1: General requirements and tests

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60598-1:2003

<https://standards.iteh.ai/standards/iec/8/b58311-1b0d-4046-bf68-f7bc9d845009/iec-60598-1-2003>

*This **English-language** version is derived from the original **bilingual** publication by leaving out all French-language pages. Missing page numbers correspond to the French-language pages.*



Reference number
IEC 60598-1:2003+A1:2006(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site** (www.iec.ch)

- **Catalogue of IEC publications**

The on-line catalogue on the IEC web site (www.iec.ch/searchpub) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

This summary of recently issued publications (www.iec.ch/online_news/justpub) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

Email: custserv@iec.ch
Tel: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 60598-1

Edition 6.1
2006-09

Edition 6:2003 consolidated with amendment 1:2006

Luminaires –

Part 1: General requirements and tests

iTech Standards
(<https://standards.iteh.ai>)
Document Preview

IEC 60598-1:2003

<https://standards.iteh.ai/catalog/standards/iec/8/bb58311-1b0d-4046-bf68-f7bc9d845009/iec-60598-1-2003>

© IEC 2006 Copyright - all rights reserved

No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Electrotechnical Commission, 3, rue de Varembe, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch



Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE

CS

For price, see current catalogue

**IS 01 Interpretation Sheet of clause 1.2.23
IEC 60598-1:2003
Luminaires – Part 1: General requirements and tests**


Introduction:

The following interpretation was initiated at the **Brugges** meeting of **IEC/SC 34D WG LUMEX** held in **May 2003** and agreed at the **Brighton** meeting of **IEC/SC 34D WG LUMEX** held in **October 2003** after discussion during the intermediate **LUMEX Interpretation Panel** meeting held in **June 2003**.

The following interpretation has been prepared in order to highlight that double insulation and reinforced insulation are equivalent regarding the protection against electric choc.

Interpretation:

Reinforced insulation and double insulation provide equal protection against electric shocks and are accepted as equal alternatives to each other in product design.



iTech Standards
(<https://standards.iteh.ai>)
Document Preview

<https://standards.iteh.ai> IEC 60598-1:2003

<https://standards.iteh.ai/standards/iec/60598-1-2003>

CONTENTS

FOREWORD.....	11
---------------	----

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object	15
0.2 Normative references.....	17
0.3 General requirements	21
0.4 General test requirements and verification.....	23
0.5 Components of luminaires.....	25
0.6 List of sections of part 2.....	25

SECTION 1: DEFINITIONS

1.1 General.....	29
1.2 Definitions.....	29

SECTION 2: CLASSIFICATION OF LUMINAIRES

2.1 General.....	49
2.2 Classification according to type of protection against electric shock.....	49
2.3 Classification according to degree of protection against ingress of dust, solid objects and moisture.....	49
2.4 Classification according to material of supporting surface for which the luminaire is designed.....	51
2.5 Classification according to the circumstances of use.....	51

SECTION 3: MARKING

3.1 General.....	53
3.2 Marking on luminaires	53
3.3 Additional information.....	59
3.4 Test of marking.....	63

SECTION 4: CONSTRUCTION

4.1 General.....	65
4.2 Replaceable components	65
4.3 Wireways.....	65
4.4 Lampholders.....	65
4.5 Starter holders	69
4.6 Terminal blocks	69
4.7 Terminals and supply connections.....	71
4.8 Switches.....	75
4.9 Insulating linings and sleeves.....	75
4.10 Double and reinforced insulation	77
4.11 Electrical connections and current-carrying parts.....	79

4.12	Screws and connections (mechanical) and glands	83
4.13	Mechanical strength	87
4.14	Suspensions and adjusting devices	95
4.15	Flammable materials	101
4.16	Luminaires marked with ∇_F symbol	103
4.17	Drain holes	105
4.18	Resistance to corrosion	107
4.19	Igniters	107
4.20	Rough service luminaires – Vibration requirements	107
4.21	Protective shield (tungsten halogen lamps)	109
4.22	Attachments to lamps	109
4.23	Semi-luminaires	111
4.24	UV radiation	111
4.25	Mechanical hazard	111
4.26	Short-circuit protection	111
SECTION 5: EXTERNAL AND INTERNAL WIRING		
5.1	General	113
5.2	Supply connection and other external wiring	113
5.3	Internal wiring	121
SECTION 6: <i>Not used</i>		
SECTION 7: PROVISION FOR EARTHING		
7.1	General	129
7.2	Provision for earthing	129
SECTION 8: PROTECTION AGAINST ELECTRIC SHOCK		
8.1	General	135
8.2	Protection against electric shock	135
SECTION 9: RESISTANCE TO DUST, SOLID OBJECTS AND MOISTURE		
9.1	General	141
9.2	Tests for ingress of dust, solid objects and moisture	141
9.3	Humidity test	149
SECTION 10: INSULATION RESISTANCE AND ELECTRIC STRENGTH		
10.1	General	151
10.2	Insulation resistance and electric strength	151
10.3	Leakage current	157
SECTION 11: CREEPAGE DISTANCES AND CLEARANCES		
11.1	General	159
11.2	Creepage distances and clearances	159

SECTION 12: ENDURANCE TEST AND THERMAL TEST

12.1	General.....	165
12.2	Selection of lamps and ballasts	165
12.3	Endurance test.....	165
12.4	Thermal test (normal operation)	167
12.5	Thermal test (abnormal operation).....	181
12.6	Thermal test (failed lamp controlgear conditions).....	189
12.7	Thermal test for thermoplastic luminaires in regard to fault conditions in lamp controlgear or electronic devices	191

SECTION 13: RESISTANCE TO HEAT, FIRE AND TRACKING

13.1	General.....	201
13.2	Resistance to heat	201
13.3	Resistance to flame and ignition.....	201
13.4	Resistance to tracking.....	203

SECTION 14: SCREW TERMINALS

14.1	General.....	205
14.2	Definitions.....	205
14.3	General requirements and basic principles	207
14.4	Mechanical tests	211

SECTION 15: SCREWLESS TERMINALS AND ELECTRICAL CONNECTIONS

15.1	General.....	219
15.2	Definitions.....	219
15.3	General requirements	221
15.4	General instructions on tests	223

TERMINALS AND CONNECTIONS FOR INTERNAL WIRING

15.5	Mechanical tests	225
15.6	Electrical tests	227

TERMINALS AND CONNECTIONS FOR EXTERNAL WIRING

15.7	Conductors.....	231
15.8	Mechanical tests	231
15.9	Electrical tests	233

Figures	237
---------	-------	-----

Annex A (normative) Test to establish whether a conductive part may cause an electric shock	289
Annex B (normative) Test lamps	291
Annex C (normative) Abnormal circuit conditions	297
Annex D (normative) Draught-proof enclosure	303
Annex E (normative) Determination of winding temperature rises by the increase-in-resistance method	311
Annex F (normative) Test for resistance to stress corrosion of copper and copper alloys ...	313
Annex G (<i>deleted</i>)	317
Annex H (<i>deleted</i>)	319
Annex I (<i>void</i>)	321
Annex J (informative) Explanation of IP numbers for degrees of protection	321
Annex K (informative) Temperature measurement	327
Annex L (informative) Guide to good practice in luminaire design	333
Annex M (normative) Conversion guide for Table IX of IEC 60598-1 (2nd edition) to Table 11.1 – Determination of creepage distances and clearances	341
Annex N (informative) Explanation to luminaire ∇_F marking	343
Annex O (<i>void</i>)	343
Annex P (normative) Requirements for the protective shield to be fitted to luminaires using metal halide lamps for protective measures against UV radiation	349
Annex Q (informative) Conformity testing during manufacture	355
Annex R (informative) Bibliography	359
Annex S (normative) Schedule of amended subclauses containing more serious/critical requirements which require products to be retested	363
Annex T (normative) Requirements for the identification of a family or range of luminaires for type testing	365
Annex U (informative) Reference to Class 0	367
Annex V (normative) Alternative thermal test for thermoplastic luminaires	369

INTERNATIONAL ELECTROTECHNICAL COMMISSION

LUMINAIRES –

Part 1: General requirements and tests

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with an IEC Publication.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 60598 has been prepared by subcommittee 34D: Luminaires, of IEC technical committee 34: Lamps and related equipment.

This consolidated version of IEC 60598-1 consists of the sixth edition (2003) [documents 34D/788/FDIS and 34D/794/RVD] and its amendment 1 (2006) [documents 34D/857/FDIS and 34D/864/RVD].

The technical content is therefore identical to the base edition and its amendment and has been prepared for user convenience.

It bears the edition number 6.1.

A vertical line in the margin shows where the base publication has been modified by amendment 1.

Annex S shows where a new text has been included which contains more serious/critical requirements requiring products to be re-tested.

The committee has decided that the contents of the base publication and its amendments will remain unchanged until the maintenance result date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- replaced by a revised edition, or
- amended.

Withdrawing

iTech Standards
(<https://standards.itih.ai>)
Document Preview

<https://standards.itih.ai/standards/iec/60598-1-2003>

<https://standards.itih.ai/standards/iec/60598-1-2003>

LUMINAIRES –

Part 1: General requirements and tests

SECTION 0: GENERAL INTRODUCTION

0.1 Scope and object

This Part 1 of International Standard IEC 60598 specifies general requirements for luminaires, incorporating electric light sources for operation from supply voltages up to 1 000 V. The requirements and related tests of this standard cover: classification, marking, mechanical construction and electrical construction.

Each section of this Part 1 should be read in conjunction with this section 0 and with other relevant sections to which reference is made.

Each section of IEC 60598-2 details requirements for a particular type of luminaire or group of luminaires on supply voltages not exceeding 1 000 V. These sections are published separately for ease of revision and additional sections will be added as and when a need for them is recognized.

Attention is drawn to the fact that this Part 1 covers all aspects of safety (electrical, thermal and mechanical).

The presentation of photometric data for luminaires is under consideration by the International Commission on Illumination (CIE) and is not, therefore, included in this Part 1.

Requirements are included in this Part 1 for luminaires incorporating ignitors with nominal peak values of the voltage pulse not exceeding those of Table 11.3. The requirements apply to luminaires with ignitors built into ballasts and to luminaires with ignitors separate from ballasts. For luminaires with ignitors built into lamps, the requirements are under consideration.

Requirements for semi-luminaires are included in this Part 1.

In general this Part 1 covers safety requirements for luminaires. The object of this Part 1 is to provide a set of requirements and tests which are considered to be generally applicable to most types of luminaires and which can be called up as required by the detail specifications of IEC 60598-2. This Part 1 is thus not to be regarded as a specification in itself for any type of luminaire, and its provisions apply only to particular types of luminaires to the extent determined by the appropriate section of part 2.

The sections of part 2, in making reference to any of the sections of Part 1, specify the extent to which that section is applicable and the order in which the tests are to be performed; they also include additional requirements as necessary.

The order in which the sections of Part 1 are numbered has no particular significance as the order in which their provisions apply is determined for each type of luminaire or group of luminaires by the appropriate section of part 2. All sections of part 2 are self-contained and therefore do not contain references to other sections of part 2.

Where the requirements of any of the sections of Part 1 are referred to in the sections of part 2 by the phrase "The requirements of section ... of IEC 60598-1 apply", this phrase is to be interpreted as meaning that all the requirements of that section of Part 1 apply except those which are clearly inapplicable to the particular type of luminaire covered by that section of part 2.

For explosion proof luminaires, as covered by IEC 60079, the requirements of IEC 60598 (selecting the appropriate parts 2) are applied in addition to the requirements of IEC 60079. In the event of any conflict between IEC 60598 and IEC 60079, the requirements of IEC 60079 take priority.

In accordance with IEC guidelines, new IEC standards are divided into those covering either safety or performance. In the lamp safety standards, "information for luminaire design" is given for the safe operation of lamps; this should be regarded as normative when testing luminaires to this standard.

Attention is drawn to lamp performance standards which contain "information for luminaire design"; this should be followed for proper lamp operation; however, this standard does not require the testing of lamps performance as part of the type test approval for luminaires.

Improvements in safety to take account of the state of the art technology are incorporated in the standards with revisions and amendments on an ongoing basis. Regional standardisation bodies may include statements in their derived standards to cover products which have complied with the previous document as shown by the manufacturer or standardization body. The statements may require that for such products the previous standard may continue to apply to production until a defined date after which the new standard shall apply.

0.2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60061-2, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 2: Lampholders*

IEC 60061-3, *Lamp caps and holders together with gauges for the control of interchangeability and safety – Part 3: Gauges*

IEC 60065:2001, *Audio, video and similar electronic apparatus – Safety requirements*

IEC 60068-2-75, *Environmental testing – Part 2-75: Tests – Test Eh: Hammer tests*

IEC 60079 (all parts), *Electrical apparatus for explosive gas atmospheres*

IEC 60083, *Plugs and socket-outlets for domestic and similar general use standardized in member countries of IEC*

IEC 60085, *Thermal evaluation and classification of electrical insulation*

IEC 60112:2003, *Method for the determination of the proof and the comparative tracking indices of solid insulating materials*

IEC 60155, *Glow-starters for fluorescent lamps*

IEC 60227(all parts), *Polyvinyl chloride insulated cables of rated voltages up to and including 450/750 V*

IEC 60238:1998, *Edison screw lampholders*

IEC 60245 (all parts), *Rubber insulated cables – Rated voltages up to and including 450/750 V*

IEC 60320 (all parts), *Appliance couplers for household and similar general purposes*

IEC 60357, *Tungsten halogen lamps (non-vehicle) – Performance specifications*

IEC 60360, *Standard method of measurement of lamp cap temperature rise*

IEC 60384-14, *Fixed capacitors for use in electronic equipment – Part 14: Sectional specification: Fixed capacitors for electromagnetic interference suppression and connection to the supply mains*

IEC 60400, *Lampholders for tubular fluorescent lamps and starter-holders*

IEC 60417-DB:2002,*¹⁾ *Graphical symbols for use on equipment*

IEC 60432-1:1999, *Incandescent lamps – Safety specifications – Part 1: Tungsten filament lamps for domestic and similar general lighting purposes*

IEC 60432-2, *Incandescent lamps – Safety specifications – Part 2: Tungsten halogen lamps for domestic and similar general lighting purposes*

IEC 60432-3, *Incandescent lamps – Safety specifications – Part 3: Tungsten halogen lamps (non-vehicle)*

IEC 60529:1989, *Degrees of protection provided by enclosures (IP Code)*

IEC 60570:2003, *Electrical supply track systems for luminaires*

IEC 60598-2 (all parts), *Luminaires – Part 2: Particular requirements*

IEC 60598-2-4:1997, *Luminaires – Part 2: Particular requirements – Section 4: Portable general purpose luminaires*

IEC 60634, *Heat test source (H.T.S.) lamps for carrying out heating tests on luminaires*

IEC 60662, *High pressure sodium vapour lamps*

IEC 60664-1, *Insulation coordination for equipment within low-voltage systems – Part 1: Principles, requirements and tests*

IEC 60684 (all parts), *Flexible insulating sleeving*

IEC 60695-2 (all parts), *Fire hazard testing – Part 2: Test methods*

IEC 60695-2-2, *Fire hazard testing – Part 2: Test methods – Section 2: Needle-flame test*

IEC 60695-2-10, *Fire hazard testing – Part 2-10: Glowing/hot-wire based test methods – Glow-wire apparatus and common test procedure*

IEC 60838 (all parts), *Miscellaneous lampholders*

¹⁾ "DB" refers to the IEC on-line database.

IEC 60901, *Single-capped fluorescent lamps – Performance specifications*

IEC 60989, *Separating transformers, autotransformers, variable transformers and reactors*

IEC 60990:1999, *Methods of measurement of touch current and protective conductor current*

IEC 61032:1997, *Protection of persons and equipment by enclosures – Probes for verification*

IEC 61058-1:2000 *Switches for appliances – Part 1: General requirements*

IEC 61184: *Bayonet lampholders*

IEC 61195: *Double-capped fluorescent lamps – Safety specifications*

IEC 61199:1999, *Single-capped fluorescent lamps – Safety specifications*

IEC 61347 (all parts), *Lamp controlgear*

IEC 61347-2-9, *Lamp controlgear – Part 2-9: Particular requirements for ballasts for discharge lamps (excluding fluorescent lamps)*

IEC 61558-1:2005, *Safety of power transformers, power supplies, reactors and similar products – Part 1: General requirements and tests*

IEC 61558-2 (all parts), *Safety of power transformers, power supply units and similar – Part 2: Particular requirements*

IEC 61558-2-5, *Safety of power transformers, power supply units and similar – Part 2-5: Particular requirements for shaver transformers and shaver supply units*

IEC 62035: *Discharge lamps (excluding fluorescent lamps) – Safety specifications*

IEC 80416-1: *Basic principles for graphical symbols for use on equipment – Part 1: Creation of symbol originals*

ISO 75-2:1993, *Plastics – Determination of temperature of deflection under load – Plastics and ebonite*

ISO 4046-4:2002, *Paper, board, pulp and related terms – Vocabulary – Part 4: Paper and board grades and converted products*

0.3 General requirements

Luminaires shall be so designed and constructed that in normal use they function safely and cause no danger to persons or surroundings. In general, compliance is checked by carrying out all the tests specified.

0.3.1 A luminaire shall comply with a section of part 2. If, however, an appropriate section of part 2 does not exist for a particular luminaire or group of luminaires, the nearest applicable section of part 2 may be used as a guide to the requirements and tests.

Where the design of a luminaire is such that two or more sections of part 2 are applicable, the luminaire shall comply with both or all of the appropriate sections.

0.3.2 Semi-luminaires should be regarded as luminaires for test purposes.